

N. M. O. C. COPY
UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEYSUBMIT IN TRI:
(Other instruction
reverse side)Form approved
Budget Bureau
LEASE DESIGNATION
NM 534030
6. IF INDIAN, ALLOTMENT

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT" for such proposals.)

RECEIVED

1. OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER	7. UNIT AGREEMENT
2. NAME OF OPERATOR Cities Service Oil Company	8. FARM OR LEASE NAME Elizondo-Pe
3. ADDRESS OF OPERATOR Box 4906 - Midland, Texas 79701	9. WELL NO. 1
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements. See also space 17 below.) At surface 660' FNL & 1980' FWL of Sec. 28-T21S-R27E, Eddy Co., N. Mex.	10. FIELD AND POOL, OR WILDCAT Undes. LaHu Morr
14. PERMIT NO.	15. ELEVATIONS (Show whether DF, RT, GR, etc.) 3211' GR.
	11. SEC., T., R., M., OR BLK. & SURVEY OR AREA Sec. 28-T21S-R27E
	12. COUNTY OR PARISH Eddy
	13. STATE New Mex.

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

FRACTURE TREAT

SHOOT OR ACIDIZE

REPAIR WELL

(Other)

PULL OR ALTER CASING

MULTIPLE COMPLETE

ABANDON*

CHANGE PLANS

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

FRACTURE TREATMENT

SHOOTING OR ACIDIZING

(Other)

REPAIRING WELL

ALTERING CASING

ABANDONMENT*

Cementing Prod. Csg. X

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

T.D. 11,673' Shale. Prep to perforate & complete. Drilled to a T.D. of 11,673' and ran 8 Jts. (294.39') 5-1/2" OD 20# N-80 Buttress, 23 Jts. (751.88') 5-1/2" OD 20# N-80 LT&C, 106 Jts. (3395.13') 5-1/2" OD 17# N-80 LT&C and 176 Jts. (7216.00') 5-1/2" OD 17# N-80 Buttress casing set and cemented @ 11,673' w/320 sacks Halliburton Lite w/ #/sack + 580 sacks Class H w/3/4% CFR-2 and 5# KCL/sack cement. Plug down @ 8:45 P.M. on 11-16-73. Ran temp. survey. Top of cement @ 8700'. WOC 78 hrs. set csg. spool and tested packing to 5000# - Held OK.

RECEIVED
NOV 23 1973
U. S. GEOLOGICAL SURVEY
ARTESIA, NEW MEXICO

18. I hereby certify that the foregoing is true and correct

SIGNED

TITLE Region Oper. Mgr.

DATE November

(This space for Federal or State office use)

APPROVED BY

TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY: