FRACTURE TREAT

REPAIR WELL

SIGNED

DAPPROVED BY

CONDITIONS OF APPROVAL

ACTING DISTRICT ENGINEER BEEKIV

SHOOT OR ACIDIZE

TD STATES

SUBMIT IN TRIP

FRACTURE TREATMENT

(Other) __Spud

SHOOTING OR ACIDIZING

Form approved.

ALTERING CASING

ABANDONMENT*

	DEPARTMEN. OF THE INTERIOR (Other Instructions re- GEOLOGICAL SURVEY	5. LEASE DESIGNATION NM 14758	AND SERIAL NO.	
	SUNDRY NOTICES AND REPORTS ON WELLS (Do not use this form for proposals to deill or to deepen or plug back to a different reservoir. Use "APPLICATION FOR PERMIT—" for such prepose.)	6. IF INDIAN, ACLOTTEE	OR TRIBE NAME	
1.	OIL GAS WELL OTHER	7. UNIT AGREEMENT NAME		
2,	NAME OF OPERATOR	8. FARM OR LEASE NAME WILDERSPIN		
	MONSANTO COMPANY			
3.	ADDRESS OF OPERATOR	9. WELL NO.		
	101 NORTH MARIENFELD, MIDLAND, TEXAS 79701	1		
1.	LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.) At surface	10. FIELD AND POOL, OR WILDCAT		
	1980' FNL & 1980' FWL Section	Burton Flat - Morrow 11. SEC., T., E., M., OR BLK. AND SURVEY OR AREA		
		Sec. 11, T-	21S, R-27E	
14.	PERMIT NO. 15. ELEVATIONS (Show whether DF, RT, GR, etc.)	12. COUNTY OR PARISH	13. STATE	
		Eddy	New Mexico	
16.	Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data			
NOTICE OF INTENTION TO:		QUENT REPORT OF:		
	TEST WATER SHUT-OFF PULL OR ALTER CASING WATER SHUT-OFF X	BEPAIRING W	ELL	

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.) (Other) 17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Spudded 17岁' hole 9:00 AM 12/27/73.

18. I hereby certify that the foregoing is true and correct

of State office use)

Drilled 172" hole to total depth 600' & set 13 3/8" 48# & H-40 ST&C Casing at 600'; cemented to surface 750 Sx. Cement; Plug down 8:30 PM 12/29/73.

WOC 18 Hrs. & tested w/ 1000 psi for 30 Mins., Held OK.

MULTIPLE COMPLETE

ABANDON*

CHANGE PLANS

U.S. GEOLOGICAL SURVEY NEW MEXICO 1/3/74 DATE . DATE

*See Instructions on Reverse Side

TITLE

Dist. Prod. Mgr.