

STATE OF NEW MEXICO
ENERGY AND MINERALS DEPARTMENT

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.G.S.	
LAND OFFICE	
OPERATOR	

OIL CONSERVATION

P. O. BOX 2088

SANTA FE, NEW MEX

RECEIVED BY

NOV 20 1984

O. C. D.
ARTESIA OFFICE

Form C-103
Revised 10-1

5a. Indicate Type of Lease
State ☒ Fee ☐
5. State Oil & Gas Lease No.
K-4990

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR.
USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)

1. OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER <input type="checkbox"/>	7. Unit Agreement Name -----
2. Name of Operator Penroc Oil Corporation ✓	8. Farm or Lease Name Allied-A-Comm.
3. Address of Operator P. O. Drawer 831, Midland, Texas 79702	9. Well No. 1
4. Location of Well UNIT LETTER <u>N</u> , <u>1980</u> FEET FROM THE <u>West</u> LINE AND <u>660</u> FEET FROM THE <u>South</u> LINE, SECTION <u>22</u> TOWNSHIP <u>20S</u> RANGE <u>27E</u> NMPM.	10. Field and Pool, or Wildcat Avalon Morrow
15. Elevation (Show whether DF, RT, GR, etc.) 3248 GR	12. County Eddy

16. Check Appropriate Box To Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

SUBSEQUENT REPORT OF:

PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input checked="" type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>	CASING TEST AND CEMENT JOBS <input type="checkbox"/>	

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

- 11-4-84 Set retrievable plug at 6727' above Morrow perms 10,669-10,792'.
Perf Bone Spring 6606-6626'
- 11-5-84 Acidize perms 6606-6626' w/2000 galls. 15% NE acid. Swab to test w/fair blow gas.
- 11-7-84 Perf Bone Spring 6503-6516' and 6452-6462'. RBP plug at 6563'.
- 11-8-84 Acidize perms 6503-6516' and 6452-6462' w/2500 galls. 15% NE acid. Swab and flow acid water and oil.
- 11-10-84 Frac down 4½" casing thru perms 6503-6516' and 6452-6462' w/30,000 galls. Purgel-30 at 25% CO₂ carrying 16,800# 20-40 sand and 2400# 12-20 sand. Open well after 3 hrs closed in and flow 311.45 bbls load wtr and died.
- 11-12-84 Flow to tank 116.85 bbls load water and oil. Go in hole w/2 3/8" tubing. Packer at 6380'. Swab and flow to tank.
- 11-13-84 Swab and flow to tank 88 bbls fluid (40% oil) 10 hrs.
- 11-14-84 Flowed 30 BO, 15 bbls load wtr 22 hrs.
Will flow to recover rest of load water and test well. Then decide to dual with Morrow or not.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED [Signature] TITLE President DATE 11-19-84

APPROVED BY _____ TITLE ORIGINAL SIGNED BY LARRY BROOKS GEOLOGIST - NMCD DATE NOV 20 1984

CONDITIONS OF APPROVAL, IF ANY: