

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEYSUBMIT IN TRIPLICATE*
(Other instructions on reverse side)Form approved.
Budget Bureau No. 42-R1424.

5. LEASE DESIGNATION AND SERIAL NO.

NM 0526982

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)1. OIL WELL ☐ GAS WELL ☒ OTHER

RECEIVED

2. NAME OF OPERATOR

MONSANTO COMPANY

3. ADDRESS OF OPERATOR

101 North Marienfeld, Midland, Texas 79701

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements. See also space 17 below.)
At surface

1980' FWL & 3300' FSL Section 5

MAY 14 1974
O. C. C.
ARTESIA, OFFICE

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

PECOS

9. WELL NO.

1

10. FIELD AND POOL, OR WILDCAT

WILDCAT

11. SEC., T., R., OR BLK. AND SURVEY OR AREA

Sec. 5, T-21S, R-26E

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, GR, etc.)

Ground Level Elev. 3205'

12. COUNTY OR PARISH

Eddy

13. STATE

New Mexico

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

☐
☐
☐
☐

PULL OR ALTER CASING

☐
☐
☐
☐

FRACTURE TREAT

MULTIPLE COMPLETE

SHOOT OR ACIDIZE

ABANDON*

REPAIR WELL

CHANGE PLANS

(Other)

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

☒
☐
☐

FRACTURE TREATMENT

SHOOTING OR ACIDIZING

(Other) Spud

REPAIRING WELL

ALTERING CASING

ABANDONMENT*

☐
☐
☐
☐

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Spudded 17½" hole 1:00 AM 4/28/74;

Drilled 17½" to 500'; Set 13 3/8" 54.5# K-55 ST&C casing @ 500' & cemented to surface w/ 450 Sx. Lt Wt ½# Flocele/Sx.; 5# Gilsonite/Sx. & 150 Sx. Class C 2% CaCl; Cement circulated; Plug down 10:45 A.M. 4/30/74; WOC 18 Hrs. & tested w/ 800 psi for 30 Mins., held OK.

Drilled 12¼" hole to 2030'; Set 9 5/8" 36# K-55 ST&C Casing @ 2030' & cemented to surface w/ 850 Sx. Lt Wt cement, ½# flocele & 5# gilsonite per sx & 150 Sx. Class "C" cement, 2% CaCl; Plug down 8:00 AM 5/5/74.

WOC 24 Hrs. & tested w/ 1500 psi for 30 Mins., Held OK.

RECEIVED

MAY 13 1974

U. S. GEOLOGICAL SURVEY
ARTESIA, NEW MEXICO

18. I hereby certify that the foregoing is true and correct

SIGNED

TITLE District Engineer

DATE 5/8/74

(This space for Federal or State office use)

APPROVED BY

TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY:

*See Instructions on Reverse Side