COQUINA OIL CORP FAF FED #)													
Co	QUI	NA	0	16	COR	P		,		WEI	AF	FED) #)
N	C			· co	E	ומכ	/			STA	NI		
DEPTH	Rw	deve	Proc	den	Ru	Rus	K			•	% POROSITY	% WATER	REMARKS
410-12	104	1.5	5		1		Fall				3,5	45	TIGHT
10-10	4	1.5	5	3	ì	1	ofair				3	33	. 1
\$ 2-94	12	2.5	6	4.	120	60	6000	REC	EI	VE	D4	30-50) '(
48-54	.055	2	6	4	270		, ,	NO	V 1 9	1974		32-47	
16-22	11	2	7	5	120	ĺ	Govd		3. C.		5	40-50	
12-90	17	1.5	5,5	3	650		1 [ART	ESIA, C	OFFICE	3	28-3	
72-76	11	1.5	5,5	3	"	70	Freis				3	80-90	
54-58	11	8	10	9	30	20	fair				9	1	Poss (thing)
19:22	ч	3	6	4	76-m	70-	low				4	T	TIGHTLE
178-	11	4	8.5	6	20-30	1/1-	Fair				6		WATER
637-	11	1	9	5	200	68 -	5000				5	24-41	Poss (1994)
842-	,04	6	6	6	60-	60-	100				6	T	TIGHT
16	,08	8	4	6.5	300-	300-	low				6.5	26-	THENT
18-	11	10	6	7	70	45-	Comp					40=	WATER
4.70	104	20	5	13	120	16	102)				13	35-	WATER
				4									
									-				
													
											····		

All interpretations are opinions based on inferences from electrical or other measurements and we cannot, and do not, guarantee the accuracy or correctness of any interpretations, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any oss, costs, damages or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to Clause 7 of our General Terms and Conditions as set out in our current Price Schedule.

-17-74

HOBBS

MCKSOK)