

NO. OF COPIES RECEIVED	2
DISTRIBUTION	
SANTA FE	/
FILE	/
U.S.G.S.	
LAND OFFICE	
OPERATOR	/

NEW MEXICO OIL CONSERVATION COMMISSION

Form C-103
Supersedes Old
C-102 and C-103
Effective 1-1-65

JUL 11 1978

O. C. C.

ARTESIA, OFFICE

5a. Indicate Type of Lease
State <input checked="" type="checkbox"/> Fee <input type="checkbox"/>
5. State Oil & Gas Lease No.
K-6853

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPLN OR PLUG BACK TO A DIFFERENT RESERVOIR.
USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)

1. OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER-
2. Name of Operator Yates Petroleum Corporation
3. Address of Operator 207 South 4th Street - Artesia, NM .88210
4. Location of Well UNIT LETTER K 1980 FEET FROM THE South LINE AND 1980 FEET FROM THE West LINE, SECTION 36 TOWNSHIP 20S RANGE 27E NMPM.
15. Elevation (Show whether DF, RT, CR, etc.) 3263' RB

7. Unit Agreement Name
8. Farm or Lease Name MWJ State GW Com
9. Well No. 1 1
10. Field and Pool, or Wildcat Und. Atoka
12. County Eddy

16. Check Appropriate Box To Indicate Nature of Notice, Report or Other Data
NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF:

PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>	CASING TEST AND CEMENT JOBS <input type="checkbox"/>	OTHER To Plug Back, Perf, & treat <input checked="" type="checkbox"/>

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

Ps A Monahan Zone. 7-1-78
Rigged up Vann Tool and RIH w/CIBP and set plug at 10763'. WIH w/wireline and perforating gun. Perforated 10752-10756 w/16 .32" shots (4SPF) - Well flowed 60# on 12/64" choke = 55 MCFPD.
Treated well w/1000 gallons 15% MSA and Nitrogen. After clean up well flowed 50# on 1/4" choke = 85 MCFPD. (Atoka Perforations)

*Post
11/14/78
11/22/78*

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.		
SIGNED <i>Christine Imamura</i>	TITLE Geol. Secty	DATE 7-10-78
APPROVED BY <i>Mike Williams</i>	TITLE OIL AND GAS INSPECTOR	DATE JUL 11 1978
CONDITIONS OF APPROVAL, IF ANY:		