

| | |
|------------------------|-------------------------------------|
| NO. OF COPIES RECEIVED | |
| DISTRIBUTION | |
| SANTA FE | <input checked="" type="checkbox"/> |
| FILE | <input checked="" type="checkbox"/> |
| U.S.G.S. | |
| LAND OFFICE | |
| OPERATOR | <input checked="" type="checkbox"/> |

RECEIVED
NEW MEXICO OIL CONSERVATION COMMISSION

Form C-103
Supersedes Old
C-102 and C-103
Effective 1-1-65

OCT 25 1982

O. C. D.
ARTESIA OFFICE

| | |
|--------------------------------|---|
| 5a. Indicate Type of Lease | |
| State <input type="checkbox"/> | Fee <input checked="" type="checkbox"/> |
| 5. State Oil & Gas Lease No. | |

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR.
USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

| | |
|---|---|
| 1. OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER- | 7. Unit Agreement Name |
| 2. Name of Operator Cities Service Company | 8. Farm or Lease Name Tracy E Com. |
| 3. Address of Operator P.O. Box 1919, Midland, Texas 79702 | 9. Well No. 1 |
| 4. Location of Well UNIT LETTER <u>E</u> <u>1880</u> FEET FROM THE <u>North</u> LINE AND <u>660</u> FEET FROM THE <u>West</u> LINE, SECTION <u>30</u> TOWNSHIP <u>21S</u> RANGE <u>27E</u> N.M.P.M. | 10. Field and Pool, or Wildcat Wildcat Atoka |
| 15. Elevation (Show whether DF, RT, GR, etc.) 3120' GR | 12. County Eddy |

16. Check Appropriate Box To Indicate Nature of Notice, Report or Other Data

| NOTICE OF INTENTION TO: | | SUBSEQUENT REPORT OF: | |
|--|---|---|--|
| PERFORM REMEDIAL WORK <input type="checkbox"/> | PLUG AND ABANDON <input type="checkbox"/> | REMEDIAL WORK <input type="checkbox"/> | ALTERING CASING <input type="checkbox"/> |
| TEMPORARILY ABANDON <input type="checkbox"/> | CHANGE PLANS <input type="checkbox"/> | COMMENCE DRILLING OPNS. <input type="checkbox"/> | PLUG AND ABANDONMENT <input checked="" type="checkbox"/> |
| PULL OR ALTER CASING <input type="checkbox"/> | OTHER <input type="checkbox"/> | CASING TEST AND CEMENT JOB <input type="checkbox"/> | OTHER <input type="checkbox"/> |

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

OTD 11,550' Shale, OPBTD 10,870'. This well was plugged and abandoned in the following manner:

1. RU pulling unit. ND WH and NU BOP. Circ hole w/mud laden fluid. Pulled tbg. and packer.
2. RIH w/2-7/8" tbg. to 10,462'. Pulled tbg to 9300' and spotted a 100' cement plug 9300'-9200' across the top of the Penn formation.
3. Pulled tbg. to 8950' and spotted a 200' cement plug 8950-8750' across the top of the Wolfcamp 1/2 above and 1/2 below 7-5/8" casing shoe @ 8850'.
4. Pulled tbg. to 6930' and spotted a 100' cement plug 6930-6830' across the top of the 2nd Bone Springs.
5. Pulled tbg. to 6150' and spotted a 100' cement plug 6150-6050' across the top of the Bone Springs. POOH w/tbg.
6. RU casing jacks. REMOVED casing slips. Cut 7-5/8" casing @ 3873'. Worked casing free. RD casing jacks. LD casing.
7. RIH w/2-7/8" tbg. to 3927'. Circ hole w/mud laden fluid. Spotted 100' cement plug 3927-3827' 1/2 in and 1/2 out of 7-5/8" casing stub. Tagged plug.

(SEE REVERSE SIDE)

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED Bary C. Zimmerman TITLE Region Petroleum Engineer DATE 10-22-82
APPROVED BY Harry Brooks TITLE Geologist DATE 7-27-84
CONDITIONS OF APPROVAL, IF ANY:

8. RIH w/2-7/8" tbg to 3873' top of casing stub. Could not get inside csg stub. Circ hole w/mud laden fluid. Spotted a 100' cement plug 3873-3773'. POOH.
9. RIH w/2-7/8" tbg to 2315'. Spotted 100' cement plug 2315-2215' 1/2 above and 1/1 below 10-3/4" casing shoe @ 2265'. POOH.
10. RIH w/tbg. Tagged cement plug @ 2196'. Pulled tbg to 455'. Spotted a 100' cement plug 455-355' 1/2 in and 1/2 out of 16" casing shoe. POOH w.tbg. Spotted a 15 sack surface plug 0 - 30'.
11. Install a 4" dry hole marker (4' above and 6' below ground) to designate a plugged and abandoned hole. Cleared location.