

NO. OF COPIES RECEIVED	3
DISTRIBUTION	
SANTA FE	1
FILE	1
U.S.G.S.	
LAND OFFICE	
OPERATOR	1

NEW MEXICO OIL CONSERVATION COMMISSION

JAN 18 1977

O. C. C.

ARTESIA, OFFICE

Form C-103
Supersedes Old
C-102 and C-103
Effective 1-1-65

5a. Indicate Type of Lease
State ☒ Fee ☐

5. State Oil & Gas Lease No.
K-5115

SUNDY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR.
USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)

1. OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER <input type="checkbox"/>	7. Unit Agreement Name
2. Name of Operator Yates Petroleum Corporation	8. Farm or Lease Name Stonewall "EP" State
3. Address of Operator 207 South 4th Street - Artesia, NM 88210	9. Well No. 1 2
4. Location of Well UNIT LETTER N 660 FEET FROM THE South LINE AND 1980 FEET FROM THE West LINE, SECTION 19 TOWNSHIP 20S RANGE 28E NMPM.	10. Field and Pool, or Wildcat Und. Morrow
15. Elevation (Show whether DF, RT, GR, etc.) 3300' GR	12. County Eddy

Check Appropriate Box To Indicate Nature of Notice, Report or Other Data
NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF:

PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>	CASING TEST AND CEMENT JOB <input checked="" type="checkbox"/>	OTHER <input type="checkbox"/>

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1105.
ID 2750 - Ran 65 joints of 8-5/8" 24# and 32# K-55 & J-55 (2753.72') of casing set at 2750'. 1-Guide shoe and Automatic fill insert float at 2708', 1-centralizer and basket at 1350'. Cemented w/300 sacks of Halliburton Thick-Set 12# gilsonite, 1/4# flocele 2% CaCl, 900 sacks of Halli-Lite 10# gilsonite 1/4# flocele 2% CaCl, 300 sacks of 2% CaCl (Slurry 14.8#). PD 7:00 AM 1-5-77. Cement did not circulate. WOC 6 hours and ran Temperature Survey and tagged cement at 1220'. Ran 1" and tagged top of cement at 1200'. Staged cement as follows: Spotted 50 sacks of Class C 4% CaCl. PD 7:00 PM 1-5-77. WOC 2 hours. Ran 1" and tagged top of cement at 1000' spotted 50 sacks of Class C 4% CaCl. PD 10:00 PM 1-5-77. WOC 2 hours. Ran 1" and tagged cement at 950', spotted 50 sacks Class C 4% CaCl. PD 1:00 AM 1-6-77. WOC 2 hours. Ran 1" and tagged cement at 819', spotted 50 sacks of Class C 4% CaCl. PD 5:00 AM 1-6-77. WOC 2 hours. Ran 1" and tagged cement at 588', spotted 100 sacks of Class C 4% CaCl. PD 11:00 AM 1-6-77. WOC 2 hours. Ran 1" and tagged top of cement at 325', spotted 120 sacks of Class C 4% CaCl. PD 3:00 PM 1-6-77. Cement circulated. WOC 32 hours, nipples up BOP's and tested to 1500# OK. Reduced hole 7-7/8", drld plug and tstd to 600#. OK. Resumed drilling

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED Christine Tomlinson TITLE Geol. Secty DATE 1-16-77

APPROVED BY W. A. Gressett TITLE SUPERVISOR, DISTRICT II DATE JAN 18 1977

CONDITIONS OF APPROVAL, IF ANY: