

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEYSUBMIT IN TRIPLICATE
(Other instruction
reverse side).DATE
0 1 77Form approved.
Budget Bureau No. 42 R1421

5. LEASE DESIGNATION AND SERIAL NO.

0354232

6. IF INDIAN, ALLEETEE OR TRIBE NAME

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT" for such proposals.)1. OIL WELL ☐ GAS WELL ☒ OTHER ☐ RECEIVED

2. NAME OF OPERATOR

Cities Service Oil Company

JUN 21 1977

3. ADDRESS OF OPERATOR

P. O. Box 1919, Midland, Texas 79702

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.
See also space 17 below.)

At surface

1780' FSL, 2180' FWL, Section 34, T-21-S, R-27-E,
Eddy County, New Mexico.

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

Elizondo Federal "X"

9. WELL NO.

10. FIELD AND POOL, OR WILDCAT

Und. Burton Flat Morrow

11. SEC., T., R., M., OR BLK. AND
SURVEY OR AREA

Sec. 34, T-21-S, R-27-E

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, GR, etc.)

3142.9' GR

12. COUNTY OR PARISH

Eddy

13. STATE

New Mexico

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

FRACTURE TREAT

SHOOT OR ACIDIZE

REPAIR WELL

(Other)

PULL OR ALTER CASING

MULTIPLE COMPLETE

ABANDON*

CHANGE PLANS

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

FRACTURE TREATMENT

SHOOTING OR ACIDIZING

(Other)

REPAIRING WELL

ALTERING CASING

ABANDONMENT*

(NOTE: Report results of multiple completion on Well
Completion or Recompletion Report and Log form.)17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any
proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent
to this work.) *

T.D. 11,380' Shale, Lime & Sand. Ran 48 Jts. (2042.14') of 5-1/2" 20#, N80 LT&C and
242 Jts. (9765.06') of 5-1/2", 17# N80 LT&C casing set @ 11,830' and cemented with
750 sacks of Class H w/.6 of 1% CPR-2 and 5# KCL/sack. Plug down at 2230 MDT 6-10-77.
Bumped float with 3000#. Held OK. Waited on cement 6 hours and ran temperature
survey. Top of cement 8400'.

RECEIVED

JUN 17 1977

U.S. GEOLOGICAL SURVEY
ARTESIA, NEW MEXICO

18. I hereby certify that the foregoing is true and correct

SIGNED

TITLE Region Operations Manager

DATE June 14, 1977

(This space for Federal or State office use)

APPROVED BY

TITLE ACTING DISTRICT ENGINEER

DATE JUN 21 1977

CONDITIONS OF APPROVAL, IF ANY: