

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEYSUBMIT IN THE  
(Other instruct. on re-  
verse side)Form approved.  
Budget Bureau No. 42-R1424.  
5. LEASE DESIGNATION AND SERIAL NO.

NM-25351

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

## SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.  
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>		7. UNIT AGREEMENT NAME	
2. NAME OF OPERATOR Rial Oil Company ✓		8. FARM OR LEASE NAME Rock Tank Federal	
3. ADDRESS OF OPERATOR P. O. Drawer 3068, Midland, Texas 79702		9. WELL NO. 1	
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.) At surface 1315' FSL & 2080' FWL		10. FIELD AND POOL, OR WILDCAT Rock Tank	
14. PERMIT NO.		12. COUNTY OR PARISH Eddy	
15. ELEVATIONS (Show whether DF, RT, GR, etc.) 3991' GR		13. STATE N.M.	

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
TEST WATER SHUT-OFF <input type="checkbox"/>	PULL OR ALTER CASING <input type="checkbox"/>	WATER SHUT-OFF <input type="checkbox"/>	REPAIRING WELL <input type="checkbox"/>
FRACTURE TREAT <input type="checkbox"/>	MULTIPLE COMPLETE <input type="checkbox"/>	FRACTURE TREATMENT <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
SHOOT OR ACIDIZE <input type="checkbox"/>	ABANDON* <input type="checkbox"/>	SHOOTING OR ACIDIZING <input type="checkbox"/>	ABANDONMENT* <input type="checkbox"/>
REPAIR WELL <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	(Other) Running 8-5/8" casing	

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

11/4/77 Driller T.D. 2450' - 12-1/4" hole.

Ran 8-5/8" 24# casing to a total depth of 2450'. Cemented with 550 sacks Howco Lite w/1/4# Floseal and 5# Gilsonite per sack. Tail in with 200 sacks Class "C" Neat w/2% CaCl. Cement did not circulate. Plug down @ 4:00 a.m., 11/5/77. Ran temperature survey. Top of @ 1020'. Cemented with 225 sacks Howco Lite w/1/2# Floseal and 5# Gilsonite per sack. Cement circulated to surface.

RECEIVED

JUN 9 1980

RECEIVED

O. C. D.

ARTESIA, OFFICE

JUN 4 1980

U.S. GEOLOGICAL SURVEY  
ARTESIA, NEW MEXICO

I hereby certify that the foregoing is true and correct

APPROVED BY (This space for Federal or State office use)  
(Orig. Sgd.) GEORGE H. STEWART  
TITLE Comptroller  
DATE 6/2/80  
CONDITIONS OF APPROVAL, IF ANY:  
TITLE  
DATE