

NM CC COPY
UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN TRIPPLICATE*
(Other instructions on reverse side)

Form approved.
Budget Bureau No. 42-R1424.

5. LEASE DESIGNATION AND SERIAL NO.

NM 4986

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

Pacheco Federal

9. WELL NO.

2

10. FIELD AND POOL, OR WILDCAT

Angel Ranch Morrow

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA

Sec 1, T20S-R27E

12. COUNTY OR PARISH 13. STATE

Eddy

NM

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL ☐ GAS WELL ☒ OTHER

RECEIVED

2. NAME OF OPERATOR

Gulf Oil Corporation

MAY - 8 1978

3. ADDRESS OF OPERATOR

P. O. Box 670, Hobbs, NM 88240

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements. See also space 17 below.)
At surface

O. G. C.
ARTESIA, OFFICE

1980' FNL & 1980' FEL

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, GR, etc.)

3380' GL

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

PULL OR ALTER CASING

FRACTURE TREAT

MULTIPLE COMPLETE

SHOOT OR ACIDIZE

ABANDON*

REPAIR WELL

CHANGE PLANS

(Other)

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

FRACTURE TREATMENT

SHOOTING OR ACIDIZING

(Other)

REPAIRING WELL

ALTERING CASING

ABANDONMENT*

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

MeVay Drilling co spudded a 12 1/7" hole at 11:30 AM 4-30-78. Reached TD of 17 1/2" hole at 442' at 4:55 PM 4-30-78. Ran 11 jts 13 3/8" 48# H-40 ST & C (425') set at 442'. Cement with 250 sacks Class C with 6% gel and 1/4# floreal, 2% CaCl2 and 175 sacks Class C with 2% CaCl2. Cement circulated WOC 18 hrs. Tested 13 3/8" casing to 500# for 30 min = OK.

Started drilling a 12 1/4" hole at 442' at 5:45 PM 5-1-78.

RECEIVED
MAY 4 1978
U.S. GEOLOGICAL SURVEY
ARTESIA, NEW MEXICO

18. I hereby certify that the foregoing is true and correct

SIGNED N. B. Sikes, Jr.

TITLE Area Engineer

DATE 5-3-78

(This space for Federal or State office use)

APPROVED BY Joe H. Lara

TITLE ACTING DISTRICT ENGINEER

DATE MAY 8 - 1978

CONDITIONS OF APPROVAL, IF ANY: