

UNITED STATES GEOLOGICAL SURVEY
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEYCOPY IN TRIPPLICATE*
(Other instructions on re-
verse side)Form approved 10 27
Budget Bureau No. 42-R1424

5. LEASE DESIGNATION AND SERIAL NO.

NM 20326

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

Harvey "JI" Federal

9. WELL NO.

1

10. FIELD AND POOL, OR WILDCAT

Undesignated

11. SEC., T., R., M., OR BLK. AND
SURVEY OR AREA

Sec. 23-21S-21E

Unit J NMPM

12. COUNTY OR PARISH 13. STATE

Eddy

NM

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

RECEIVED

1. OIL WELL ☐ GAS WELL ☒ OTHER ☐

2. NAME OF OPERATOR
Yates Petroleum Corporation ✓

3. ADDRESS OF OPERATOR
207 South 4th Street - Artesia, NM 88210 D.C.C. OFFICE

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*
See also space 17 below.)
At surface
1780' FSL & 1980' FEL of Section 23-21S-21E

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, GR, etc.)
4562' GR

JUN 26 1978

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

☐
☐
☐
☐
☐

PULL OR ALTER CASING

☐
☐
☐
☐
☐

MULTIPLE COMPLETE

ABANDON*

CHANGE PLANS

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

☐
☐
☐
☐
☐

FRACTURE TREATMENT

SHOOTING OR ACIDIZING

(Other)

Set Production Casing

REPAIRING WELL

ALTERING CASING

ABANDONMENT*

☐
☐
☐
☒
☐(NOTE: Report results of multiple completion on Well
Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.) * TD - 8364' -

Ran 203 joints of 4½" casing as follows: 34 joints K-55 11.6# (1107'), 166 joints of 10.5# K-55 (6970'), and 3 joints of K-55 11.6# (76') (Total 8153') of casing set at 8153'. 1-Guide shoe at 8153', Diff-fill at 8121'. 8-centralizers. Cemented as follows: 10 bbls KCL water, followed w/590 sacks of Howco-Lite 3/10% CFR-2, 5/10% Halad 22 5#/sack KCL, tailed in w/100 sacks of Class H 3/10% CFR-2, 5/10% Halad 22 5#/sack KCL. PD 11:45 AM 6-9-78. WOC and ran Temperature Survey found top of cement at 5520', WLPBTD 8120'. Tested casing w/1500#. OK.

RECEIVED
JUN 22 1978
U.S. GEOLOGICAL SURVEY
ARTESIA, NEW MEXICO

18. I hereby certify that the foregoing is true and correct

SIGNED

Christie Tomlinson

TITLE

Geol. Secty

DATE 6-22-78

(This space for Federal or State office use)

APPROVED BY

Lee A. Lara

TITLE

ACTING DISTRICT ENGINEER

DATE JUN 26 1978

CONDITIONS OF APPROVAL, IF ANY: