

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEYSUBMIT IN TRIPLI
(Other Instructions on reverse side)Form approved.
Budget Bureau No. 42-R1424.

5. LEASE DESIGNATION AND SERIAL NO.

NM-02295

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

Trigg-Federal

9. WELL NO.

1

10. FIELD AND POOL, OR WILDCAT

Undesignated

11. SEC., T., R., M., OR BLK. AND
SURVEY OR AREA

Sec. 3, T-20-S, R-27-E

12. COUNTY OR PARISH 13. STATE

Eddy New Mexico

SUNDRY NOTICES AND REPORTS ON WELLS RECEIVED

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT" for such proposals.)1. OIL WELL ☐ GAS WELL ☐ OTHER ☒ Dry Hole OCT 18 1978

2. NAME OF OPERATOR

Southland Royalty Company ✓

O.C.C.

3. ADDRESS OF OPERATOR

ARTESIA OFFICE

1100 Wall Towers West, Midland, TX 79701

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*
See also space 17 below.)

At surface

1980' FNL & 2230' FWL

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, GR, etc.)

3341.0' GR

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF ☐FRACTURE TREAT ☐SHOOT OR ACIDIZE ☐REPAIR WELL ☐(Other) ☐PULL OR ALTER CASING ☐MULTIPLE COMPLETE ☐ABANDON* ☒CHANGE PLANS ☐

SUBSEQUENT REPORT OF:

WATER SHUT-OFF ☐FRACTURE TREATMENT ☐SHOOTING OR ACIDIZING ☐(Other) ☐REPAIRING WELL ☐ALTERING CASING ☐ABANDONMENT* ☐(NOTE: Report results of multiple completion on Well
Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.) *

Propose to plug and abandon well as follows: Note: Existing status of well:

1. RU casing pullers.
 2. Shoot off 4 1/2" csg @ 7000', lay down 4 1/2" csg.
 3. GIH w/2 3/8" tbg. to top of csg stub
 4. Spot 200' cmt plug (60 sx) across 4 1/2" csg stub. Tag up on plug w/tbg.
 5. Spot 200' cmt plug (60 sx) @ 4000'
 6. Spot 200' cmt plug (60 sx) across 8 5/8" csg shoe. Tag top of cement.
 7. Spot 100' cmt plug (30 sx) across 13 3/8" csg shoe.
 8. Spot 10 sxs @ surface
 9. Install dry hole marker, clean loc., fill pits.
- 13 3/4" @ 435'. Cmt circ.
8 5/8" @ 2600' Cmt circ.
4 1/2" @ 9089'. T/cmt @ 7120'
PBSD 8445'. See Form 9-331 for previously set plugs.

Will notify USGS prior to plugging operations.

Contractor: Permian Basin Casing Pullers, P.O. Box 2322, Midland, TX 79701
(915+683-1413)

18. I hereby certify that the foregoing is true and correct

SIGNED

C. Harvey Can

TITLE

District Engineer 1978

DATE 9/8/78

(This space for Federal or State office use)

APPROVED BY

Lee S. Latta

TITLE

ACTING DISTRICT ENGINEER

DATE OCT 17 1978

CONDITIONS OF APPROVAL, IF ANY:

RECEIVED

GEOLOGICAL SURVEY
ARTESIA, NEW MEXICO