

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil ☒ well gas ☐ well other ☐
2. NAME OF OPERATOR ☒
AMOCO PRODUCTION COMPANY
3. ADDRESS OF OPERATOR
P.O. DRAWER "A" LEVELLAND, TX 79336
4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)
AT SURFACE: 1980' FNL & 1980' FWL, Sec. 1
AT TOP PROD. INTERVAL: (Unit E, SE $\frac{1}{4}$, NW $\frac{1}{4}$)
AT TOTAL DEPTH:

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO:

TEST WATER SHUT-OFF ☐
FRACTURE TREAT ☐
SHOOT OR ACIDIZE ☐
REPAIR WELL ☐
PULL OR ALTER CASING ☐
MULTIPLE COMPLETE ☐
CHANGE ZONES ☐
ABANDON* ☒
(other) ☐

SUBSEQUENT REPORT OF:

RECEIVED

NOV 22 1978

O. C. C.
ARTESIA, OFFICE

NOTE: Report results of multiple completion or zone change on Form 9-331-1978

ARTESIA, NEW MEXICO

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Evaluated well and determined it was not commercially productive. Propose to plug and abandon well using the following procedure. Pull tubing and packer. Spot 25sx Class H cement plug 9700'-9500' across perms. Spot 25sx Class H cement plug 6100'-5900'. Spot 25sx Class H cement plug 2400'-2200'. Spot 20' Class H cement plug at surface. Erect P X A marker. Level and clean up location.

Subsurface Safety Valve: Manu. and Type _____ Set @ _____ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED Dennis Brava TITLE Asst. Admn. Analyst DATE 10-30-78

APPROVED BY Lee D. Lara (This space for Federal or State office use)
CONDITIONS OF APPROVAL, IF ANY: _____ TITLE ACTING DISTRICT ENGINEER DATE NOV 21 1978