*	-			Form approved.
Form 3160-5 (November 1983)	UI ED S	TATES	SUBMIT IN TRIL ATE (Other instructions of r Prerse side)	
(Formerly 9-331)	BUREAU OF LAND		DEACTIVE DEACTIVE	NM 9531-B
		AT USE	VENETICE INCHES	6. IF INDIAN, ALLOTTEE OR TRIBE NAME
On not use this	DRY NOTICES AND	to deepen or plug ba	ck to a different reservoir.	
(DO NOT Upe (and	form for proposals to drill or Use "APPLICATION FOR PE	RMIT-" for such pro	NOV 30 10 39 Al	1 BU UNIT AGREEM BUT NAME
OUT CYA	<u> </u>	•		1 Off nat. Token well have
2. NAME OF OPERATOR	LXJ OTHER		CAR RECEIVED	8. FARM OR LEASE NAME
Inexco Oil Co	mpany 🗸		MILIO III	Majores Federal
3. ADDRESS OF OPERATOR			DEC 19'88	9. WALL NO.
2950 North Lo	op West, Suite 1200	O, Houston,	Texas 77092	2-Y
See also space 17 belo	eport location clearly and in ac	cordance with any S	tate requirements	W. IND AND POOL, OF WALLEST, N
NE ¼ SE¼ Sec.	23-T21SR 22E		WATESMA, COFFEE	Morrow 11. sec., T., B., M., OR BLK. AND
810' FEL & 20		ter I		WORABA OR TERT
	·		•	23-T21S-R22E
14. PERMIT NO.	15. ELEVATION	s (Show whether DF,	RT, GR, etc.)	12. COUNTY OR PARISH 13. STATE
	4203' (	Ground		Eddy New Mexico
16.	Check Appropriate Bo	x To Indicate No	iture of Notice, Report, or	Other Data
N	OTICE OF INTENTION TO:	1	• • •	QUENT EMPORT OF:
TEST WATER SHUT-OF	PCLL OR ALTER	CASING	WATER SHUT-OFF	REPAIRING WELL
FRACTURE TREAT	MULTIPLE COMP		FRACTURE TREATMENT	ALTERING CASING
SHOOT OR ACIDIZE	ABANDON*	_X_	SHOOTING OR ACIDIZING	ABANDONMENT*
REPAIR WELL	CHANGE PLANS		(Other) Parcet result	ts of multiple completion on Well
(Other)	A COMPANY OF THE PARTY OF THE P		Completion or Recom	pletion Report and Log form )
proposed work. If nent to this work.) *	well is directionally drilled, gi	ve subsurface location	ns and measured and true verti	s, including estimated date of starting any cal depths for all markers and zones pecti-
Company propos	not produce in cor ses to plug and aba and will weigh a mi	andon the we	llbore. Mud will be	therefore, Inexco Oil e placed between the
in March or A	abandonment procedu oril of 1989. Inex Coment Cllugo Rego 00	kco Oil Compa	ned. Restoration of any would like to st	f the location will be done tart this work by Dec. 2, 1988
5800-60	no '			
7800-800	10'			
				,
18. 1 hereby certify that t	he foregoing is true and correct			V
SIGNED	Clayheal	TITLE Senio	or Petroleum Enginee	er November 23, 1988
(This space for Federal	al or State office use)			
APPROVED BORIG	GO, RAI GIRI BOVAL, IF ANY:	TITLE		DATE 12-16-88

## P & A Majores Federal No. 2-Y Eddy County, New Mexico

- 1. Kill well by bullheading 60 bbls gelled saltwater down thg. (52 bbls to perfs)
- 2. MIRU workover, ND tree, NU BOP's.
- Latch and pull tbg out of pkr. Circ around gelled saltwater. POOH.
- 4. RU E/L and set CIBP at 8700', dump bail 35' cmt on top.
- 5. RU E/L and cut 5 1/2" csg at 2000', LD same.
- 6. GIH, set balanced cmt plug 1900' to 2100'. WOC and tag plugs. POOH to 500'.
- 7. Set balanced plug 500' to 400'.
- 8. Set balanced plug 0-100'.
- 9. Cut off wellhead, weld on plate, install dry hole marker.
- 10. Restore location.

01

FILE \_\_\_\_

APPN \_\_\_\_\_

DATE 6/9/86

By Ship

DATE 11/4/88

SUBJECT Majores Federal 2-4

Wellbore Dingram

13%" o.d. casing at 417, contil to supplied

23/8" 4.7 Apt N-80 EUE 8AD 234 JAMITS

85% o.l. casing At 2000' contil to surprise

Squel holes at 5830'-5832', 5960'-5970', 5970'-5972', 6156'-6158', 6174'-6206', 4 6232'-6234'

51/2" Stage collar At 7056.45"

8908' = PBTD = 5/2" BAKER "DB" PACKER ASSEMBLY AT 8717'
PERFORATIONS 8826-8844' 37 HOLES
51/2" BAKER 'S' 8P@ 8943' W/35' CMT ON TOP
51/2" BAKER "DB" PACKER AT 8946'
Sq zd hole 9010'-9092'

Perforations 9107'- 9126' W/ 2 SPF, Acidirel W/ 4000 gallons 1/290 Acid, SAND FRACTURED W/ 13,000 " of 100 MESh SAND, 33,000 0 / 20-40 SAND, & 1300 SCE/ 661 Coz

Squel holes 9144'-9146'

51/2" o. S. CASING At 4950, PSTDAY 9904.75"

FEDERAL MAJORES NO. 2-Y
W. INDIAN BASIN (MORROW) FIELD
EDDY COUNTY, NEW MEXICO

NM-149

FORMATION:

MORROW

CLASSIFICATION:

GAS WELL

STATUS:

ST-PIPELINE DEMAND

\*AVERACE DAILY PRODUCTION:

MCFCPD 76

BOPD

•

BWPD

2

FTP/PSI

400

100%

WORKING INTEREST: PURCHASER:

EL PASO

PULLER Meer No. 1 miles

## DIRECTIONS TO LOCATION:

FROM CARLSBAD, NEW MEXICO, CO NORTH ON HIGHWAY 285 FOR 12 MILES, TURN LEFT (SIGN SITTING BULL FALLS), GO 9 MILES TO "Y" IN ROAD. STAY TO THE RIGHT SIDE OF "Y". GO 9.7 MILES (PAST GAS PLANT ON LEFT, TO THIRD ROAD ON THE RIGHT), TURN RIGHT. GO 1.8 MILES TO COUNTY CALTCHE ROAD, CO RIGHT 1.4 MILES ON CALICHE ROAD, RIGHT .8 MILES TO RIG.

PUMPER: ADDRESS:

GRAY PUMPING SERVICE, INC.

P. O. BOX 1046

ARTESIA, NEW MEXICO 88210

TELEPHONE:

(505) 746-3835