


Perry H. Bass
 Big idy 72
 Absolute Open Flow Test
 Atoka
 6-2-80



$$Q_1 = 2580$$

$$Q_2 = 370$$

$$\text{Log } Q_1 = 3.41162$$

$$\text{Log } Q_2 = 2.56820$$

$$N = .8934$$

$$Q = 3416 \text{ MCFD}$$

General: This form is designed for submitting a complete and correct well completion report and log on all types of lands and leases to either a Federal agency or a State agency, or both, pursuant to applicable Federal and/or State laws and regulations. Any necessary special instructions concerning the use of this form and the filing of an application to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office. See instructions on items 22 and 24, and 28, below regarding separate reports for separate completions. If not filed prior to the time this summary record is submitted, copies of all currently available information and pressure data need to be submitted.

Item 4: If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with regulations for Federal office for specific instructions. All attachments

Item 22: Indicate which elevation is used as reference (where not otherwise shown) for depth measurements given in other spaces on this form and in any attachments. **Item 23:** Indicate the interval or intervals, top(s), bottom(s) and name(s) (if any) for each measurement zone. **Item 24:** If this well is completed for separate production from more than one interval zone (multiple completion), so state in the space provided.

Item 29: "Sacks Comment": Attached supplemental records for this well should show 42 sacks of cement. Submit a separate report (page) on this form, adequately identified, for each additional interval to be separately produced, showing the additional data pertinent to such interval.

Item 23: Submit a separate completion report on this form for each interval to be separately produced. (See instruction for items 22 and 24 above.)

FORMATION	TOP	38.	GEOLOGIC MARKERS
SHOW ALL IMPORTANT ZONES OF POROSITY AND CONTENTS THEREOF: CORED INTERVALS; AND ALL BRILL-STEM TESTS, INCLUDING DEPTH INTERVAL TESTED, FLOWING AND SHUT-IN PRESSURES, AND RECOVERIES			

38. GEOLOGIC MARKERS	NAME	MEAS. DEPTH	TOTAL	DEPTH	39. CORE LOG		
					TOP	BOTTOM	DESCRIPTION, CONTENTS, ETC.

Perry R. Bass

FL - City Unit

72

R

3

21 South

21 West

Lucy

South

1730

Low

320

Unit

John D. Rodgers

John D. Rodgers

Senior Production Engineer

Perry R. Bass

June 5, 1980

T

S

R

Q



U

V

W

X