

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

**SUNDRY NOTICES AND REPORTS ON WELLS**

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil ☐ gas ☒ well ☐ other ☐
2. NAME OF OPERATOR  
Amoco Production Company ✓
3. ADDRESS OF OPERATOR  
P. O. Box 68, Hobbs, NM 88240
4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)  
AT SURFACE: 1980' FNL & 1980' FWL Sec. 17  
AT TOP PROD. INTERVAL: (Unit ~~E~~ SW/4, NW/4)  
AT TOTAL DEPTH: F
16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO: SUBSEQUENT REPORT OF:

TEST WATER SHUT-OFF	<input type="checkbox"/>	<input type="checkbox"/>
FRACTURE TREAT	<input type="checkbox"/>	<input type="checkbox"/>
SHOOT OR ACIDIZE	<input type="checkbox"/>	<input type="checkbox"/>
REPAIR WELL	<input type="checkbox"/>	<input type="checkbox"/>
PULL OR ALTER CASING	<input checked="" type="checkbox"/>	<input type="checkbox"/>
MULTIPLE COMPLETE	<input type="checkbox"/>	<input type="checkbox"/>
CHANGE ZONES	<input type="checkbox"/>	<input type="checkbox"/>
ABANDON*	<input type="checkbox"/>	<input type="checkbox"/>
(other) X Change Casing & Mud Program		

5. LEASE  
NM - 9545
6. IF INDIAN, ALLOTTEE OR TRIBE NAME
7. UNIT AGREEMENT NAME
8. FARM OR LEASE NAME  
Federal "AA"
9. WELL NO.  
1
10. FIELD OR WILDCAT NAME  
Und. Morrow
11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA  
17 - 22 - 26
12. COUNTY OR PARISH  
Eddy
13. STATE  
NM
14. API NO.
15. ELEVATIONS (SHOW DF, KDB, AND WD)  
3650.8 GL

**RECEIVED**

(NOTE: Report results of multiple completion or zone change on Form 9-330.)

**U.S. GEOLOGICAL SURVEY  
ARTESIA, NEW MEXICO**

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

Propose to change setting depth of 9-5/8 intermediate casing to 5000' from permitted depth of 2300'. Also propose to change mud program as follows:

0 - 400'	Native mud and fresh water
400' - 5,000'	Fresh water and commercial mud as required
5,000' - 10,800'	Add brine to fresh water and circulate reserve pit
10,800' - TD	Add KCL for 6% system. At 11,000' raise viscosity and reduce water loss to 6.0CC.

Subsurface Safety Valve: Manu. and Type \_\_\_\_\_ Set @ \_\_\_\_\_ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED Ray Cox TITLE Administrative Supv. DATE 5-31-79

(This space for Federal or State office use)

APPROVED BY Joe D. Lara TITLE ACTING DISTRICT ENGINEER DATE JUN 1 - 1979

0+4 - USGS, A 1 - Read & Stevens  
1 - Houston 1 - Susp  
1 - BD

\*See Instructions on Reverse Side

**RECEIVED**

**JUN 4 1979**

**O. C. C.  
ARTESIA, OFFICE**