

U.S. GEOLOGICAL SURVEY
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEYSUBMIT IN TR
(Other instructi
verse side)CATE*
on re-Form approved.
Budget Bureau No. 42-R1424.

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER		5. LEASE DESIGNATION AND SERIAL NO. NM - 34650
2. NAME OF OPERATOR Morris R. Antweil		6. IF INDIAN, ALLOTTEE OR TRIBE NAME --
3. ADDRESS OF OPERATOR Box 2010, Hobbs, New Mexico 88240		7. UNIT AGREEMENT NAME --
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.) At surface 2080' FSL & 1980' FEL Sec. 19-T22S-R25E.		8. FARM OR LEASE NAME Indian Wells
14. PERMIT NO.		9. WELL NO. 1
15. ELEVATIONS (Show whether DF, RT, GR, etc.) 3736' GR		10. FIELD AND POOL, OR WILDCAT Wildcat
		11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA Sec. 19-T22S-R25E
		12. COUNTY OR PARISH Eddy
		13. STATE NM

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
TEST WATER SHUT-OFF <input type="checkbox"/>	PULL OR ALTER CASING <input type="checkbox"/>	WATER SHUT-OFF <input checked="" type="checkbox"/>	REPAIRING WELL <input type="checkbox"/>
FRACTURE TREAT <input type="checkbox"/>	MULTIPLE COMPLETE <input type="checkbox"/>	FRACTURE TREATMENT <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
SHOOT OR ACIDIZE <input type="checkbox"/>	ABANDON* <input type="checkbox"/>	SHOOTING OR ACIDIZING <input type="checkbox"/>	ABANDONMENT* <input type="checkbox"/>
REPAIR WELL <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	(Other) <input type="checkbox"/>	

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Drilled 12-1/4" hole to 2600'. Lost circulation @ 910'. Regained partial returns w/mud & LCM. Ran and cemented 8-5/8" 32# J-55 csg. @ 2600' with 200 sx Thixset cement containing 10#/sx gilsonite, 1/4#/sx Flocele & 2% CaCl₂, 1000 sx Halliburton lite cement containing 5#/sx gilsonite, 1/4#/sx Flocele and 2% CaCl₂, and 200 sx. Class "C" cement containing 2% CaCl₂. Plug down @ 2:00 PM 3 July 1979. Circulated 300 sx. WOC 18hrs. Tested casing with 2000 psi. - 30 mins. - OK. Drilling ahead w/7-7/8" bit.

RECEIVED
JUL 6 1979
U.S. GEOLOGICAL SURVEY
ARTESIA, NEW MEXICO

18. I hereby certify that the foregoing is true and correct

SIGNED R. M. Williams TITLE Agent DATE 5 July 1979.

(This space for Federal or State office use)

APPROVED BY (C. S. S. G.) ALBERT R. STALL TITLE ACTING DISTRICT ENGINEER DATE JUL 06 1979
CONDITIONS OF APPROVAL, IF ANY: