

Page No. 4

8. Ancillary Facilities

- A. None needed.

9. Wellsite Layout

- A. The location and dimensions of the well pad, mud pits, reserve pit, trash pit and location of major rig components is shown on the wellsite layout sketch.
- B. Only minor levelling of the wellsite will be required. No significant cuts and fills will be necessary.
- C. The reserve pit will be plastic lined.

10. Plans for Restoration of the Surface

- A. After completion of drilling and/or completion operations, all equipment and other materials not needed for operations will be removed. Pits will be filled and location cleaned of all trash and junk to leave the wellsite in an aesthetically pleasing condition as possible.
- B. Any unguarded pits containing fluids will be fenced until they are filled.
- C. After abandonment of the well, surface restoration will be in accordance with the rehabilitation and/or revegetation requirements of the BLM. This will be accomplished as expeditiously as possible. Barring unforeseen problems, all pits will be filled and levelled within 90 days after abandonment.

11. Other Information

- A. Topography: Local terrain is characterized by a low area to the northeast with a limited areal drainage area. The remaining terrain consists of a flat plain gently sloping to the southeast at about 30 feet/mile.
- B. Soil: Shallow calciferous soil.
- C. Flora and Fauna: The vegetative cover is generally sparse consisting of mesquite, yucca, shinnery oak, sandsage and perennial native range grasses. Wildlife in the area is also sparse consisting of coyotes, rabbits, rodents, reptiles, dove and quail.