

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

SUBMIT IN DUPLICATE\*

(See other In-  
structions on  
reverse side)Form approved.  
Budget Bureau No. 42-R355.5.

## WELL COMPLETION OR RECOMPLETION REPORT AND LOG\*

|                                                                                              |  |                                                                                                                                   |                                              |                                                                                          |                                    |                                       |
|----------------------------------------------------------------------------------------------|--|-----------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------|------------------------------------------------------------------------------------------|------------------------------------|---------------------------------------|
| 1a. TYPE OF WELL:                                                                            |  | OIL WELL <input type="checkbox"/>                                                                                                 | GAS WELL <input checked="" type="checkbox"/> | DRY <input type="checkbox"/>                                                             |                                    |                                       |
| b. TYPE OF COMPLETION:                                                                       |  | NEW WELL <input checked="" type="checkbox"/>                                                                                      | WORK OVER <input type="checkbox"/>           | DEEP-EN <input type="checkbox"/>                                                         | PLUG BACK <input type="checkbox"/> | DIFF. RESVR. <input type="checkbox"/> |
| 2. NAME OF OPERATOR                                                                          |  | Perry R. Bass                                                                                                                     |                                              |                                                                                          |                                    |                                       |
| 3. ADDRESS OF OPERATOR                                                                       |  | Box 2760; Midland, Tx. 79702                                                                                                      |                                              |                                                                                          |                                    |                                       |
| 4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements)* |  | At surface 1980' FWL & 660' FSL of Section. - Unit Letter N.<br>At top prod. interval reported below<br>At total depth            |                                              |                                                                                          |                                    |                                       |
| 14. PERMIT NO.                                                                               |  | DATE ISSUED                                                                                                                       |                                              | 1/24/80                                                                                  |                                    |                                       |
| 15. DATE SPUDDED                                                                             |  | 16. DATE T.D. REACHED                                                                                                             |                                              | 17. DATE COMPL. (Ready to prod.)                                                         |                                    |                                       |
| 5/15/80                                                                                      |  | 6/27/80                                                                                                                           |                                              | 7/12/80                                                                                  |                                    |                                       |
| 18. ELEVATIONS (DF, RKB, RT, GR, ETC.)*                                                      |  | 19. ELEV. CASINGHEAD                                                                                                              |                                              | 20. TOTAL DEPTH, MD & TVD                                                                |                                    |                                       |
| 3147' GL                                                                                     |  | --                                                                                                                                |                                              | 12,485'                                                                                  |                                    |                                       |
| 21. PLUG BACK T.D., MD & TVD                                                                 |  | 22. IF MULTIPLE COMPL., HOW MANY*                                                                                                 |                                              | 23. INTERVALS DRILLED BY                                                                 |                                    |                                       |
| 12,357'                                                                                      |  | Single                                                                                                                            |                                              | ROTARY TOOLS<br>0- 12,485'                                                               |                                    |                                       |
| 24. PRODUCING INTERVAL(S), OF THIS COMPLETION-- TOP, BOTTOM, NAME (MD AND TVD)*              |  | 25. WAS DIRECTIONAL SURVEY MADE                                                                                                   |                                              | 26. TYPE ELECTRIC AND OTHER LOGS RUN                                                     |                                    |                                       |
| 10,904' - 10,910' Strawn                                                                     |  | NO                                                                                                                                |                                              | CN - FD, DLL-M-SFL                                                                       |                                    |                                       |
| 27. WAS WELL CORED                                                                           |  | NO                                                                                                                                |                                              | 28. CASING RECORD (Report all strings set in well)                                       |                                    |                                       |
| Casing Size                                                                                  |  | Weight, lb./ft.                                                                                                                   |                                              | Depth Set (MD)                                                                           |                                    |                                       |
| 11 3/4                                                                                       |  | 42                                                                                                                                |                                              | 307'                                                                                     |                                    |                                       |
| 8 5/8                                                                                        |  | 28                                                                                                                                |                                              | 2554'                                                                                    |                                    |                                       |
| 5 1/2                                                                                        |  | 17                                                                                                                                |                                              | 12485'                                                                                   |                                    |                                       |
| Hole Size                                                                                    |  | Cementing Record                                                                                                                  |                                              | Amount Pulled                                                                            |                                    |                                       |
| 15"                                                                                          |  | 350 sx. Cl. "C" + Add.                                                                                                            |                                              | NONE                                                                                     |                                    |                                       |
| 11"                                                                                          |  | 1650 sx. "LITE" & 250sx. "C"                                                                                                      |                                              | NONE                                                                                     |                                    |                                       |
| 7 7/8"                                                                                       |  | 200 sx. "LITE" & 900sx. "H"                                                                                                       |                                              | NONE                                                                                     |                                    |                                       |
| 29. LINER RECORD                                                                             |  | 30. TUBING RECORD                                                                                                                 |                                              | 31. PERFORATION RECORD (Interval, size and number)                                       |                                    |                                       |
| Size                                                                                         |  | Top (MD)                                                                                                                          |                                              | Bottom (MD)                                                                              |                                    |                                       |
| NONE                                                                                         |  | --                                                                                                                                |                                              | --                                                                                       |                                    |                                       |
| Sacks Cement*                                                                                |  | Screen (MD)                                                                                                                       |                                              | Acid, Shot, Fracture, Cement Squeeze, Etc.                                               |                                    |                                       |
| --                                                                                           |  | ---                                                                                                                               |                                              | Depth Interval (MD)                                                                      |                                    |                                       |
| --                                                                                           |  | 2 3/8                                                                                                                             |                                              | 10904 - 10910                                                                            |                                    |                                       |
| --                                                                                           |  | 10,804'                                                                                                                           |                                              | Amount and Kind of Material Used                                                         |                                    |                                       |
| --                                                                                           |  | 10,804'                                                                                                                           |                                              | Spott'd 200 gals. 15% MSR acid, then pumped 3 Bbls. KCL water into form. @ 1/2 Bbl./Min. |                                    |                                       |
| 32. PRODUCTION                                                                               |  | 33. PRODUCTION                                                                                                                    |                                              | 34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.)                               |                                    |                                       |
| Date First Production                                                                        |  | Production Method (Flowing, gas lift, pumping--size and type of pump)                                                             |                                              | Well Status (Producing or shut-in)                                                       |                                    |                                       |
| 7/12/80                                                                                      |  | Flowing                                                                                                                           |                                              | SI - WOPL                                                                                |                                    |                                       |
| Date of Test                                                                                 |  | Hours Tested                                                                                                                      |                                              | Choke Size                                                                               |                                    |                                       |
| 7/15/80                                                                                      |  | 8                                                                                                                                 |                                              | Various                                                                                  |                                    |                                       |
| Flow. Tubing Press.                                                                          |  | Casing Pressure                                                                                                                   |                                              | Calculated 24-hour Rate                                                                  |                                    |                                       |
| 2000 #                                                                                       |  | Packer                                                                                                                            |                                              | 20.7                                                                                     |                                    |                                       |
| 35. LIST OF ATTACHMENTS                                                                      |  | 36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records |                                              | 37. TEST WITNESSED BY                                                                    |                                    |                                       |
| Two (2) each of above logs.                                                                  |  | SIGNED <i>Ken Lester</i>                                                                                                          |                                              | Tested by Davis Services.                                                                |                                    |                                       |
| 38. TITLE                                                                                    |  | 39. DATE                                                                                                                          |                                              | 40. OIL GRAVITY-API (CORR.)                                                              |                                    |                                       |
| Production Clerk                                                                             |  | 7/28/80                                                                                                                           |                                              | 41.0                                                                                     |                                    |                                       |

\*(See Instructions and Spaces for Additional Data on Reverse Side)

# INSTRUCTIONS

**General:** This form is designed for submitting a complete and correct well completion report and log on all types of lands and leases to either a Federal agency or a State agency, or both, pursuant to applicable Federal and/or State laws and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office. See instructions on items 22 and 24, and 33, below regarding separate reports for separate completions.

If not filed prior to the time this summary record is submitted, copies of all currently available logs (drillers, geologists, sample and core analysis, all types electric, etc.), formation and pressure tests, and directional surveys, should be attached hereto, to the extent required by applicable Federal and/or State laws and regulations. All attachments should be listed on this form, see item 35.

**Item 4:** If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.

**Item 18:** Indicate which elevation is used as reference (where not otherwise shown) for depth measurements given in other spaces on this form and in any attachments.

**Items 22 and 24:** If this well is completed for separate production from more than one interval zone (multiple completion), so state in item 22, and in item 24 show the producing interval, or intervals, top(s), bottom(s) and name(s) (if any) for only the interval reported in item 33. Submit a separate report (page) on this form, adequately identified, for each additional interval to be separately produced, showing the additional data pertinent to such interval.

**Item 29: "Sacks Cement":** Attached supplemental records for this well should show the details of any multiple stage cementing and the location of the cementing tool.

**Item 33:** Submit a separate completion report on this form for each interval to be separately produced. (See instruction for items 22 and 24 above.)

| 37. SUMMARY OF POROUS ZONES:                                                                                                                                                                                       |     |        | 38. GEOLOGIC MARKERS |             |                  |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|--------|----------------------|-------------|------------------|
| SHOW ALL IMPORTANT ZONES OF POROSITY AND CONTENTS THEREOF; CORED INTERVALS; AND ALL DRILL-STEM TESTS, INCLUDING DEPTH INTERVAL TESTED, CUSHION USED, TIME TOOL OPEN, FLOWING AND SHUT-IN PRESSURES, AND RECOVERIES |     |        | NAME                 | TOP         |                  |
| FORMATION                                                                                                                                                                                                          | TOP | BOTTOM |                      | MEAS. DEPTH | TRUE VERT. DEPTH |
|                                                                                                                                                                                                                    |     |        | Lamar Lime           | 2554        |                  |
|                                                                                                                                                                                                                    |     |        | Delaware Sand        | 2582        |                  |
|                                                                                                                                                                                                                    |     |        | Bone Springs         | 5909        |                  |
|                                                                                                                                                                                                                    |     |        | Wolfcamp             | 9525        |                  |
|                                                                                                                                                                                                                    |     |        | Strawn               | 10767       |                  |
|                                                                                                                                                                                                                    |     |        | Atoka                | 11178       |                  |
|                                                                                                                                                                                                                    |     |        | M. Morrow            | 11948       |                  |
|                                                                                                                                                                                                                    |     |        | L. Morrow            | 12228       |                  |

WELL NAME AND NUMBER BIG EDDY UNIT #64

LOCATION Section 33, Township 21 S and Range 28E  
(Give Unit, Section, Township and Range)

OPERATOR BASS ENTERPRISES PRODUCTION CO

DRILLING CONTRACTOR Quarles Drilling Corporation

The undersigned hereby certifies that he is an authorized representative of the drilling contractor who drilled the above-described well and that he has conducted deviation test and obtained the following results:

| <u>Degrees @ Depth</u> | <u>Degrees @ Depth</u> | <u>Degrees @ Depth</u> |
|------------------------|------------------------|------------------------|
| <u>1/4 @ 356'</u>      | <u>3 3/4 @ 2668</u>    | <u>2 1/4 @ 7,979'</u>  |
| <u>1 @ 840'</u>        | <u>2 1/2 @ 2762'</u>   | <u>2 1/2 @ 8,039'</u>  |
| <u>2 1/4 @ 1165'</u>   | <u>2 @ 2949'</u>       | <u>2 3/4 @ 8,100'</u>  |
| <u>2 @ 1272'</u>       | <u>3 @ 3104'</u>       | <u>2 3/4 @ 8,130'</u>  |
| <u>2 1/4 @ 1365'</u>   | <u>2 1/4 @ 3257'</u>   | <u>3 @ 8,193'</u>      |
| <u>1 3/4 @ 1458'</u>   | <u>2 @ 3412"</u>       | <u>3 @ 8,264'</u>      |
| <u>2 @ 1584'</u>       | <u>1 @ 3909'</u>       | <u>2 3/4 @ 8,330'</u>  |
| <u>2 @ 1747'</u>       | <u>1 @ 4367'</u>       | <u>3 @ 8,423'</u>      |
| <u>3 1/2 @ 1955'</u>   | <u>1 @ 4878'</u>       | <u>3 @ 8,726'</u>      |
| <u>3 1/4 @ 2047'</u>   | <u>3/4 @ 5349'</u>     | <u>1 1/4 @ 9,035'</u>  |
| <u>3 3/4 @ 2110'</u>   | <u>1/4 @ 5840'</u>     | <u>1/2 @ 9,312'</u>    |
| <u>4 @ 2216'</u>       | <u>1/4 @ 6339'</u>     | <u>1 @ 9,809'</u>      |
| <u>3 3/4 @ 2310'</u>   | <u>1/4 @ 6819'</u>     | <u>1 3/4 @ 10,206'</u> |
| <u>3 3/4 @ 2441'</u>   | <u>3/4 @ 7308'</u>     | <u>1 1/2 @ 10,705'</u> |
| <u>3 1/2 @ 2556'</u>   | <u>2 @ 7886'</u>       | <u>1 3/4 @ 11,217'</u> |

Drilling Contractor Quarles Drilling Corp.

By Donald B. Quarles

Subscribed and sworn to before me this 20th day of July, 19 80

David J. [Signature]  
Notary Public

My Commision Expires: January 1, 1982

Lin  
County

IL  
State

WELL NAME AND NUMBER

BIG EDDY UNIT #64

LOCATION

Section 33, Township 21 S and Range 28E

(Give Unit, Section, Township and Range)

OPERATOR

BASS ENTERPRISES PRODUCTION CO

DRILLING CONTRACTOR

Quarles Drilling Corporation

The undersigned hereby certifies that he is an authorized representative of the drilling contractor who drilled the above-described well and that he has conducted deviation test and obtained the following results:

Degrees @ Depth1 3/4 @ 11,717'1 3/4 @ 12,084'Degrees @ DepthDegrees @ Depth