

N.M.O.C.D. COPY
UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY
SUBMIT IN TRIPLICATE*
(Other instructions on reverse side)Form approved.
Budget Bureau No. 42-R1424.

5. LEASE DESIGNATION AND SERIAL NO.

NM-26683

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

Antongiovanni MJ Fed.

9. WELL NO.

1

10. FIELD AND POOL, OR WILDCAT
Undes. Morrow11. SEC., T., R., M., OR BLK. AND
SURVEY OR AREASec. 1-20S-28E
Unit 0 NMPM

12. COUNTY OR PARISH

Eddy

13. STATE

NM

SUNDRY NOTICES AND REPORTS **RECEIVED**(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

MAY 15 1980

1. OIL WELL ☐ GAS WELL ☒ OTHER

2. NAME OF OPERATOR

Yates Petroleum Corporation

U.S. GEOLOGICAL SURVEY
ARTESIA, NEW MEXICO

3. ADDRESS OF OPERATOR

207 South 4th Street - Artesia, NM

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*
See also space 17 below.)
At surface

660' FSL & 1980' FEL of Section 1-20S-28E

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, GR, etc.)

3282' GR

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

FRACTURE TREAT

SHOOT OR ACIDIZE

REPAIR WELL

(Other)

PULL OR ALTER CASING

MULTIPLE COMPLETE

ABANDON*

CHANGE PLANS

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

FRACTURE TREATMENT

SHOOTING OR ACIDIZING

(Other)

REPAIRING WELL

ALTERING CASING

ABANDONMENT*

(NOTE: Report results of multiple completion on Well
Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

TD 11663'; PBTD 11552' - Drilled DV tool at 10869'. Drilled to TD and circulated hole w/2% KCL water.

TD 11663'; PBTD 11552' - WIH w/Tubing Conveyed Gun, Baker Lok-Set packer on 2-7/8" tubing, set packer at 11333'. Perforated 11364-11380' w/64 .50" holes. Dropped bar and gun fired in 35 seconds. Had good blow on flowline, but loaded up w/fluid. Rigged up swabbing unit. Swabbed water with no gas or oil shows.

TD 11663'; PBTD 11350' - Ran cement retainer and set at 11350'. Squeezed perforations 11364-11380' w/100 sacks of Class H, 3% CaCl. Pressure squeezed to 3500#. WIHw/Tubing Conveyed Gun, Baker Lok-Set packer on 2-7/8" tubing, set packer at 11142'. Perforated 11174-11180' w/24 .50" holes (4 spf). Dropped bar. GTS in 3½ minutes. Well cleaned and flowed 260# on 1/2" choke. ARO 1638 MMCFPD.

RECEIVED

MAY 16 1980

O. C. D.
ARTESIA, OFFICE

18. I hereby certify that the foregoing is true and correct

SIGNED

Christine J. Stewart

TITLE

Geol. Secty.

DATE

5-13-80

(This space for Federal or State office use)

Geol. Secty. GEORGE H. STEWART

TITLE

NOTING DISTRICT ENGINEER

DATE

MAY 13 1980

APPROVED BY

CONDITIONS OF APPROVAL, IF ANY: