

DEPARTMENT OF THE INTERIOR

GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use "APPLICATION FOR PERMIT" for such proposals.)

1. ☐ OIL WELL ☐ GAS WELL ☒ OTHER

2. NAME OF OPERATOR
Jake L. Hamon

3. ADDRESS OF OPERATOR
P. O. Box 663, Dallas, Texas 75221

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements. See also space 17 below.)
At surface
1930' FSL & 690' FEL (NE SE)
1990

14. PERMIT NO.
NA

15. ELEVATIONS (Show whether DE, RT, GR, etc.)
3280' Gr. 3296' KB

5. LEASE DESIGNATION AND SERIAL NO.
NM 34457

6. IF INDIAN, ALLOTTEE OR TRIBE NAME
NA

7. UNIT AGREEMENT NAME
NA

8. FARM OR LEASE NAME
Federal 33

9. WELL NO.
1

10. FIELD AND POOL OR WILDCAT
Und. Catlaw Draw

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA
Sec 33, T-20-S, R-26-E

12. COUNTY OR PARISH
Eddy

13. STATE
New Mexico

RECEIVED

FEB 20 1981

O. C. D.

ARTESIA, OFFICE

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF	<input type="checkbox"/>	PULL OR ALTER CASING	<input type="checkbox"/>
FRACURE TREAT	<input type="checkbox"/>	MULTIPLE COMPLETE	<input type="checkbox"/>
SHOOT OR ACIDIZE	<input type="checkbox"/>	ABANDON*	<input type="checkbox"/>
REPAIR WELL	<input type="checkbox"/>	CHANGE PLANS	<input type="checkbox"/>
(Other)	<input type="checkbox"/>		

SUBSEQUENT REPORT OF:

WATER SHUT-OFF	<input type="checkbox"/>	REPAIRING WELL	<input type="checkbox"/>
FRACURE TREATMENT	<input checked="" type="checkbox"/>	ALTERING CASING	<input type="checkbox"/>
SHOOTING OR ACIDIZING	<input checked="" type="checkbox"/>	ABANDONMENT*	<input type="checkbox"/>
(Other)	<input type="checkbox"/>		

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

- Perforated Morrow as following:
 - Perforated 20 holes from 10,021' to 10,148'.
 - Perforated 12 holes from 10,182' to 10,235'.
 - Perforated 22 holes from 10,342' to 10,383'.
- Perforations completed 12/15/80.
- Acidized above perforations with 4,000 gallons of 7-1/2% MS acid 12/18/80.
- Fracture treated above Morrow perforations with 54,000 gallons of Polaris Gel, 60,000# of 20-40 sand and 27,000# of 20-40 bauxite. All frac fluid contained 33% by volume of CO₂. Job completed 12/22/80.

18. I hereby certify that the foregoing is true and correct.

SIGNED

TITLE Petroleum Engineer

DATE 2/11/81

(This space for Federal or State office use)

APPROVED BY

TITLE

CONDITIONS OF APPROVAL, IF ANY:

ACCEPTED FOR RECORD

DATE

FEB 18 1981

U.S. GEOLOGICAL SURVEY
ROSWELL, NEW MEXICO

*See Instructions on Reverse Side