

**NEW MEXICO OIL CONSERVATION COMMISSION  
WELL LOCATION AND ACREAGE DEDICATION PLAT**

Form C-102  
Supersedes C-128  
Effective 1-1-65

All distances must be from the outer boundaries of the Section.


Operator <b>Perry R. Bass</b>			Lease <b>Big Eddy Unit</b>		Well No. <b>89</b>
Unit Letter <b>B</b>	Section <b>16</b>	Township <b>20S</b>	Range <b>31E</b>	County <b>Eddy</b>	
Actual Footage Location of Well: <b>660</b> feet from the <b>North</b> line and <b>1980</b> feet from the <b>East</b> line					
Gr. and Elev. Elev. <b>3461</b>	Producing Formation <b>Morrow</b>		Pool <b>Wildcat</b>		Dedicated Acreage: <b>320</b> Acres

1. Outline the acreage dedicated to the subject well by colored pencil or hachure marks on the plat below.
2. If more than one lease is dedicated to the well, outline each and identify the ownership thereof (both as to working interest and royalty).
3. If more than one lease of different ownership is dedicated to the well, have the interests of all owners been consolidated by communitization, unitization, force-pooling, etc?

☒ Yes    ☐ No    If answer is "yes," type of consolidation Unit

If answer is "no," list the owners and tract descriptions which have actually been consolidated. (Use reverse side of this form if necessary.) \_\_\_\_\_

No allowable will be assigned to the well until all interests have been consolidated (by communitization, unitization, forced-pooling, or otherwise) or until a non-standard unit, eliminating such interests, has been approved by the Commission.



**CERTIFICATION**

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief.

*Mike Waygood*

Name  
**Mike Waygood**  
Position  
**Engineering Assistant**  
Company  
**Perry R. Bass**

Date  
**November 14, 1980**

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my knowledge and belief.

**November 10, 1980**

Date Surveyed

Registered Professional Engineer and/or Land Surveyor

*John W. West*

Certificate No. **JOHN W. WEST 676**  
**PATRICK A. ROMERO 6663**  
**Ronald J. Eldson 3239**

0 330 660 990 1320 1650 1980 2310 2640 2970 3300

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

**SUNDRY NOTICES AND REPORTS ON WELLS**

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil ☐ well gas ☒ well other ☐
2. NAME OF OPERATOR  
Perry R. Bass
3. ADDRESS OF OPERATOR  
P. O. Box 2760, Midland, Texas 79702
4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.) 1980' FEL, 660' FNL, Sec. 16, T20S, R31E  
AT SURFACE:  
AT TOP PROD. INTERVAL:  
AT TOTAL DEPTH: As above
16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO:

- TEST WATER SHUT-OFF ☐  
FRACTURE TREAT ☐  
SHOOT OR ACIDIZE ☐  
REPAIR WELL ☐  
PULL OR ALTER CASING ☐  
MULTIPLE COMPLETE ☐  
CHANGE ZONES ☐  
ABANDON\* ☐

SUBSEQUENT REPORT OF:

- ☐  
☐  
☐  
☐  
☐  
☐  
☐  
☐

(other) Spud, Surface Casing, Intermediate Casing

5. LEASE  
E-264
6. IF INDIAN, ALLOTTEE OR TRIBE NAME
7. UNIT AGREEMENT NAME RECEIVED  
Big Eddy Unit
8. FARM OR LEASE NAME DEC 15 1981  
Big Eddy Unit
9. WELL NO.  
89
10. FIELD OR WILDCAT NAME ARTESIA, OFFICE  
Eddy Undesignated
11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA  
Sec. 16, T20S, R31E
12. COUNTY OR PARISH Eddy 13. STATE  
New Mexico
14. API NO.  
UNKNOWN
15. ELEVATIONS (SHOW DF, KDB, AND WD)  
GL 3461'

NOTE: Report results of multiple completion or zone change on Form 9-330.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

Spud 15" hole at 3:00 PM CST 10/31/81. Ran 15 jts 11-3/4" 42# H-40 ST&C casing to 650'. Cemented with 500 sxs Class "C" plus additives. PD at 7:45 PM CST 11/1/81. Float held.

Drilled 11" hole to 4618'. Ran 40 jts 8-5/8" 32# K-55 ST&C and 67 jts 28# S-80 ST&C with DV tool at 2639'. Cemented 1st stage with 700 sxs Lite tailed with 150 sxs Class "C" plus additives. Open DV tool and pumped 1800sxs Lite tailed with 100 sxs Class "C" + additives. Plug down at 12:30 PM CST 11/17/81.

Subsurface Safety Valve: Manu. and Type \_\_\_\_\_ Set @ \_\_\_\_\_ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED

*Lucien Tuzague Jr.*

TITLE

PRODUCTION ENGR

DATE

12/11/81

(This space for Federal or State office use)

APPROVED BY \_\_\_\_\_

TITLE \_\_\_\_\_

DATE \_\_\_\_\_

CONDITIONS OF APPROVAL, IF ANY:

## Instructions

**General:** This form is designed for submitting proposals to perform certain well operations, and reports of such operations when completed, as indicated, on Federal and Indian lands pursuant to applicable Federal law and regulations, and, if approved or accepted by any State, on all lands in such State, pursuant to applicable State law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office.

**Item 4:** If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.

**Item 17:** Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by local Federal and/or State offices. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones, or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to top of any left in the hole; method of closing top of well; and date well site conditioned for final inspection looking to approval of the abandonment.

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil well ☐ gas well ☒ other

2. NAME OF OPERATOR  
Perry R. Bass

3. ADDRESS OF OPERATOR  
P. O. Box 2760, Midland, Texas 79702

4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.) 1980' FEL, 660' FNL, Sec. 16, T20S, R31E  
AT SURFACE:  
AT TOP PROD. INTERVAL:  
AT TOTAL DEPTH: As above

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO:

TEST WATER SHUT-OFF ☐  
FRACTURE TREAT ☐  
SHOOT OR ACIDIZE ☐  
REPAIR WELL ☐  
PULL OR ALTER CASING ☐  
MULTIPLE COMPLETE ☐  
CHANGE ZONES ☐  
ABANDON\* ☐

SUBSEQUENT REPORT OF:

☐  
☐  
☐  
☐  
☐  
☐  
☐  
☐  
☐

(other) Spud, Surface Casing, Intermediate Casing

5. LEASE

E-264

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

Big Eddy Unit

8. FARM OR LEASE NAME

Big Eddy Unit

9. WELL NO.

89

10. FIELD OR WILDCAT NAME

Eddy Undesignated

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA

Sec. 16, T20S, R31E

12. COUNTY OR PARISH

Eddy

13. STATE

New Mexico

14. API NO.

UNKNOWN

15. ELEVATIONS (SHOW DF, KDB, AND WD)

GL 3461'

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

Spud 15" hole at 3:00 PM CST 10/31/81. Ran 15 jts 11-3/4" 42# H-40 ST&C casing to 650'. Cemented with 500 sxs Class "C" plus additives. PD at 7:45 PM CST 11/1/81. Float held.

Drilled 11" hole to 4618'. Ran 40 jts 8-5/8" 32# K-55 ST&C and 67 jts 28# S-80 ST&C with DV tool at 2639'. Cemented 1st stage with 700 sxs Lite tailed with 150 sxs Class "C" plus additives. Open DV tool and pumped 1800 sxs Lite tailed with 100 sxs Class "C" + additives. Plug down at 12:30 PM CST 11/17/81.

Subsurface Safety Valve: Manu. and Type \_\_\_\_\_ Set @ \_\_\_\_\_ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED Lucien J. Jaque Jr. TITLE PRODUCTION ENGINEER DATE 12/11/81

(This space for Federal or State office use)

APPROVED BY \_\_\_\_\_  
CONDITIONS OF APPROVAL, IF ANY:

TITLE \_\_\_\_\_ DATE \_\_\_\_\_

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil ☐ well gas ☒ well other

2. NAME OF OPERATOR

Perry R. Bass

3. ADDRESS OF OPERATOR

P. O. Box 2760, Midland, Texas 79702

4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.) 1980' FEL, 660' FNL, Sec. 16, T20S, R31E

AT SURFACE:

AT TOP PROD. INTERVAL:

AT TOTAL DEPTH: As above

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO:

TEST WATER SHUT-OFF ☐

FRACTURE TREAT ☐

SHOOT OR ACIDIZE ☐

REPAIR WELL ☐

PULL OR ALTER CASING ☐

MULTIPLE COMPLETE ☐

CHANGE ZONES ☐

ABANDON\* ☐

(other) Spud, Surface Casing, Intermediate Casing

SUBSEQUENT REPORT OF:

☐

☐

☐

☐


☐

☐

☐

☐

☐



OIL & GAS  
U.S. GEOLOGICAL SURVEY  
HOUSTON, TEXAS

5. LEASE

E-264

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

Big Eddy Unit

8. FARM OR LEASE NAME

Big Eddy Unit

9. WELL NO.

89

10. FIELD OR WILDCAT NAME

Eddy Undesignated

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA

Sec. 16, T20S, R31E

12. COUNTY OR PARISH 13. STATE

Eddy

New Mexico

14. API NO.

UNKNOWN

15. ELEVATIONS (SHOW DF, KDB, AND WD)

GL 3461'

RECEIVED

DEC 15 1981

O. C. D.

ARTESIA, OFFICE

(NOTE: Report results of multiple completion or zone change on Form 9-330.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

Spud 15" hole at 3:00 PM CST 10/31/81. Ran 15 jts 11-3/4" 42# H-40 ST&C casing to 650'. Cemented with 500 sxs Class "C" plus additives. PD at 7:45 PM CST 11/1/81. Float held.

Drilled 11" hole to 4618'. Ran 40 jts 8-5/8" 32# K-55 ST&C and 67 jts 28# S-80 ST&C with DV tool at 2639'. Cemented 1st stage with 700 sxs Lite tailed with 150 sxs Class "C" plus additives. Open DV tool and pumped 1800sxs Lite tailed with 100 sxs Class "C" + additives. Plug down at 12:30 PM CST 11/17/81.

Subsurface Safety Valve: Manu. and Type

Set @ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED

Lucien J. Jaque Jr.

TITLE

PRODUCTION ENGINEER

DATE

12/11/81

(This space for Federal or State office use)

APPROVED BY

TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY:

## Instructions

**General:** This form is designed for submitting proposals to perform certain well operations, and reports of such operations when completed, as indicated, on Federal and Indian lands pursuant to applicable Federal law and regulations, and, if approved or accepted by any State, on all lands in such State, pursuant to applicable State law and procedures and practices, either as shown below or will be issued by, or may be obtained from, the local Federal and/or State office.

**Item 4:** If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.

**Item 17:** Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by local Federal and/or State offices. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones, or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to top of any left in the hole; method of closing top of well; and date well site conditioned for final inspection looking to approval of the abandonment.