

All waste material will be contained to prevent scattering by the wind. Location of trash pit is shown on Exhibit "D".

- F. All trash and debris will be buried or removed from the wellsite within 30 days after finishing drilling and/or completion of operations.

8. ANCILLARY FACILITIES:

- A. None Required.

9. WELLSITE LAYOUT:

- A. Exhibit "D" shows the relative location and dimensions of the wellpad, mud pits, reserve pit, trash pit, and location of major rig components.
- B. Only minor levelling of the wellsite will be required. No significant cuts and fills will be necessary.
- C. The reserve pit will be plastic lined.
- D. The pad and pit area has been staked and flagged.

10. PLANS FOR RESTORATION OF THE SURFACE:

- A. After completion of drilling and/or completion operations, all equipment and other material not needed for operations will be removed. Pits will be filled and location cleaned of all trash and junk to leave the wellsite in an as aesthetically pleasing condition as possible.
- B. Any unguarded pits containing fluids will be fenced until they are filled.
- C. After abandonment of the well, surface restoration will be in accordance with the agreement with the surface owner. Pits will be filled and location will be cleaned. The pit area and well pad will be ripped to promote revegetation. Access roads will remain as per agreement with the surface owner.

11. OTHER INFORMATION:

- A. Topography: Land surface is undulatory and dunny, sloping gently toward the south at about 30 feet per mile.
- B. Soil: Soil conditions are variable. Generally soil is a deep fine sand underlain by caliche.
- C. Flora and Fauna: The vegetative cover is moderate and is primarily shinnery with some perenial native range-grasses. Wildlife in the area