

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

C/SF
SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)


1. oil ☐ well gas ☒ well other ☐
2. NAME OF OPERATOR
Tenneco Oil Company /
3. ADDRESS OF OPERATOR
6800 Park Ten Bl., San Antonio, Tx. 78213
4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)
AT SURFACE: ~~1980'~~ FWL & ~~970'~~ FSL, S19, T21S, R26E
AT TOP PROD. INTERVAL: Same
AT TOTAL DEPTH: Same 1980 FWL & 1060 FSL
16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO:

TEST WATER SHUT-OFF ☐
FRACTURE TREAT ☐
SHOOT OR ACIDIZE ☐
REPAIR WELL ☐
PULL OR ALTER CASING ☐
MULTIPLE COMPLETE ☐
CHANGE ZONES ☐
ABANDON* ☐

(other) Spud Well & Run Casing

SUBSEQUENT REPORT OF:



U.S. GEOLOGICAL SURVEY
ROSWELL, NEW MEXICO

- LEASE NM-0400877-A
6. IF INDIAN, ALLOTTEE OR TRIBE NAME
7. UNIT AGREEMENT NAME RECEIVED
8. FARM OR LEASE NAME
Federal "FN" 19 DEC 31 1981
9. WELL NO.
2 O.C.D.
10. FIELD OR WILDCAT NAME
Catclaw Draw Morrow ARTESIA, OFFICE
11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA
Sec. 19, T21S, R26E
12. COUNTY OR PARISH Eddy 13. STATE N.M.
14. API NO.
15. ELEVATIONS (SHOW DF, KDB, AND WD)
3413.8 GL

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

12/09/81 Spud Well

12/12/81 Ran 9 jts 13 3/8", 54 1/2#, K-55, 8rd STL csg @ 368'. Cmdt w/400 SXS Class C 2% Cacl 1/4#/sx Celloseal, Pumped Plug down w/22 bbl fresh water. Bumped, released pressure, didn't hold, regained 40 bbl pressured up. Bumped plug & shut Manifold. After WOC 6 hrs. plug held. Weld 13 3/8" to 3000# Type S WKM csghd. test w/wkm-500#. NU, test stack to 500#. WOC 25 1/2 hrs.

cement circulated to surface

Subsurface Safety Valve: Manu. and Type

Set @ Ft

18. I hereby certify that the foregoing is true and correct

SIGNED *Quita Gray* TITLE Production Analyst DATE December 11, 1981

APPROVED BY PETER W. CHESTER

CONDITIONS OF APPROVAL, IF ANY:

DEC 29 1981

U.S. GEOLOGICAL SURVEY
ROSWELL, NEW MEXICO

TITLE DATE

*See Instructions on Reverse Side