

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEYNM OIL & GAS COMMISSION
Artesia, NM 88210Form approved.
Budget Bureau No. 42-R1424.

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER <input type="checkbox"/> Drilling Well		5. LEASE DESIGNATION AND SERIAL NO. NM-911	
2. NAME OF OPERATOR David Fasken		6. IF INDIAN, ALLOTTEE OR TRIBE NAME	
3. ADDRESS OF OPERATOR 608 First National Bank Bldg., Midland, TX 79701		7. UNIT AGREEMENT NAME	
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements. See also space 17 below.) At surface 1582' FNL & 1991' FWL of Sec. 2		8. FARM OR LEASE NAME El Paso Federal	
14. PERMIT NO.		9. WELL NO. 7	
15. ELEVATIONS (Show whether DF, RT, GR, etc.) 3202.2' GL		10. FIELD AND POOL, OR WILDCAT Avalon (Morrow)	
12. COUNTY OR PARISH Eddy		11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA Sec. 2, T-21-S, R-26-E	
13. STATE New Mexico			

16.

Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF ☐FRACTURE TREAT ☐SHOOT OR ACIDIZE ☐REPAIR WELL ☐(Other) ☐PULL OR ALTER CASING ☐MULTIPLE COMPLETE ☐ABANDON* ☐CHANGE PLANS ☐

SUBSEQUENT REPORT OF:

WATER SHUT-OFF ☐FRACTURE TREATMENT ☐SHOOTING OR ACIDIZING ☐(Other) Cement Casing ☒REPAIRING WELL ☐ALTERING CASING ☐ABANDONMENT* ☐

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.) *

8-31-81 - Spudded well @ 10: AM C.D.T.

9-1-81 - Drilled 17½" hole to 394'. Lost all returns @ 128'. Ran 1 guide shoe & 10 jts. of 13-3/8" 54/50#/ft. ST&C K-55 csg. Set @ 394'. Cemented w/350 sx Halliburton Lite w/½# flocele/sk & 2%CaCl, slurry wt. 12.7ppg. Yield 1.84 cf/sk + 100 sx Class C w/2%CaCl. Slurry wt. 14.8ppg. Yield 1.32 cf/sk. Plug down @ 1:45 PM. Did not circulate cement. WOC 4 hrs - ran temp. survey. Top cement inside 17½" x 13-3/8" annulus @ 140'. Cemented to surface with 9 yds³ of ready-mix concrete.

9-2-81 - Welded on braden head, N.U. B.O.P's, test casing to 750# - held O.K.

9-3-81 - Drilling 12¼" hole @ 964' w/no returns. Lost circulation @ 750'

RECEIVED
SEP 21 1981OIL & GAS
U.S. GEOLOGICAL SURVEY
ROSWELL, NEW MEXICO

18. I hereby certify that the foregoing is true and correct

SIGNED

ACCEPTED FOR RECORD
SEP 22 1981
U.S. GEOLOGICAL SURVEY
ROSWELL, NEW MEXICO

TITLE S. L. Parks,

Agent

DATE 9-17-81

(This space for Federal or State office use)

APPROVED BY

CONDITIONS OF APPROVAL:

TITLE

DATE

*See Instructions on Reverse Side