

DST #5 (5866'-6100' - Bone Springs): TO @ 3:40 p.m. w/weak blow, in 2 mins had blow 7" into bucket, in 5 mins had blow from bottom of bucket, in 10 mins had 11½ oz. on bubble hose, in 15 mins had 13 oz. on bubble hose, TO 15 mins, TC 1 hr. Reopened tool @ 4:56 p.m. w/good blow, in 4 mins had blow from bottom of bucket, in 7 mins had 9 oz. on bubble hose, in 20 mins had 9 oz. on bubble hose, in 25 mins had 8½ oz. on bubble hose, in 30 mins had 8 oz. on bubble hose, in 40 mins had 7½ oz. on bubble hose, in 50 mins had 7 oz. on bubble hose, in 100 mins had 5 oz. on bubble hose, in 120 mins had 5 oz. on bubble hose, TO 2 hrs, TC 4 hrs.

Recovery: 50' drlg fluid, chlorides 70,000 ppm, pit 70,000 ppm.

Sampler @ 8 psi: 2000 cc drlg fluid, no gas, chlorides 70,000 ppm.

| | | |
|----------------|--------------|--------------|
| | 48 hr | 96 hr |
| | <u>Clock</u> | <u>Clock</u> |
| IHP | 2841 | 2815 |
| IPFP | 117 | 116 |
| FPFP (15 mins) | 117 | 116 |
| ISIP (1 hr) | 343 | 338 |
| IFP | 127 | 125 |
| FFP (2 hrs) | 117 | 116 |
| FSIP (4 hrs) | 474 | 467 |
| FHP | 2841 | 2815 |
| BHT 112°F | | |