

pad, mud pits, reserve pit, and trash pit, and the location of major rig components.

- B. Clearing and levelling of the well site will be required. An approximate 2-foot cut will be required in the approximate center of the well pad with an approximate 1-foot fill around the sides.
- C. The pad and pit area has been staked and flagged.

10. PLANS FOR RESTORATION OF THE SURFACE:

- A. After completion of drilling and/or completion operations, all equipment and other material not needed for operations will be removed. Pits will be filled and the location will be cleaned of all trash and junk to leave the well site in an as aesthetically pleasing condition as possible.
- B. Any unguarded pits containing fluids will be fenced until they are filled.
- C. After abandonment, all equipment, trash and junk will be removed and the well site will be cleaned. Any special rehabilitation and/or special revegetation requirements of the surface management agency will be complied with and accomplished as expeditiously as possible.

11. OTHER INFORMATION:

- A. Topography: The land surface is nearly level to gently undulating. Regionally, land slope is to the southwest.
- B. Soil: Top soil at the well site is a gravelly, sandy loam.
- C. Flora and Fauna: The vegetative cover is sparse and consists of mesquite, yucca, weeds, and range grasses. Wildlife in the area is that typical of semi-arid desert land and includes coyotes, rabbits, rodents, reptiles, dove and quail.
- D. Ponds and Streams: There are no lakes, rivers, ponds or streams in the area.
- E. Residences and Other Structures: There are no occupied dwellings within two miles of the proposed well site. The nearest windmill is approximately 1500 feet south of the proposed well site.
- F. Archaeological, Historical, and Other Cultural Sites: None observed in the area.