

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEYNEW OIL CONG. COMMISSION
SUBMIT IN TRIPlicate
(Other instructions on re-
verse side)
RECEIVED
MAY 2 1982
88210Form approved.
Budget Bureau No. 42-R1424.

5. LEASE DESIGNATION AND SERIAL NO.

17097

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

Gulf Federal Com.

9. WELL NO.

1

10. FIELD AND POOL, OR WILDCAT

Burlington
Avalon (Morrow)11. SEC., T., R., M., OR BLK. AND
SURVEY OR AREA

Sec. 1, T-21-S, R-26-E

12. COUNTY OR PARISH 13. STATE

Eddy

New Mexico

1. OIL WELL ☐ GAS WELL ☒ OTHER

2. NAME OF OPERATOR

David Fasken

3. ADDRESS OF OPERATOR

608 First National Bank Building, Midland, Texas 79701

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*
See also space 17 below.)
At surface

660' FNL & 1980' FWL

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, GR, etc.)

3192.5 GR.

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

FRACTURE TREAT

SHOOT OR ACIDIZE

REPAIR WELL

(Other)

PULL OR ALTER CASING

MULTIPLE COMPLETE

ABANDON*

CHANGE PLANS

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

FRACTURE TREATMENT

SHOOTING OR ACIDIZING

(Other)

Surface Casing

(NOTE: Report results of multiple completion on Well
Completion or Recompletion Report and Log form.)

REPAIRING WELL

ALTERING CASING

ABANDONMENT*

XX

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

1. Spudded with 17-1/2" bit at 3:00 p.m. 1-30-82.
2. Drilled 17-1/2" hole to 395' with fresh water.
3. Set 13-3/8" K-55, 54.5#/ft, ST&C casing at 395' c/w 350 sxs Halliburton Lite w/1/2# flocele/sx and 2% CaCl (s.w. 12.7 ppg, yield 1.85 cf/sx) plus 100 sxs Class "C" w/2% CaCl (s.w. 14.8 ppg, yield 1.32 cf/sx) plug down at 3:00 p.m., 1-31-82, circulated 238 sxs excess cement.
4. W.O.C. 19-3/4 hrs and N.U. B.O.P.'s.
5. On 2-1-82 drilling 12-1/4" hole with fresh water.

18. I hereby certify that the foregoing is true and correct

SIGNED Robert H. Angevine TITLE Robert H. Angevine, Agent DATE 4-12-82

(This space for Federal or State office use)

APPROVED BY _____ TITLE _____
CONDITIONS OF APPROVAL, IF ANY:ACCEPTED FOR RECORD
DATE _____MAY 14 1982
U.S. GEOLOGICAL SURVEY
POSWELL, NEW MEXICO

*See Instructions on Reverse Side