Subsurface Safety Valve: Manu. and Type		Set @ F	t.			
18. I hereby certify that the foregoing is true and correct SIGNED Melba Knipling Unit Head Melba Knipling	DATE .	June 24, 1983	_			
(This space for Federal or State office use)						
APPROVED BY TITLE TITLE CONDITIONS OF APPROVAL, IF ANY:		ACCEPTED FOR RECORD				

*See Instructions on Reverse Side

Form 9–331	mi oii com ee	TITE TON	Form Approved. Budget Bureau No. 42–R1424		
RECEIVED UNITED STAT	ES Drawe	5. LEASE			
DEPARTMENT OF THE	INTERIOR	NM - 0	1119		
JUN 29 1983 GEOLOGICAL SU	RVEYRECEIVED		LOTTEE OR TRIBE NAME		
SUNDRY MOTICES AND RE	parts longwhiles	7. UNIT AGREEM	MENT NAME		
(Do not use this form for proposals to drill or to dresewolf: Use Folds BIGEL-C for such proposals.)	BUR. OF LAND MGMT	8. FARM OR LEA	SE NAME		
1 -2	ROSWELL DISTRICT	Yates Feder	Yates Federal 🗲		
well Ses other		9. WELL NO.			
2. NAME OF OPERATOR		11	·		
Exxon Corporation	_		10. FIELD OR WILDCAT NAME		
3. ADDRESS OF OPERATOR	70700		Avalon (Delaware)		
P. O. Box 1600, Midland, Te		 1	M., OR BLK. AND SURVEY OR		
4. LOCATION OF WELL (REPORT LOCATION) 660' FSL and 1980'		Section 31-	205-28F		
AT SURFACE:	rel of Section.		PARISH 13. STATE		
AT TOP PROD. INTERVAL:		Eddy	New Mexico		
AT TOTAL DEPTH:		14. API NO.	1 New Healto		
16. CHECK APPROPRIATE BOX TO INDIC	CATE NATURE OF NOTICE	<u>., </u>	•		
REPORT, OR OTHER DATA		15. ELEVATIONS	(SHOW DF, KDB, AND WD)		
DEGLISOT SOD ADDDOVAL TO:	0050UENT DEDORT OF	3248' G	R		
REQUEST FOR APPROVAL TO: SUI TEST WATER SHUT-OFF FRACTURE TREAT	BSEQUENT REPORT OF:				
SHOOT OR ACIDIZE					
REPAIR WELL		(NOTE: Report resu	ults of multiple completion or zone		
PULL OR ALTER CASING		change on	Form 9–330.)		
MULTIPLE COMPLETE	H				
ABANDON*					
(other) Set Casing.					
17. DESCRIBE PROPOSED OR COMPLETE including estimated date of starting at measured and true vertical depths for	ny proposed work. If well is	s directionally drilled, a	ils, and give pertinent dates, give subsurface locations and		
6/14/83: Spud 17 1/2" hole.					
6/15/83: Set 13 3/8" 48#, K-Cmt. circ TOC 32:45					
	-				
Subsurface Safety Valve: Manu. and Type _			Set @ Ft.		
18. I hereby certify that the foregoing is tru	1				
SIGNED Melba Knipling	TITLE Unit Head	DATE June	e 17, 1983		
	This space for Federal or State	office use)	- 14		
APPROVED BY	TITLE	DATE AT	CEPTED FOR RECORD		
CONDITIONS OF APPROVAL, IF ANY:		AC	AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA		
		/	W///		
		U	JÚN 2 3 1983		
			00H = 0 1500		

*See Instructions on Reverse Side

Instructions

General: This form is designed for submitting proposals to perform certain well operations, and reports of such operations when completed, as indicated, on Federal and Indian lands pursuant to applicable Federal law and regulations, and, if approved or accepted by any State, on all lands in such State, pursuant to applicable State law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office.

State or Federal office for specific instructions. Item 4: If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local

Item 17: Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by local Federal and/or State offices. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones, or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to top of any left in the hole; method of closing top of well; and date well site conditioned for final inspection looking to approval of the abandonment.

GPO : 1981 O - 347-166

. ::: × =