INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-inited or deepened well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 30 through 34 shall be reported for each zone. The form is to be filed in quintuplicate except on state land, where six copies are required. See Rule 1105.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeas	stern New Mexico	Northwestern New Mexico		
T. Anhy T. Salt B. Salt T. Yates 533 T. Yates Salt T. Yates 533 T. 7 Rivers T. Queen T. Grayburg T. San Andres T. Glorieta T. Blinebry T. Tubb T. Drinkard T. Abo T. Wolfcamp	T. Canyon T. Strawn T. Atoka T. Atoka T. Miss T. Devonian T. Devonian T. Silurian T. Silurian T. Montoya T. Simpson T. McKee T. Ellenburger T. Granite T. Delaware Sand 2567 T. Bone Springs 4911	T. Ojo Alamo T. T. Kirtland-Fruitland T. T. Pictured Cliffs T. T. Oliff House T. T. Cliff House T. T. Menefee T. T. Point Lookout T. T. Mancos T. T. Gallup T. Base Greenhorn T. T. Dakota T. T. Morrison T. T. Entrada T. T. Wingate T. T. Chinle T.	Penn. ''B'' Penn. ''C'' Penn. ''D'' Leadville Madison Elbert McCracken Ignacio Qtzte Granite	
T Cisco (Bough C)	TOIL OR GAS	T. Penn. "A" T SANDS OR ZONES No. 4, from		
-		No. 5, from		

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

 \mathbb{C}_{ℓ}

No. 1, from	to	
No. 2, from	to	
No. 3, from	to	•• ••••••••••••••••••••••••••••••••••••
No. 4, from	tofcet.	

FORMATION RECORD (Attoch additional sheets if necessary)

0 200 200 Surface, Redbeds 200 550 350 Redbeds, Anhydrite 550 650 100 Sand, Anhydrite, Shale 650 800 150 Dolomite, Sand, Shale 800 2440 1640 Dolomite 2440 2930 490 Dolomite, Sand, Chert 2930 3110 180 Sand 3110 3240 130 Sand, Shale 3240 3292 52 Dolomite 3292 4880 1588 Sand, Shale 4880 5450 570 Shale, Lime	From	То	Thickness in Feet	Formation _	From	To	Thickness in Feet	Formation
	200 550 650 800 2440 2930 3110 3240 3292	550 650 800 2440 2930 3110 3240 3292 4880	350 100 150 1640 490 180 130 52 1588	Redbeds, Anhydrite Sand, Anhydrite, Shale Dolomite, Sand, Shale Dolomite Dolomite, Sand, Chert Sand Sand, Shale Dolomite Sand, Shale				