

NEW MEXICO OIL CONSERVATION COMMISSION
DRAWER DD
ARTESIA, NEW MEXICO

FIELD REPORT FOR CEMENTING OF WELLS

Operator <u>Yates Pet. Co.</u>		Lease <u>Stonewall EP</u>		Well # <u>8</u>	
Location of Well	Unit <u>F</u>	Section <u>30</u>	Township <u>20S</u>	Range <u>28E</u>	County <u>EDDY</u>
Drilling Contractor	<u>LARUE #2</u>		Type of Equipment <u>ROTARY</u>		

* Witness

APPROVED CASING PROGRAM

Size of Hole	Size of Casing	Weight Per Foot	New or Used	Depth	Sacks Cement
<u>17 1/2</u>	<u>13 5/8"</u>	<u>48 #</u>	<u>NEW</u>	<u>550'</u>	<u>CIRC</u>
* <u>12 1/4</u>	<u>8 5/8"</u>	<u>24-30 #</u>	<u>"</u>	<u>2400'</u>	<u>CIRC</u>
<u>7 7/8</u>	<u>5 1/2"</u>	<u>17-20 #</u>	<u>"</u>	<u>TD</u>	<u>(650 SXS) tie bk.</u>

Casing Data:

Surface _____ joints of _____ inch _____ # Grade _____
(Approved) (Rejected) _____

Inspected by _____ date _____

Cementing Program

Size of hole 12 1/4 Size of Casing 8 5/8 Sacks cement required 950

Type of Shoe used Guide Float collar used yes Btm 3 jts welded yes

TD of hole 2404 Set 2416 Feet of 8 5/8 Inch 24 # Grade K-SS

New-used csg. @ 2404 with 200 sacks neat cement around shoe

+ 750 sax Howco Ltc additives _____

Plug down @ 12:00 Midnight (AM) (PM) Date 3-1-84

Cement circulated yes No. of Sacks 30

Cemented by Hall, Burton Witnessed by mw

Temp. Survey ran @ _____ (AM) (PM) Date _____ top cement @ _____

Casing test @ _____ (AM) (PM) Date _____

Method Used _____ Witnessed by _____

Checked for shut off @ _____ (AM) (PM) Date _____

Method used _____ Witnessed by _____

Remarks: _____

Drilling Firm ed up e 2273