

RECEIVED BY

AUG 10 1984

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil ☐ gas ☒ other

2. NAME OF OPERATOR

TXO Production Corp.

3. ADDRESS OF OPERATOR

900 Wilco Bldg., Midland, TX 79701

4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)

AT SURFACE: 1980 FNL & 1740 FEL

AT TOP PROD. INTERVAL:

AT TOTAL DEPTH:

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO:

TEST WATER SHUT-OFF ☐
FRACTURE TREAT ☒
SHOOT OR ACIDIZE ☒
REPAIR WELL ☐
PULL OR ALTER CASING ☐
MULTIPLE COMPLETE ☐
CHANGE ZONES ☐
ABANDON* ☐
(other) ☐

SUBSEQUENT REPORT OF:

☐
☒
☒
☐
☐
☐
☐
☐
☐

5. LEASE

NM 0354232

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

Pioneer Federal Com

9. WELL NO.

1

10. FIELD OR WILDCAT NAME

Burton flats Morrow

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA

Sec 19, T-21-S, R-27-E

12. COUNTY OR PARISH

Eddy

13. STATE

NM

14. API NO.

15. ELEVATIONS (SHOW DF, KDB, AND WD)

3183 GL & 3209 KB

(NOTE: Report results of multiple completion or zone change on Form 9-330.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

5/23 thru 5/24 WOCU. 5/24 start completion well unloading. 5/26 pumped 295 bbl 11.5# mud. 5/27 9979 PBTD. TOC @ 8120' 5/31 PU tbg to 11,458. PSI csg to 1000#. OK 6/1 thru 6/3 testing. 6/4 PBTD @ 11,458 pkr @ 7620. Rls pkr. Set @ 11,184. 6/6 perf 11,361-11,365'. w/1 9/16" gun. 10 holes. 6/7 pump 1250 gal 7 1/2% MS. 6/8 perf 11,267-11,431' w/1 9/16" gun. 45 holes. 6/9 set 2 3/8" N-80 tbg @ 11,184'. 6/11 pumped 4500 gal MS. 6/12 pkr @ 11,184. 6/13 CIBP @ 11,250 pump 10' cmt. 6/14 set pkr @ 11,094 perf 11,187-11,216'. w/1 9/16" gun, 39 holes, testing. PBTD @ 11,240 6/15 thru 6/21. 6/26 frac w/20,000 gal w/6000 gals CO₂ & 14,000 gals 5% gelled MS. w/14,500# West Prop I. Testing thru Subsurface Safety Valve: Manu. and Type Set @ Ft. 7/2/8.

18. I hereby certify that the foregoing is true and correct

SIGNED Janna Caudle TITLE Engineer Asst. DATE 7/9/84

ACCEPTED FOR RECORD

(This space for Federal or State office use)

APPROVED BY AUG 8 1984 TITLE _____ DATE _____


CONDITIONS OF APPROVAL IF ANY

NEW MEXICO

*See Instructions on Reverse Side

TXO PRODUCTION CORP.
900 WILCO BUILDING
MIDLAND, TEXAS 79701

August 22, 1984



Mr. Leslie Clements
P.O. Drawer DD
Artesia, NM 88210

RE: TXO Pioneer Fed Com #1

Dear Mr. Clements:

Please find enclosed copies of the logs for the Pioneer Federal Com #1. In our discussion over the phone, you requested additional information regarding the downhole equipment in this well. The well is ~~completed with a Guiberson UNI VI~~ packer above the Lower Morrow perfs. The Wolfcamp is completed with the Guiberson packer below and an Otis MCH packer with ported nipples above. The Otis packer allows the Wolfcamp to produce through the 2 3/8" tbg. This is a normal crossover arrangement in this completion. If you require any additional information, please call me at 915-682-7992.

Sincerely,

Lane Griffing
Production Engineer

attachment
LG/lle

PIONEER FEDERAL COM #1

Production Casing Centralizer depths-

11420'

11299'

11183'

11061'

10019'

9937'

