

STATE OF NEW MEXICO
ENERGY AND MINERALS DEPARTMENT

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.G.S.	
LAND OFFICE	
OPERATOR	

OIL CONSERVATION DIVISION

P. O. BOX 2088

SANTA FE, NEW MEXICO 87501

Form C-103
Revised 10-1-78

RECEIVED

5a. Indicate Type of Lease State <input checked="" type="checkbox"/> Fee <input type="checkbox"/>
5. State Oil & Gas Lease No. V - 690

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)

JUN 10 '88

1. <input checked="" type="checkbox"/> OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER-	7. Unit Agreement Name
2. Name of Operator Exxon Corporation Attn: Permits Supervisor	8. Farm or Lease Name New Mexico DP State
3. Address of Operator P.O. Box 1600, Midland, TX 79702	9. Well No. 5
4. Location of Well UNIT LETTER A 660 FEET FROM THE North LINE AND 660 FEET FROM East 28 LINE, SECTION 28 TOWNSHIP 20S RANGE 28E NMPM.	10. Field and Pool, or Wildcat E. Avalon-Bone Spring
15. Elevation (Show whether DF, RT, GR, etc.) GR 3215	12. County Eddy

16. Check Appropriate Box To Indicate Nature of Notice, Report or Other Data
NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF:

PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input checked="" type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>	CASING TEST AND CEMENT JOBS <input type="checkbox"/>	OTHER <input type="checkbox"/>

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1703.

5-10-88 Set CIBP at 5250'. Spot 25 sxs on top of CIBP. Pull out of cmt. and displace to 4050' w/ gelled brine. Spot 25 sxs at 4050'. Pull out of cmt. and displace hole to 2550' with gelled brine. Spot 25 sxs at 2550'. Pull out of cmt. and displace to surface w/ gelled brine. Spot 35 sxs at 900'. Perf 5 1/2" and 8 5/8" at 100'. Pump 65 sxs to surface in 5 1/2" csg and 5 1/2" x 8 5/8" annulus.
NMOCD witness on location Johnny Rodgers
5-12-88 cut off well head and weld on dry hole marker.

Post ID-2
6-17-88
P+A

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED Stephen Johnson TITLE Administrative Specialist DATE 06-07-88

APPROVED BY Johnny Robinson TITLE OIL AND GAS INSPECTOR DATE 7-11-91

CONDITIONS OF APPROVAL, IF ANY:

8/6
211