

NOV 30 1984

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY
ARTESIA, OFFICE

LEASE

NM-06792

IF INDIAN, ALLOTTEE OR TRIBE NAME

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil well ☐ gas well ☒ other

2. NAME OF OPERATOR

PERRY R. BASS ✓

3. ADDRESS OF OPERATOR

P.O. Box 2760, MIDLAND, TX. 79702

4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)

AT SURFACE: 250' ENL & 1600' FWL UNIT LETTER C.
AT TOP PROD. INTERVAL:
AT TOTAL DEPTH:

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO:

TEST WATER SHUT-OFF ☐

FRACTURE TREAT ☐

SHOOT OR ACIDIZE ☐

REPAIR WELL ☐

PULL OR ALTER CASING ☐

MULTIPLE COMPLETE ☐

CHANGE ZONES ☐

ABANDON* ☐

(other) 9 5/8" CSG.

SUBSEQUENT REPORT OF:

☐

☐

☐

☐

☐

☐

☐

☐

☒

(NOTE: Report results of multiple completion or zone change on Form 9-330.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

DRLD. 12 1/4" HOLE TO 3828' 11-23-84.

RAN 91 JTS. 9 5/8" 40# N-55 & N-80 BUTTRESS CSG. SET @ 3828.

CEMENTED WITH 1600 SX LITE + 1/4" SX CELLOSEAL + 5# SX HI-SEAL + .5% CF10, YIELD 1.9 FT³/SX, 12.4 PPg, TAILED W/200 SX CLASS "C" NEAT, YIELD 1.32 FT³/SX, 14.8 PPg, PLUG DOWN @ 5:00 AM. CST 11-23-84. BUMPED PLUG, FLOAT HELD, CIRC. TO SURFACE 600 SX. WITNESSED BY DANNY VALDEZ BLM & RUSSELL HAYWORTH MLC. WOC 39 1/2 HRS. DRLD. FLOAT, CEMENT, SMOOT TEST CSG. SEAT 1000# OK. DRLG. 8 3/4" HOLE 11-25-84.

Subsurface Safety Valve: Manu. and Type

Set @ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED

H.C. Houdichour

TITLE

SR. PROD. CLERK

DATE

NOV. 27, 1984

(This space for Federal or State office use)

APPROVED BY

CONDITIONS OF APPROVAL IF ANY

TITLE

DATE

COUNTY EDDY FIELD Wildcat STATE NM
 OPR BASS PERRY R API 30-015-25009
 NO 91 LEASE Big Eddy Unit MAP
 Sec 5, T21S, R30E CO-ORD
 250 FNL, 1600 FWL of Sec 2-2-15 NM
 21 mi NE/Carlsbad SPD 11-8-84 CMP 1-3-85

CSC	WELL CLASS: INIT WFFIN WFLSE. CODE			
	FORMATION	DATUM	FORMATION	DATUM
	20-800-590 sx			
	13 3/8-2030-1375 sx			
	9 5/8-3&28-1800 sx			
	TD 13,250 (MRRW)		PBD	

DRY & ABANDONED

CONTR Wilson Bros #21 OPR SELEV 3545 GR, 3566 KB SUBS 20

F.R. 8-13-84
 PD 13,500 RT (Morrow)
 11-13-84 TD 800; WOC
 11-27-84 Drlg 4750
 12-4-84 Drlg 9257
 12-11-84 Drlg 11,144
 12-17-84 Drlg 11,862
 12-27-84 Drlg 13,240
 DST (Bone Spring) 10,395-10,454, op 2 hrs 10 mins,
 GTS 2 hrs 24 mins into FSIP w/2-4 FT lazy flare,
 rec 100 FT DFLUD + 104 FT SULW (Sample chamber
 rec .73 CFT GAS + 4 CC WTR @ 110), 10 min IFP
 72-97, 1 hr ISIP 1080, 2 hr FFP 97-123, 4 hr FSIP
 4541, HP 5363-5363, BHT 158 deg
 Drlg break 11,826-11,829
 Att DST (Strawn) 11,815-11,862, pkr failed
 Att DST (Strawn) 11,820-11,862, pkr failed
 1-9-85 TD 13,250; D&A
 No Cores 2-2-15 NM

EDDY
BASS PERRY R

Wildcat
91 Big Eddy Unit
Sec 5, T21S, R30E

NM
Page #2

1-9-85

Continued

DST (STRD) (Bone Spring) 7940-8042, op 3 hrs
on IF, rec 24 BBL DFLUD (Sample chamber rec
2000 CC MUD @ 66 w/NS), 3 hr IFP 126-303, 12 hr
FSIP 3505, IHP 4319, FHP (NR)

2-2-85

TD 13,250; Dry & Abandoned

LOG TOPS: Rustler 583, Salt 688, Delaware
Mountain Group 3786, Bone Spring 7326, Wolfcamp
10,466, Strawn 11,512, Atoka 11,812, Morrow
12,444, Middle Morrow 12,684, Lower Morrow
12,984

2-9-85

LOGS RUN: CNL, LDT, DLL, MSFL, CALP
COMPLETION ISSUED 2-2-15 NM

IC 30-015-70253-84
