NW OTL COMS. COMMENT IN Drawer DD Artesia. NW 89300

CISF

Artesia, Mt 89300	F 4
FORE 1973 VED BY	Form Approved. Budget Bureau No. 42–R1424
UNITED STATES	5. LEASE
JUL 2 198 PARTMENT OF THE INTERIOR	N.M. 25345
CEMINCICAL CLIDVEY	6. IF INDIAN, ALLOTTEE OR TRIBE NAME
O. C. D.	6. IT INDIAN, ALLOTTEE OR TRIBE NAME
ARTESIA OFFICE AND DEDORTS ON WELLS	7. UNIT AGREEMENT NAME
SUNDAT NUTICES AND REPORTS ON WELLS	7. ONLY AGREEMENT MAINE
(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9–331–C for such proposals.)	8. FARM OR LEASE NAME
1. oil gas	Canon Abbott Federal  9. WELL NO.
2. NAME OF OPERATOR /	1
	10. FIELD OR WILDCAT NAME
Canon Energy, Inc. / 3. ADDRESS OF OPERATOR	
	11. SEC., T., R., M., OR BLK. AND SURVEY OR
13140 Coit Road, Suite 505, Dallas, Tx. 75240 4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17	AREA
below.)	Sec 29, T-21-S, R-25-E
AT SURFACE: 2201 FSL & 556 FWL Unit L	12. COUNTY OR PARISH 13. STATE
AT TOP PROD. INTERVAL:	Eddy N.M.
AT TOTAL DEPTH:	14. API NO.
16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE,	Not Avail.
REPORT, OR OTHER DATA	15. ELEVATIONS (SHOW DF, KDB, AND WD)
	3597' G.L.
REQUEST FOR APPROVAL TO: SUBSEQUENT REPORT OF:	33,1 0,13
TEST WATER SHUT-OFF	
FRACTURE TREAT	
REPAIR WELL	(NOTE: Report results of multiple completion or zone
PULL OR ALTER CASING	change on Form 9–330.)
MULTIPLE COMPLETE	
CHANGE ZONES	
ABANDON*	Cooine Blon
(other) X Alter Surface	e Casing Plan
<ul> <li>17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*</li> <li>6-20-85 Mr. Terry Franklin, An Agent for Canon Energy, Inc., requested and received verbal approval from Mr. Bob Pitchke of the Carlsbad Office to alter the Casing Program by eleminating the 13 3/8" Surface Casing at 200' and to run 8 5/8" Casing to 1500' and circulate cement to the surface.</li> </ul>	
Subsurface Safety Valve) Manu. and Type	Set @ Ft.
18. I hereby certify that the foregoing is true and correct	
SIGNED TITLE Cons. Engineer	er DATE 6-28-85
(This space for Federal or State office use)	
APPROVED BY ACCEPTED FOR RECORD TITLE	DATE
CONDITIONS OF APPROVAL, IF ANY:	
•*	
JUL <b>1</b> 1985	

\*See Instructions on Reverse Side