

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUBMIT IN  (Other instructions on reverse side)

Form approved
Budget Bureau No. 1004-0135
Expires August 31, 1985

2151

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT" for such proposals.)

1. OIL WELL ☒ GAS WELL ☐ OTHER ☐

2. NAME OF OPERATOR

Mobil Producing Tx. & New Mexico Inc.

3. ADDRESS OF OPERATOR

P. O. Box 633 - Midland, Texas 79702

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.
See also space 17 below.)

At surface

1950' FNL, 1980' FEL of Section 12

RECEIVED BY

14. PERMIT NO.

NA

MAY 08 1986

15. ELEVATIONS (Show whether OF, HT, GR, etc.)

3194' GR

5. LEASE DESIGNATION AND SERIAL NO.

NM-17095

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

Government "D"

9. WELL NO.

11

10. FIELD AND POOL, OR WILDCAT

Fenton, Northwest-Delaware

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA

Section 12, T-21-S, R-27-E

12. COUNTY OR PARISH

Eddy

13. STATE

New Mexico

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

ARTESIAN, OFFICE ATTENTION TO:

SUBSEQUENT REPORT OF:

TEST WATER SHUT-OFF ☐

PULL OR ALTER CASING ☐

WATER SHUT-OFF ☐

REPAIRING WELL ☐

FRACTURE TREAT ☐

MULTIPLE COMPLETE ☐

FRACTURE TREATMENT ☐

ALTERING CASING ☐

SHOOT OR ACIDIZE ☐

ABANDON* ☐

SHOOTING OR ACIDIZING ☐

ABANDONMENT* ☐

REPAIR WELL ☐

CHANGE PLANS ☒

(Other) ☐

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.) * Change Casing and Cementing Procedure.

Cement Quantity

New Permit Depth is 3200'.

Hole Size	Csg. Size	Wt/Ft.	Setting Depth	Sacks	Cu.Ft.	TOC
17 1/2	13 3/8	48.00	500	526	694	Surface
12 1/4	10 3/4	40.50	1450	333*	547*	Surface
9 7/8	7 5/8 Liner	25.56	1250-2450	342	451	1050'
6 3/4	5 1/2 Liner	13.70	2250-3200	109	144	2050'

Cementing Program

- * 13 3/8 cmtd w/526 sx. (694 cu ft) Class C + 2% Ca Cl₂ + 1/4#/sx FC
10 3/4 cmtd w/233 sx TL (415 cu ft) + 15.75 #/ sx salt + 1/4 #/ sx FC and 100^{sx.} (451 cu ft) C Neat + 1/4 #/ sx FC
7 5/8 cmtd w/342 sx (451 cu ft) Class C + 2% Ca Cl₂ + 1/4 #/ sx salt
5 1/2 cmtd w/109 sx (144 cu ft) Class C + 1/4 #/ sx salt

Mud Program

Interval	Type	Weight	Viscosity	Water Loss
0-500	Spud	8.8-9.4	34-40	NC
0-1450	BW	9.8-10.0	29	NC
1450-2450	FW	8.4-8.8	28-32	NC
2450-TD	FW Gel	8.6-9.2	30.38	+ 20

BCP Program: 3000# Series (attached)


18. I hereby certify that the foregoing is true and correct

SIGNED  G.E. Tate

TITLE Env. & Reg. Manager

DATE 5/8/86

(This space for Federal or State office use)

APPROVED BY 

TITLE

DATE 5-8-86

CONDITIONS OF APPROVAL, IF ANY:

Subject to
Like Approval
by State

*See Instructions on Reverse Side

Instructions

General: This form is designed for submitting proposals to perform certain well operations, and reports of such operations when completed, as indicated, on Federal and Indian lands pursuant to applicable Federal law and regulations, and, if approved or accepted by any State, on all lands in such State, pursuant to applicable State law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office.

Item 4: If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.

Item 17: Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by local Federal and/or State offices. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones, or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to top of any left in the hole; method of closing top of well; and date well site conditioned for final inspection looking to approval of the abandonment.

PRIVACY ACT

The Privacy Act of 1974 and the regulation in 43 CFR 2.48(d) provide that you be furnished the following information in connection with information required by this application.

AUTHORITY: 30 U.S.C. 181 et. seq., 351 et. seq., 25 U.S.C. et. seq.; 43 CFR 3160.

PRINCIPAL PURPOSE: The information is to be used to evaluate, when appropriate, approve applications, and report completion of secondary well operations, on a Federal or Indian lease.

ROUTINE USES: (1) Evaluate the equipment and procedures used during the proposed or completed subsequent well operations. (2) Request and grant approval to perform those actions covered by 43 CFR 3162.3-2(2). (3) Analyze future applications to drill or modify operations in light of data obtained and methods used. (4)(5) Information from the record and or the record will be transferred to appropriate Federal, State, local or foreign agencies, when relevant to civil, criminal or regulatory investigations or prosecutions.


EFFECT OF NOT PROVIDING INFORMATION: Filing of this notice and report and disclosure of the information is mandatory once an oil or gas well is drilled.

The Paperwork Reduction Act of 1980 (44 U.S.C. 3501, et. seq.) requires us to inform you that:

This information is being collected in order to evaluate proposed and/or completed subsequent well operations on Federal or Indian oil and gas leases.

This information will be used to report subsequent operations once work is completed and when requested, to obtain approval for subsequent operations not previously authorized.

Response to this request is mandatory for the specific types of activities specified in 43 CFR Part 3160.



BOP rams will be actuated on each trip of drill pipe and will be tested before drilling the plug on each casing string.

*NOTE: ALL VALVES ARE METAL-TO-METAL SEAL AND FLANGED. ALL COMPONENTS MUST MEET ABOVE MINIMUM PRESSURE RATINGS. ALL COMPONENTS TO BE TESTED TO RATED PRESSURE AFTER ASSEMBLY AND BEFORE FURTHER DOWNHOLE OPERATIONS MAY BE CONDUCTED.

Mobil Producing
Texas & New Mexico Inc.
Houston, Texas

MOBIL NO. 11 Government "D"
(LEASE)

Eddy COUNTY, WY STATE

BLOWOUT PREVENTER ASSEMBLY

13 5/8 x 11 IN. 3000 PSI WP*

Scale

Date
Drawn
Checked
Approved
Revised