

UNITED STATES DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUBMIT IN TRIPPLICATE
(Other instructions on reverse side)

Budget Bureau No. 1004-1
Expires August 31, 1985
LEASE DESIGNATION AND SERIAL

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use "APPLICATION FOR PERMIT" for such proposals.)

RECEIVED

NM-58799

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

AMENDED

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME
Apache Federal

9. WELL NO.

1

10. FIELD AND POOL OR WILDCAT

Wildcat

11. SEC., T., R., M., OR BLM. AND SURVEY OR AREA

Sec. 21: T22S, R25E

12. COUNTY OR PARISH 13. STATE

Eddy

NM

1. OIL WELL ☒ GAS WELL ☐ OTHER ☐
2. NAME OF OPERATOR
Siete Oil and Gas Corporation
3. ADDRESS OF OPERATOR
P.O. Box 2523 Roswell, NM 88202-2523 O. C. D.
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements. See also space 17 below.)
At surface 1980' FSL & 2310' FEL, NW $\frac{1}{4}$ SE $\frac{1}{4}$, Unit Letter J

14. PERMIT NO. 30-015-26163
15. ELEVATIONS (Show whether DF, RT, CR, etc.)
3629' GR

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

FRACTURE TREAT

SHOOT OR ACIDIZE

REPAIR WELL

(Other)

PULL OR ALTER CASING

MULTIPLE COMPLETE

ABANDON*

CHANGE PLANS

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

FRACTURE TREATMENT

SHOOTING OR ACIDIZING

(Other)

REPAIRING WELL

ALTERING CASING

ABANDONMENT*

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting and proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

9/10/89 TD 7 7/8" hole to 4470' @ 6:00 PM, TOH, RU Schlumberger & ran DLL/MSFL & cNL/LDT on interval 1718'-4466', logger's TD @ 4468', SI for evaluation.
9/11/89 TOH & lay down 23 DC, TIH open-ended, PU 23 jts DP, circ hole, set plug @ 4470'-4320' w/50 sxs class "A" Neat, lay down 52 jts DP, set plug @ 2870'-2720' w/50 sxs class "A" Neat, lay down 31 jts DP, set plug @ 1895' w/70 sxs class "A" w/4% CaCl, WOC 1 1/2 hrs, tagged cmt @ 1667', NU, set plug @ 450'-350' w/30 sxs class "A" Neat, set plug @ 50'-surface w/16 sxs class "A" Neat, released rig @ 11:30 PM, put up P&A marker.

18. I hereby certify that the foregoing is true and correct

SIGNED

Cathy Batley

TITLE

Drilg. & Prod. Tech.

DATE

12/13/89

(This space for Federal or State office use)

APPROVED BY

TITLE

DATE

2-10-89

CONDITIONS OF APPROVAL, IF ANY:

After completion of well bore,
Lifting...
surface restoration is completed,

*See Instructions on Reverse Side