

- F. All trash and debris will be buried or removed from the wellsite within 30 days after finishing drilling and/or completion operations.

8. ANCILLARY FACILITIES:

- A. None necessary

9. WELL SITE LAYOUT:

- A. Drilling of this well will require a 150' x 200' pad. The mud reserve pits will be about 80' x 90'.
- B. Attachment Exhibit "C" is a diagrammatic sketch of the rig layout indicating the area of proposed disturbance and relative location of the rig equipment.
- C. Since the east side of the reserve pit will be in a natural drainage, a 3' berm will be constructed immediately below the pit to contain any unexpected spill or seepage.

10. PLANS FOR RESTORATION OF THE SURFACE:

- A. After completion of drilling and/or completion operations, all equipment and other material not needed for operations will be removed. Pits will be filled and the location cleaned of all trash and junk to leave the wellsite in an aesthetically pleasing condition as possible.
- B. Any unguarded pits containing fluids will be fenced until they are filled.
- C. If the well is non-productive the disturbed area will be rehabilitated to surface owner requirements and will be accomplished as expeditiously as possible.

11. OTHER INFORMATION:

- A. Topography: The terrain consists of low rocky hills and drainages. Local drainage is into Spencer Draw. Regional slope is northeast toward the Pecos River.
- B. Soil: The soil is almost nonexistent, due to fractured limestone rocks on the surface.
- C. Flora and Fauna: Vegetation consists of catclaw, cactus, sagebrush, yucca, and various weeds and grasses. Ground cover is about 10%. Wildlife in the area is that typical of semi-arid desert land, such as coyotes, rodents, reptiles and birds.