

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.  
Use "APPLICATION FOR PERMIT—" for such proposals.

SUBMIT IN TRIPLICATE

1. Type of Well

☐ Oil Well ☒ Gas Well ☐ Other

2. Name of Operator

Mewbourne Oil Company

3. Address and Telephone No.

P. O. Box 7698, Tyler, Texas 75711

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

1980' FNL & 2200' FEL of Sec. 8, T20S-R28E

RECEIVED  
JUN 13 1991

C. C. D.  
ARTESIA OFFICE

RECEIVED  
MAY 24 1991  
DIST. 6 N.M.  
Carlsbad, New Mexico

FORM APPROVED  
Budget Bureau No. 1004-0135  
Expires: March 31, 1993

5. Lease Designation and Serial No.

NM-83584

6. If Indian, Allottee or Tribe Name

7. If Unit or CA, Agreement Designation

8. Well Name and No.

FEDERAL "V" #1

9. API Well No.

30-015-26451

10. Field and Pool, or Exploratory Area

BURTON FLAT MORROW GAS

11. County or Parish, State

Eddy, New Mexico

12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

☐ Notice of Intent  
☒ Subsequent Report  
☐ Final Abandonment Notice

TYPE OF ACTION


☐ Abandonment  
☐ Recompletion  
☐ Plugging Back  
☐ Casing Repair  
☐ Altering Casing  
☒ Other Fracture Treat

☐ Change of Plans  
☐ New Construction  
☐ Non-Routine Fracturing  
☐ Water Shut-Off  
☐ Conversion to Injection  
☐ Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

5/02/91 - Fracture treated Lower Morrow Sand perms 11,011-016', 11,025', 11,030-036', down 2-7/8" tubing with 26,000 gals 73 downhole slurry quality Binary Westfoam carrying 14,125# 20/40 Mesh ACFRAC Black (Westprop-3). Flushed with 2730 gals CO<sub>2</sub>/N<sub>2</sub> 2% KCL water. Pressured annulus to 1500#. ISDP 5120#, 5 mins 4800#, 10 mins 4570#, 15 mins 4500#. Avg 8.5 BPM at 7000#. Job complete 11:30 AM.



14. I hereby certify that the foregoing is true and correct

Signed Raylon Thompson Title Engr. Oprns. Secretary

(This space for Federal or State office use)

Date 5/21/91

Approved by

Conditions of approval, if any:

Title

Date