Dra Art APPLICATIO	OIL COR UNI Ret DEPARTMEN esia, BURE 200 N FOR PERMIT	LAND MANA	NTERIOR GEMENT		ide)	5. LEASE DESIGNATION NM-61358 6. IF INDIAN, ALLOTTER	31, 1985 ['
		DEEPEN		PLUG BAG	ск 🗌	7. UNIT AGREEMENT N	AME
2. NAME OF OPERATOR	AS OTHER		SINGLE			8. FARM OR LEASE NAM	
Yates Petro 3. ADDBESS OF OPERATOR	leum Corporatio	n V		11N_1_7	7 1001	9. WELL NO.	
105 South F	ourth Street, A	rtesia. NM	88210		1001	4 10. FIELD AND POOL, O	
4. LOCATION OF WELL (R At surface	eport location clearly an	d in accordance wi	th any State re	quiremente dia	D.	Undes. Livin	
Unit Letter	I; 330'FEL & 1					11. SEC., T., R., M., OR E AND SURVEY OB AR	
At proposed prod. zor						Sec. 25-T21S-R31E	
14. DISTANCE IN MILES			T OFFICE*			12. COUNTY OR PARISH	13. STATE
38 miles not	theast of Lovi	ng, NM				Eddy	NM
LOCATION TO NEARES PROPERTY OR LEASE I	INE. FT.			BES IN LEASE		OF ACRES ASSIGNED HIS WELL	
(Also to nearest drig 18. DISTANCE FROM PROF		88 19. proposed		20 8074	40 20. ROTABY OF CABLE TOOLS		
TO NEAREST WELL, D or applied for, on th	RILLING, COMPLETED, IS LEASE, FT.		850		20. 1011	Rotary	
21. ELEVATIONS (Show wh 3690' GR	ether DF, RT, GR, etc.)			<u> </u>	ł	22. APPROX. DATE WOI	K WILL START [®]
23.		PROPOSED CAS	NG AND CEME	NTING PROGRAM	<u></u>	1	·····
SIZE OF HOLE	SIZE OF CASING	WEIGHT PER F	00T SE	TTING DEPTH	1	QUANTITY OF CEMEN	<u>-</u> т
17 1/2"	13 3/8"	54.5#		850'	Circu	late - 850 sad	
<u> </u>	<u> 8 5/8" </u>	32.0#		4500'		late - 2500 sad	cks
/ //0	5 1/2"	17 & 20	#	TD	Adequa	ate cover (fie b	sack)
Approximatel commercial,	eum Corporation Approximately y 4500' of inte production cas ed as needed fo	850' of sum ermediate ca ing will be	rface cas asing wil run and o	ing will be I be set an	set ar	nd cement circu nt circulated. Jate cover, per A	Ilated. If forated
MUD PROGRAM:	Native mud to	o 850'; Brin	ne to 450()'; cut Bri	ne to 1	rd. Muur	-38-91 Loc & APE
BOP PROGRAM:	BOP will be	installed at	t the offs	set and tes	ted dai	ily for operati	onal.
N ABOVE SPACE DESCRIBE one. If proposal is to o reventer program, if any	PROFOSED PROGRAM : If irill or deepen directions	proposal is to deep lly, give pertinent	en or plug bac) data on subsu	к, give data on pr rface locations ыл	esent produ d measured	nctive zone and proposed and true vertical depths	new productive 1. Give blowout
signer	the R. M	<u>аутит</u>	LE Per	rmit Agent		6-5-	91

(This space for Federal or State office use)

DATE 6.1391

GENERAL REQUIREMENTS AND

SPECIAL STIPULATIONS

ATTACHED

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

*See Instructions On Reverse Side

Submit to Appropriate District Office State Lease - 4 copies Fee Lease - 3 copies

<u>DISTRICT 1</u> P.O. Box 1980, Hobbs, NM 88240

DISTRICT II P.O. Drawer DD, Artesia, NM 88210

DISTRICT III 1000 Rio Brazos Rd., Aztec, NM 87410

State of New Mexico Energy, Minerals and Natural Resources Department

OIL CONSERVATION DIVISION

P.O. Box 2088

Santa Fe, New Mexico 87504-2088

WELL LOCATION AND ACREAGE DEDICATION PLAT

All Distances must be from the outer boundaries of the section

Operator					Lease				Well No.
YATES	PET	ROLEUM	CORPORATIO	N	W	OLF AJA FEI)FPAT		
Unit Letter	Sect		Township		Range			County	4
Ι		25	2	1 SOUTH		EAST	NMPM		EDDY COUNTY, N.M.
Actual Footage Lo	cation o	f Well:	A		±			1	
330		from the	EAST	line and		80	feet from	the	SOUTH line
Ground level Elev.			icing Formation		Pool	•			Dedicated Acreage:
3690.			LAWADE			CAT DEL			40 Acres
1. Outlin	ne the a	rreage dedic	ated to the subject	well by colored per	icil or hachure i	marks on the plat b	wlow.		
2. If mo	ore than	one lease is	dedicated to the w	ell, outline each and	identify the ou	marchin thereof (h	oth as to work	ing internet a	
								-	
3. If mo	ore than	one lease of	different ownershi	p is dedicated to the	e well, have the	interest of all own	ers been consc	lidated by c	ommunitization,
unitiz	ation, fo	orce-pooling	_		n of constitut				
If answe		" list the ow		answer is "yes" ty riptions which have	actually been of	onsolidated. (Use	reverse side o	f	
this form	n if neco	æssary. 🔄							
No allov or until	wable w	ill be assigned	ed to the well until	all interests have be	een consolidate	d (by communitiza	tion, unitizatio	n, forced-po	oling, or otherwise)
	a 11011-81		ennunaung such in	iterest, has been app	proved by the L	//v1510E.			
		1				1		OPER	ATOR CERTIFICATION
-						1		l here	eby certify that the information
		1				1			erein in true and complete to th
		1				1		best of my lo	nowledge and belief.
		1				1		Signature	-
		1						<u>())</u>	t R. Ma
						1		Printed Nam	
		— — — ·				<u> </u>		Clifto	n R. May
		I					1	Position	
								Permit	Agent
		1				1	[Company	
						1		Yates	Petroleum Corp.
		ļ					I	Date	
		[1		6-5-91	
						ļ		SURV	EYOR CERTIFICATION
		1				NM 6134			rtify that the well location show
									t was plotted from field notes o eys made by me or under m
Į									and that the same is true an
1									the best of my knowledge an
						Y / ,		belief.	
1								Date Survey	yed
		!		- +		¥			N. R. R.E.D.
i						`	, 	Signature	PIEK
						1 1	80	Profession	Sultreyun / C
-		1				0	2		
		ļ		}		1	\ 	R	(5412))))))) (1)
						1		REIS	\times $/// [5]$
		Ì]			TO SUR SOCI
L						1		Certification	
								NM PE	PROFESSIONAL
330 660	990	1320 165	0 1980 2310	2640 200	0 1500	1000 50			

YATES PETROLEUM CORPORATION

Wolf "AJA" Federal #4 1980' FSL and 330' FEL Section 25-T21S-R31E Eddy County, New Mexico

In conjunction with Form 3160-3, Application for Permit to Drill subject well, Yates Petroleum Corporation submits the following ten items of pertinent information in accordance with BLM requirements.

- 1. The geological surface formation is Sandy Alluvium.
- 2. The estimated tops of geologic markers are as follows:

Rustler	572'
Bell Canyon	4,420'
Cherry Canyon	5,495'
Brushy Canyon	7,210'
Bone Springs	8,385'
TD	8,500'

3. The estimated depths at which anticipated water, oil or gas formations are expected to be encountered:

Water:	150'
Oil or Gas:	7190' and 8316'

- 4: Proposed Casing Program: See Form 3160-3.
- 5. Pressure Control Equipment: See Form 3160-3 and Exhibit B.
- 6. Mud Program: See Form 3160-3.
- 7. Auxiliary Equipment: Kelly Cock; pit level indicators and flow sensor equipment; sub with full-opening valve on floor, drill pipe connections.
- 8. Testing, Logging and Coring Program:

Samples: Out from under surface casing to TD.

DST's: As warranted.

Coring: None anticipated.

Logging: Dual Induction Laterolog, Gamma Ray/Litho Density, Gamma Ray/Compensated Neutron with Caliper Log.

- 9. No abnormal pressures or temperatures are anticipated.
- 10. Anticipated starting date: As soon as possible after approval.

MULTI-POINT SURFACE USE AND OPERATIONS PLAN Yates Petroleum Corporation Wolf "AJA" Federal #4 1980' FSL and 330' FEL Section 25-T21S-R31E Eddy County, New Mexico

This plan is submitted with Form 3160-3, Application for Permit to Drill, covering the above described well. The purpose of this plan is to describe the location of the proposed well, the proposed construction activities and operations plan, the magnitude of the surface disturbance involved and the procedures to be followed in rehabilitating the surface after completion of the operations, so that a complete appraisal can be made of the environmental effect associated with the operations.

1. EXISTING ROADS:

Exhibit A is a portion of BLM map showing the well and roads in the vicinity of the proposed location. The proposed wellsite is located approximately 38 miles northeast of Loving, New Mexico, and the access route to the location is indicated in red and green on Exhibit A.

DIRECTIONS:

Go southeast out of Carlsbad, New Mexico on Highway 285 to 31. Go east on 31 to 128 (Jal Hwy). Go approximately 16 miles to Red Road (County Road 802). Turn north and go approximately 9 miles on the pavement. Will be a Lea County 29 sign. Stay on pavement and continue for approximately 4.5 miles. New access will start here and go west.

2. PLANNED ACCESS ROAD

- A. The proposed new access will be approximately 250' in length from the point of origin to the southeast edge of the drilling pad. The new road will lie east to west
- B. The new road will be 14 feet in width (driving surface) and will be adequately drained to control runoff and soil erosion.
- C. The new road will be bladed with drainage on both sides. No traffic turnout will be built.
- D. The route of the road is visible.

3. LOCATION OF EXISTING WELL

- A. There is drilling activity within a one-mile radius of the wellsite.
- B. Exhibit D shows existing wells within a one-mile radius of the proposed wellsite.

4. LOCATION OF EXISTING AND/OR PROPOSED FACILITIES

- A. There are no production facilities on this lease at the present time.
- B. In the event that the well is productive, the necessary production facilities will be installed on the drilling pad. If the well is productive oil, a gas or diesel self-contained unit will be used to provide the necessary power. No power will be required if the well is productive of gas.

5. LOCATION AND TYPE OF WATER SUPPLY:

A. It is planned to drill the proposed well with a fresh water system. The water will be obtained from commercial sources and will be hauled to the location by truck over the existing and proposed roads shown in Exhibit A.

Wolf "AJA" Federal #4 Page 2

6. SOURCE OF CONSTRUCTION MATERIALS:

The pit located in the E/2SW/4 of Section 12-T22S-R31E on BLM lands unless dirt contractor finds a closer source.

- 7. METHODS OF HANDLING WASTE DISPOSAL:
 - A. Drill cuttings will be disposed of in the reserve pits.
 - B. Drilling fluids will be allows to evaporate in the reserve pits until the pits are dry.
 - C. Water produced during operations will be collected in tanks until hauled to an approved disposal system, or separate disposal application will be submitted.
 - D. Oil produced during operations will be stored in tanks until sold.
 - E. Current laws and regulations pertaining to the disposal of human waste will be complied with.
 - F. Trash, waste paper, garbage and junk will be buried in a separate trash pit and covered with a minimum of 24 inches of dirt. All waste material will be contained to prevent scattering by the wind.
 - G. All trash and debris will be buried or removed from the wellsite within 30 days after finishing drilling and/or completion operations.
- 8. ANCILLARY FACILITIES:
 - A. None required.
- 9. WELLSITE LAYOUT:
 - A. Exhibit C shows the relative location and dimensions of the well pad, the reserve pits, the location of the drilling equipment, rig orientation and access road approach. A cross section of a drill pad with approximate cuts, fills and pad orientation is shown on Exhibit E.
 - B. The reserve pits will be plastic lined.
 - C. A 400' x 400' area has been staked and flagged.
- 10. PLANS FOR RESTORATION
 - A. After finishing drilling and/or completion operations, all equipment and other material not needed for further operations will be removed. The location will be cleaned of all trash and junk to leave the wellsite in as aesthetically pleasing a condition as possible.
 - B. Unguarded pits, if any, containing fluids will be fenced until they have dried and been levelled.
 - C. If the proposed well is non-productive, all rehabilitation and/or vegetation requirements of the BLM will be complied with and will be accomplished as expeditiously as possible. All pits will be filled level within 90 days after abandonment.
- 11. SURFACE OWNERSHIP: Federal Surface administered by BLM (Carlsbad, NM)
- 12. OTHER INFORMATION:
 - A. Topography: Refer to the existing archaeological report for a description of the topography, flora, fauna, soil characteristics, dwellings, historical and cultural sites.
 - B. The primary surface use is for grazing.

Wolf "AJA" Federal #4 Page 3

13. OPERATOR'S REPRESENTATIVE

A. Through A.P.D. Approval:

Clifton R. May, Permit Agent Yates Petroleum Corporation 105 South Fourth Street Artesia, New Mexico 88210 Phone (505) 748-1471 B. Through Drilling Operations, Completions and Production:

> Mike Slater, Operations Manager Yates Petroleum Corporation 105 South Fourth Street Artesia, New Mexico 88210 Phone (505) 748-1471

14. CERTIFICATION:

I hereby certify that I, or persons under my direct supervision, have inspected the proposed drillsite and access route, that I am familiar with the conditions which presently exist; that the statements made in this plan are to the best of my knowledge, true and correct; and , that the work associated with the operations proposed herein will be performed by Yates Petroleum Corporation and its contractors and subcontractors in conformity with this plan and the terms and conditions under which it is approved. This statement is subject to the provisions of 18 U.S.C. 1001 for the filing of a false statement.

6-5-91

Date

m.R. May

Permit Agent



EXHIBIT B

· · ·

.

BOP STACK





YATES PETROLEUM CORPORATION



Scale: Inch = 50 feet

EXHIBIT C

0434343480 - 5423 -54282 2454445	41 - 81 14g	7.1 7/(3) (0) 03/39 L	213) Oberland (Tertuite) 2139 (4505 C.c. Russing) 2130 (200)	Union (c.(: HBP 14329	Franks Pet (Union)
і 9 — — — —		12		ng. nc. ¹⁴ 8	14329
8 · · · · · · · · · · · · · · · · · · ·			No. Bilbrey-Fed		to 14
ichord amoli	C 3 n Cila Richardson Cila (2) 7 - 1 - 71 (3)	U.S. Dalco States Detend	Jak Hayes Partners I to IA412' (Ftuer Ming)	U.S. Sicility and and Co.,	4125 I U.S.
Howord Com Late + Shire ris 7 7 13 01897	Remonant		Creditic Roman Chi and I Have Getty Morrow Origination (P0) (3.3Mil)		9 - F - 91 V- 1967 36 20
16 - Howard Jerris Sun. 200, 17 More	Richardfandiis 14 7	R chardenn O'lr 7 : 71(3) 84215	(199) (3.3MIL)	7 ∽Landi etai Lannon To 4600	46
14/1 5002131 Calibration		ชั่น 1₩014 1 - 551 0.5613581	No. Bilbrey.Fed." U.S.		Store
Suniland E Howard T + 7(9)51 (1515) 'Corp '4- 0349' 0349' 'Corp '4- 0349' 0349' 'Sono- Econd- '3) 0- '3) 0- '3) 0-	Richardson Oil Howard Corr 7.1.71(3) Huber Corp K: Swire, etc 04382 5.1.83 7.4.1.71 14322 OG1640	a kiish re, e+cl lin (3) 7	14331	File, Central Bonneville Fuels HBP 45401 31375	Skeliy Santa Fe So. Sait 9-1-90 Loke Und 5001 TO14880 2552 D/A2-16-75 KG5
21	Huber Corde Richardson Oil		State, S 2020-31	300 e	21 Santa Fe (Kerr-Mk
Betoria-1 Ru	+2 63 7 5 5	14225	H8P 31375	Getty 4. 1. 53 14331	CIGOD KGS
F. chardson 7-1-7(3) 067451	0il Pago Prod 10 31 81 Huber Corp 10599 5 683	p. (Suniond) D.R. Wolf 77(3) D.R. Wolf	U.S. Bonneville Freis ABP	U.S. Getty , g3 Bonne-1 Getty 14331 Julie , Getty 14331 Julie , Getty	U.S. ***** U.S. ***** Santa Fe Ener: Santa Fe Ener:
	Page Prod Page Prod Page Prod Page Prod 26	61358 61358 61358 17.17.131 17.17.131 106.660 25	Getty 4 - 1 - 183 14331 4 - 30	2	63020 58336 TO 14834 More Su A
Atgo Prod.	Fei 50 1014395 0049128482	2.5 		Bonne Gerry 29 Furlistuit O'La HBP BOMA 31375 FOID EY Bonne FO	28
5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	u.S. hardson (2) (1) (2) (2) (2) (2) (2) (2) (2) (2) (2) (2	US Texaco	U.S.	VIII: VIII: VIII: 1:55 I 22235(J.S.	"Bilbrey Fed."U.S. "Bilbrey Fe
	7 1-7(3) 3-1 96 067052 900 3-1 96 55455 53604 5416461 57812	Allork 2013 Annin (10-2200 Sonassa 2000 Yotes Pet. Mory-st. Dresserero' 1 @ 1-arv	Philips, 1 NBP 1 Ford Frod. 14332 1 4-1 - S1 14332 1 4-2814 142814	Amoco LG-RE40 Texno LGER	12660 Prod. WPhillips) 126Mil. 14332
33 ¹ • • • • • • • • • • • •	- 35	· · · · · · · · · · · · · · · · · · ·		JC	33
s State	ram 1	1209+ Tank- St 11 1412		Mazer Diletal Share BP	`Bilbrey-Fed." ∪ S.
	Yates Pet stai	YATES PI	ETROLEUM CORPORAT	19 6742[39 00 427 1 ● ¹ Br. 60r. 0.80. 10 N 11 E.20.	39 694413976 Ac 3139 62 Ac 2139 Texoco Atoka I (Genu) Esco Bilorey Red UI 24185 Bilorey Red UI
4 3	2		JA" Federal #4	·Fed*	(Aminoil) 95 4 200 12 Union 14332 14 12-1-81 14332 U.S.M.1 14491 U.S. J.C.Mills
	Totrs Pyty,1 : Fuga Prod. 8 a a 4 4 92 2 2 4 7 1 4 1 5 2 3 76 1 1062 59 1	330'FEL Sec. 25- ∢∰ Eddy Cou	& 1980'FSL -T21S-R31E	Senta Fe Ener. 1 - 1 - 35 V - 3183 100 № 	Santa Fe Ener. 1 4 1 - 94 10 - 1 - 94 10 - 1 - 94 10 - 1 - 94 81271 70 [∞] U 5
5 // S Mobil rior 9 1-75 04/150	6 21.78 G5417	-+	EXHIB IT D	<u>J.C.Mills,(S)</u>	State Santa Fe Ener,
sce		N/2		3 '2	* 1 . 93 77057 5322 * 1.92 * 2.160 * 2.160 * 2.160 * 500 * 500 * 500 * 1.93 * 500 * 1.93 * 500 * 1.93 * 500 * 500
) 10	II	Pogo Prod. 2 1 87 29233	Pogo 0, 10 1 92 69372	ى ا	Culter tank W
U S	US o		Jiour KGS U.S.	U S.	Vites Ends 2 4414 Vites Ends 2 4414 Vites Poil 2
	Staffend Sais S 	Texaco (Pago Prad.) 04 29233	Getty Pogo Prod. Pogo Prod. 1/2 4 1 93 53990 32411	Extron Todo Sunar Sul46	Yates Pet, etc) 8 - 1 - 92 V8-134 82 64
6 IS ල්	14 1 Support	0 ⁵ 1304 Brushycani 13 7232		17 - 17	16
0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		"Neff-Fed."	A GAL 2 FOR JOINT CONTRACT OF	, ClearyPer, Fear	_
E CCDI US. E RN Enfield	U 5.	S P267	U.S. WAS TRI	U, S 3	Store 2