

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

NM OIL CONS COMMISSION  
Drawer DD  
Artesia, NM 88210 *CLSF*

FORM APPROVED  
Budget Bureau No. 1004-0135  
Expires: March 31, 1993

5. Lease Designation and Serial No.

NM-67712

6. If Indian, Allottee or Tribe Name

7. If Unit or CA, Agreement Designation

8. Well Name and No.

Julia AJL Federal #4

9. API Well No.

30-015-26934

10. Field and Pool, or Exploratory Area

Cabin Lake Delaware

11. County or Parish, State

Eddy Co., NM

**SUNDRY NOTICES AND REPORTS ON WELLS**

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.  
Use "APPLICATION FOR PERMIT—" for such proposals

**SUBMIT IN TRIPLICATE**

1. Type of Well

☒ Oil Well ☐ Gas Well ☐ Other

2. Name of Operator

YATES PETROLEUM CORPORATION

(505) 748-1471

3. Address and Telephone No.

105 South 4th St., Artesia, NM 88210

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

2180' FNL & 1980' FEL of Section 34-T21S-R30E (Unit G, SWNE)

12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

- ☒ Notice of Intent  
☐ Subsequent Report  
☐ Final Abandonment Notice

TYPE OF ACTION

- ☐ Abandonment  
☐ Recompletion  
☐ Plugging Back  
☐ Casing Repair  
☐ Altering Casing  
☒ Other Add perfs - possible plugback  
☐ Change of Plans  
☐ New Construction  
☐ Non-Routine Fracturing  
☐ Water Shut-Off  
☐ Conversion to Injection  
☐ Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

Propose to add perforations in the Delaware Sand as follows: NOTE: A RBP will be set above existing perforations 7114-7304' to temporary abandon while adding perforations uphole. If new perforations are capable of production by themselves, will leave RBP between perfs or may commingle with existing perforations 7114-7304'.

1. TOOH with pump and rods. Nipple up BOP and TOOH with tubing anchor and tubing.
2. Perforate 7040-7070' w/32 holes (2 SPF) as follows: 7040, 42, 44, 46, 48, 50, 52, 54, 56, 58, 60, 62, 64, 66, 68 & 7070'.
3. TIH with RBP and packer. Straddle acidize perforations 7040-7070'.
4. Swab test. Zone may be frac'd.

RECEIVED

MAY 18 1995

OIL CON. DIV.

DIST. 2

CARL  
ARREST

APR 12 12 32 PM '95

RECEIVED

14. I hereby certify that the foregoing is true and correct

Signed

*Rusty Klein*

Title Production Clerk

Date April 11, 1995

(This space for use by State office use)

(ORIG. SCD.) JOE G. LARA

Approved by  
Conditions of approval, if any:

Title PETROLEUM ENGINEER

Date 5/16/95