State of New Mexico Submit 3 Copies Form C-103 to Appropriate Energ linerals and Natural Resources Department Revised 1-1-89 District Office OIL CONSERVATION DIVISION WELL API NO. P.O. Box 1980, Hobbs, NM 88240 P.O. Box 2088 Santa Fe, New Mexico 87504-2088 30-015-27463 DISTRICT II P.O. Drawer DD, Artesia, NM 88210 5. Indicate Type of Lease OCT 1 1 1993 STATE FEE **DISTRICT III** 1000 Rio Brazos Rd., Aztec, NM 87410 6. State Oil & Gas Lease No. C. L. D. V - 3070SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A 7. Lease Name or Unit Agreement Name DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.) 1. Type of Well: MET X Wagon Unit 2. Name of Operator 8. Well No. YATES PETROLEUM CORPORATION 3. Address of Operator 9. Pool name or Wildcat 105 South 4th St., Artesia, NM 88210 (505) 748-1471 Undesignated Yeso 4. Well Location Line and $_1980$ 1980 North East Feet From The Unit Letter Feet From The Line 32 22S 23E Section Township Range **NMPM** Eddy County 10. Elevation (Show whether DF, RKB, RT, GR, etc.) 4283' GR Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data 11. NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF: PERFORM REMEDIAL WORK PLUG AND ABANDON REMEDIAL WORK ALTERING CASING **CHANGE PLANS TEMPORARILY ABANDON** COMMENCE DRILLING OPNS. PLUG AND ABANDONMENT PULL OR ALTER CASING CASING TEST AND CEMENT JOB Plugback, will test Yeso OTHER:___ OTHER: 12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.
TD 9795'. Reached TD 10-2-93. Received verbal permission from Gary Williams, NMOCD, Artesia, NM, 3:00 PM, 10-3-93 to plug back well. Stipulation . cement program were to pump cement plugs 50' above and below formation tops and tag up on cement on last plug. Plugged back as follows: Plug #1 - Morrow - Set 100' plug 9439-9339' with 50 sx Class "H" Neat (yld 1.18, wt 15.6). Plug #2 - Atoka - Set 100' plug 8778-8678' with 65 sx Class "H" Neat (yld 1.18, wt 15.6). Plug #3 - Canyon - Set 100' plug 7834-7734' with 65 sx Class "H" Neat (yld 1.18, wt 15.6). Plug #4 - Wolfcamp- Set 100' plug 6614-6514' with 50 sx Class "H" Neat (yld 1.18, wt 15.6). Plug #5 - Bone Spring - Set 300' plug 3150-2850' with 122 sx Class "H" Neat #8 CaCl2 (yld 1.18, wt 15.6). TIH with drill pipe and tagged cement at 2869'. Tops of formations: - 7784**'** 1: Morrow 93891 Canyon Bone Spring - 3104' Atoka 87281 Wolfcamp - 6564' I hereby certify that the information above is true and, complete to the best of my knowledge and belief. TIME Production Supervisor DATE 10-11-93 unda SIGNATURE Juanita Goodlett TELEPHONE NO.505/748-1471 TYPE OR PRINT NAME **ORIGINAL SIGNED BY** (This space for State Use) OCI & 9 1993 MIKE WILLIAMS SUPERVISOR, DISTRICT II TIME -

CONDITIONS OF APPROVAL, IF ANY

APPROVED BY-