Form 3160-5 (June 1990)

UNITED STATES DEPARTMENT OF THE INTERIOR ACCOUNTY BUREAU OF LAND MANAGEMENT

FORM APPROVED Budget Bureau No. 1004-0135 Expires: March 31, 1993

5. Lease Designation and Serial No.

LC 064528 (A) 6. If Indian, Allottee or Tribe Name

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.

Use "APPLICATION FOR PERMIT-" for such proposals

hereby certify that the foregoing is true and correct red Title Regulatory Analyst s space for Federal or State office use (ORIG. SGD.) ALEXIS C. SWOBODA PETROLEUM ENGINEER	7. If Unit or CA, Agreement Designa 8. Well Name and No. Rifleman 7 Federal Com # 9. API Well No. 30-015-28858 10. Field and Pool, or Exploratory A Happy Valley; Morrow (Ga 11. County or Parish, State Eddy County, NM
Well Well Other Well Well Other Well Operator Weld Operator Weld Grotage Producting Company Address and Telephone No 300 N A St., Bldg 2, Suite 120, Midland, TX 79705 915/686-8235 occation of Well (Footage, Sec., T., R., M., or Survey Description) Unit G, 1650' FNL & 1980' FEL, Sec 7-22S-26E CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT TYPE OF SUBMISSION TYPE OF ACTION Notice of Intent Subsequent Report Plugging Back Casing Repair Final Abandonment Notice Casing Repair Attering Casing Other Water Disposal Application Describe Proposed or Completed Operations (Clearly state all pertinet details, and give pertinent dates, including estimated of directionally drilled, give subsurface locations and measured and true vertical depths for all markders and zones perfinent to the interctionally drilled, give subsurface locations and measured and true vertical depths for all markders and zones perfinent to the interctionally drilled, give subsurface locations and measured and true vertical depths for all markders and zones perfinent to the interctionally drilled, give subsurface locations and measured and true vertical depths for all markders and zones perfinent to the interctionally drilled, give subsurface locations and measured and true vertical depths for all markders and zones perfinent to the interctional depths for all markders and zones perfinent to the interctional depths for all markders and zones perfinent to the interctional depths for all markders and zones perfinent to the interctional depths for all markders and zones perfinent to the interctional depths for all markders and zones perfinent to the interctional depths for all markders and zones perfinent to the interctional depths for all markders and zones perfinent to the interctional depths for all markders and zones perfinent to the interctional depths for all markders and zones perfinent to the interctional depths for all markders and zones perfinent to the interctional depths for all depths for all depths for all dep	Rifleman 7 Federal Com # 9. API Well No. 30-015-28858 10. Field and Pool, or Exploratory A Happy Valley; Morrow (Ga 11. County or Parish, State Eddy County, NM
Well Other John Stephane of Operator John Stephane of Operator of Federal or Stephane of Operator of Federal or Special of Federal or Special or Speci	Rifleman 7 Federal Com # 9. API Well No. 30-015-28858 10. Field and Pool, or Exploratory A Happy Valley; Morrow (Ga 11. County or Parish, State Eddy County, NM
Rearburg Producing Company Address and Telephone No.	9. API Well No. 30-015-28858 10. Field and Pool, or Exploratory A. Happy Valley; Morrow (Ga 11. County or Parish, State Eddy County, NM
Address and Telephone No. 300 N A St., Bldg 2, Suite 120, Midland, TX 79705 915/686-8235 coation of Well (Footage. Sec., T., R., M., or Survey Description) Unit G. 1650' FNL & 1980' FEL, Sec 7-22S-26E CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT TYPE OF SUBMISSION TYPE OF ACTIO Notice of Intent Subsequent Report Plugging Back Casing Repair Altering Casing Other Water Disposal Application Describe Proposed or Completed Operations (Clearly state all pertinet details, and give pertinent dates, including estimated differctionally drilled, give subsurface locations and measured and true vertical depths for all markders and zones pertinent to the subsurface locations are measured and true vertical depths for all markders and zones pertinent to the subsurface locations are measured and true vertical depths for all markders and zones pertinent to the subsurface locations are described and true vertical depths for all markders and zones pertinent to the subsurface locations are described and true vertical depths for all markders and zones pertinent to the subsurface locations are described and true vertical depths for all markders and zones pertinent to the subsurface locations and measured and true vertical depths for all markders and zones pertinent to the subsurface locations and measured and true vertical depths for all markders and zones pertinent to the subsurface locations and measured and true vertical depths for all markders and zones pertinent to the subsurface locations and measured and true vertical depths for all markders and zones pertinent to the subsurface locations and measured and true vertical depths for all markders and zones pertinent to the subsurface locations and measured and true vertical depths for all markders and zones pertinent to the subsurface locations and measured and true vertical depths for all markders and zones pertinent to the subsurface locations and measured and true vertical depths for all markders and zones pertinent locations and measured and true vertical	30-015-28858 10. Field and Pool, or Exploratory A. Happy Valley; Morrow (Ga 11. County or Parish, State Eddy County, NM
CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT TYPE OF SUBMISSION TYPE OF ACTIO Notice of Intent Subsequent Report Plugging Back Casing Repair Altering Casing Other Water Disposal Application Describe Proposed or Completed Operations (Clearly state all pertinet details, and give pertinent dates, including estimated of directionally drilled, give subsurface locations and measured and true vertical depths for all markders and zones perfinent to the substruction of the Morrow zone. There is approximately 1 -20 BBLs per day produced A current water analysis is attached Water is trucked from steel tank Water is transported by (page attached) APPROVAL S GENERAL RE SPECIAL STI. Title Regulatory Analyst Title Regulatory Analyst PETROLEUM ENGINEER	10. Field and Pool, or Exploratory A. Happy Valley; Morrow (Ga 11. County or Parish, State Eddy County, NM
CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT TYPE OF SUBMISSION TYPE OF ACTIO Notice of Intent Subsequent Report Plugging Back Casing Repair Altering Casing Other Water Disposal Application Describe Proposed or Completed Operations (Clearly state all pertinet details, and give pertinent dates, including estimated of directionally drilled, give subsurface locations and measured and true vertical depths for all markders and zones perfinent to the substruction of the Morrow zone. There is approximately 1 -20 BBLs per day produced A current water analysis is attached Water is trucked from steel tank Water is transported by (page attached) APPROVAL S GENERAL RE SPECIAL STI. Title Regulatory Analyst Title Regulatory Analyst PETROLEUM ENGINEER	Happy Valley; Morrow (Ga 11. County or Parish, State Eddy County, NM
CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT TYPE OF SUBMISSION TYPE OF ACTIO Notice of Intent Subsequent Report Plugging Back Casing Repair Altering Casing Other Water Disposal Application Describe Proposed or Completed Operations (Clearly state all pertinet details, and give pertinent dates, including estimated of directionally drilled, give subsurface locations and measured and true vertical depths for all markders and zones pertinent to to Water is produced from the Morrow zone. There is approximately 1 -20 BBLs per day produced A current water analysis is attached Water is trucked from steel tank Water is trucked from steel tank Water is trucked from steel tank Water is transported by (page attached) APPROVAL S GENERAL RE SPECIAL STI. Title Regulatory Analyst Title Regulatory Analyst PETROLEUM ENGINEER	11. County or Parish, State Eddy County, NM
TYPE OF SUBMISSION Notice of Intent Notice of Intent Notice of Intent Subsequent Report Final Abandonment Notice Plugging Back Casing Repair Altering Casing Altering Casing Casing Water Disposal Application Describe Proposed or Completed Operations (Clearly state all pertinet details, and give pertinent dates, including estimated directionally drilled, give subsurface locations and measured and true vertical depths for all markders and zones pertinent to the directionally drilled, give subsurface locations and measured and true vertical depths for all markders and zones pertinent to the directionally drilled, give subsurface locations and measured and true vertical depths for all markders and zones pertinent to the directionally drilled, give subsurface locations and measured and true vertical depths for all markders and zones pertinent to the directionally drilled, give subsurface locations and measured and true vertical depths for all markders and zones pertinent to the directionally drilled, give subsurface locations and measured and true vertical depths for all markders and zones pertinent to the directionally depths for all markders and zones pertinent to the directional depths for all markders and zones pertinent to the directional depths for all markders and zones pertinent to the directional depths for all markders and zones pertinent to the directional depths for all markders and zones pertinent to the directional depths for all markders and zones pertinent to the directional depths for all markders and zones pertinent details, and give pertinent details,	
TYPE OF SUBMISSION Notice of Intent Notice of Intent Notice of Intent Subsequent Report Final Abandonment Notice Plugging Back Casing Repair Altering Casing Altering Casing Casing Water Disposal Application Describe Proposed or Completed Operations (Clearly state all pertinet details, and give pertinent dates, including estimated directionally drilled, give subsurface locations and measured and true vertical depths for all markders and zones pertinent to the directionally drilled, give subsurface locations and measured and true vertical depths for all markders and zones pertinent to the directionally drilled, give subsurface locations and measured and true vertical depths for all markders and zones pertinent to the directionally drilled, give subsurface locations and measured and true vertical depths for all markders and zones pertinent to the directionally drilled, give subsurface locations and measured and true vertical depths for all markders and zones pertinent to the directionally drilled, give subsurface locations and measured and true vertical depths for all markders and zones pertinent to the directionally depths for all markders and zones pertinent to the directional depths for all markders and zones pertinent to the directional depths for all markders and zones pertinent to the directional depths for all markders and zones pertinent to the directional depths for all markders and zones pertinent to the directional depths for all markders and zones pertinent to the directional depths for all markders and zones pertinent details, and give pertinent details,	
Notice of Intent Abandonment Recompletion Recompletion Plugging Back Casing Repair Altering Casing Altering Casing Altering Casing Mother Water Disposal Application Motice Water Disposal Application Motice Water Disposal Application Motice Water Disposal Application Motice Water Disposal Application Water is produced from the Morrow zone. Water is produced from the Morrow zone. There is approximately 1 -20 BBLs per day produced Water is stored in one (1) 250 steel tank Water is trucked from steel tank Water is trucked from steel tank Water is transported by (page attached) APPROVAL S GENERAL RESPECIAL STILL GENERAL RESPECIAL STILL Regulatory Analyst Separator Separato	T, OR OTHER DATA
Subsequent Report Recompletion	ON
Subsequent Report Plugging Back Casing Repair Altering Casing Other Water Disposal Application Describe Proposed or Completed Operations (Clearly state all pertinet details, and give pertinent dates, including estimated of directionally drilled, give subsurface locations and measured and true vertical depths for all markders and zones pertinent to to to the water is produced from the Morrow zone. There is approximately 1 -20 BBLs per day produced A current water analysis is attached Water is stored in one (1) 250 steel tank Water is trucked from steel tank Water is transported by (page attached) APPROVAL Site Facility Diagram attached APPROVAL Site Facility Diagram attached	_
Final Abandonment Notice Casing Repair Casing Repair Altering Casing Mother Water Disposal Application	New Construction
Altering Casing Other Water Disposal Application Describe Proposed or Completed Operations (Clearly state all pertinet details, and give pertinent dates, including estimated directionally drilled, give subsurface locations and measured and true vertical depths for all markders and zones pertinent to the water is produced from the Morrow zone. There is approximately 1 -20 BBLs per day produced A current water analysis is attached Water is stored in one (1) 250 steel tank Water is trucked from steel tank Water is transported by (page attached) APPROVAL S GENERAL RE SPECIAL STI Title Regulatory Analyst s space for Federal or State of the current and correct Title Regulatory Analyst PETROLEUM ENGINEER	Non-Routine Fracturing
Other Water Disposal Application Describe Proposed or Completed Operations (Clearly state all pertinet details, and give pertinent dates, including estimated directionally drilled, give subsurface locations and measured and true vertical depths for all markders and zones pertinent to to to the Water is produced from the Morrow zone. There is approximately 1 -20 BBLs per day produced A current water analysis is attached Water is stored in one (1) 250 steel tank Water is trucked from steel tank Water is transported by (page attached) APPROVAL S GENERAL RE SPECIAL STI. Title Regulatory Analyst Title Regulatory Analyst PETROLEUM ENGINEER	Water Shut-Off
Describe Proposed or Completed Operations (Clearly state all pertinet details, and give pertinent dates, including estimated of directionally drilled, give subsurface locations and measured and true vertical depths for all markders and zones pertinent to the directionally drilled, give subsurface locations and measured and true vertical depths for all markders and zones pertinent to the directionally drilled, give subsurface locations and measured and true vertical depths for all markders and zones pertinent to the directionally depths for all markders and zones pertinent to the directional depths for all markders and zones pertinent to the directionally depths for all markders and zones pertinent to the directionally depths for all markders and zones pertinent to the directionally depths for all markders and zones pertinent to the directionally depths for all markders and zones pertinent to the directionally depths for all markders and zones pertinent to the directionally depths for all markders and zones pertinent to the directionally depths for all markders and zones pertinent to the directionally depths for all markders and zones pertinent to the directionally depths for all markders and zones pertinent to the directionally depths for all markders and zones pertinent to the directionally depths for all markders and zones pertinent to the directional depths for all markders and zones pertinent to the directional depths for all markders and zones pertinent to the directional depths for all markders and zones pertinent to the directional depths for all markders and zones pertinent to the directional depths for all markders and zones pertinent to the directional depths for all markders and zones pertinent to the directional depths for all markders and zones pertinent to the directional depths for all markders and zones pertinent to the directional depths for all markders and zones pertinent to the directional depths for all markders and zones pertinent to the directional depths for all markders and zones pertin	Conversion to Injection
Water is produced from the Morrow zone. There is approximately 1 -20 BBLs per day produced A current water analysis is attached Water is stored in one (1) 250 steel tank Water is trucked from steel tank Water is transported by (page attached) APPROVAL S GENERAL RE SPECIAL STI	Dispose Water (Note: Report results of multiple completion on We
hereby certify that the foregoing is true and correct seed Title Regulatory Analyst sepace for Federal or State office used SC. SWOBODA PETROLEUM ENGINEER	RECEIVED OCD ARTESIA
s space for Federal or State Office use) ALEXIS C. SWOBODA PETROLEUM ENGINEER	SUBJECT TO EQUIREMENTS AND IPULATIONS ATTACHED
ditions of approval. "	Date12/04/2001
JUUIS OI GUIDONIII	
ted for record	
red for record son knowingly and willfully to make to any department or agency of the Unisdiction.	United States any false, fictitious or fraudule

Attachment to Rifleman 7 Federal Com #1

Water Disposal

I&W Trucking

PO Box 98 Loca Hills, NM

- 1.) Mesquite SWD, Inc. Dor State #1 SWD Sec 27-25S-28E Eddy County, NM
- 2.) Griffin Petroleum Company Willow Lake #1 SWD Sec 22-24S-28S Eddy County, NM

Lucky Services, Inc.

PO Box 5790 Hobbs, NM

- 1.) Nearburg Producing Company Fanning SWD #1 Sec 4-19S-26E Eddy County, NM
- 2.) Dakota Resources, Inc.
 Whistle Stop SWD
 Sec 8-21S-28E
 Eddy County, NM

GAS EALES OAR OARCX NETTR 250 BBL LOW TOP TANK SST-1 PRODUCTION PRODUCTION SYSTEM - OPEN 1. Oil sales by tank gauge to tank truck
2. Seal requirements:
A. Production Phase
(1) All valves 4 sealed closed B. Sales Phase (Sales from SST-1)
(1) Valve 1 on SST-1 sealed closed HE A



.

LOCATION OF SITE SECURITY PLANS

Nearburg Producing Company
3300 N. "A" Street, Bidg. 2, Ste. 120

Midland, Tx., 79705

Site Facility Diagram

Nearburg Producing Company Rifleman 7 Fed. #1 1650 FNL 1980 FEL Unit G, Sec. 7 T22S, R26E Eddy County, New Mexico LC. #064528-A

API #30-016-28858