Form 3160-3 	DEPARTMEN	ITED STATES IT OF THE INT F LAND MANAGEM	BURNET IN 1 (Other last reverse ERIOR ENT		OMB NO.	PPROVED 1004-0136 Intery 28, 1995	Ϋ́
	PLICATION FOR I	DERNIT TO DRI	LL OR DEEPEN	1	6. IF IADIAN, ALLOT	TES OR TRIBE HAME	
API	PLICATION FOR	Enmit TO Ditt					
IA. TYPE OF WORK		DEEPEN			7. UNIT ACLEIMENT	19624	/
OIL X	CAS OTRER		SORE N SORE		Lost Tank "3	MLLHO 3" Federal ∦ 1	0
2. RAME OF OPERATOR POGO PRODUC		(RICHARD WRIG	HT) 1789		P. AT WELL NO	U	
8. ADDRESS AND TELEPHONE P.O. BOX 10	340 MIDLAND, TEXA		. 915-682-6822	<u> </u>	10. FIELD AND POOL	OL VILDCAT	
	(Report location clearly an 50' FNL & 330' FE			NM	Ministry I and Hold De	BLE.	
At proposed prod.	same Uni	т. А	1. e. <u>1</u>		Sec. 33 T21		
14. DISTANCE IN MILL	ts and disection FROM REALLY 30 miles East	of Carlsbad. No	w Mexico		Æddy Co.	New Mexico	
13. DISTANCE FROM PR LOCATION TO NEAR		30'	640	TO TH	ACBED ABERCHED IB WELL 40		
TO DEPART NON TO	DRILLING, COMPLETED.		коробер верти 8150°	_	ATY		
	whether DF, RT, GR, etc.)	455' GR.			22. APPROL DATE WO AS SOON BS BD		
23.		PROPOSED CASING AN	D CEMENTING PROGRAM	M			
SILE OF BOLL	GRADE, BIZE OF CASHO	WEIGHT PER POOT	BETTING DEPTH	.	QUANTITY OF CEME		
26"	20" Conductor	NA	40'		to surface W/		
175	J-55 13 3/8"	54.5	550'	<u>650 Sx.</u>		ement to surfac	:e
	T_55 8 5/8"	32 5 24	4000	1375 Sx	**	11 11 11	

1. Drill 26" hole to 40'. Set 40- of 20" conductor cement to surface with Redi-Mix.

15.5 & 17

53/2"

7 7/8"

- 2. Drill 17½" hole to 550'. Run and set 550' of 13 3/8" J-55 54.5# 8-R ST&C casing. Cement with 450 Sx. 35/65 Class C"C light + 2% CaCl, tail in with 200 Sx. Class "C" + 2% CaCl circulate cement to surface.
- 3. Drill 11" hole to 4000'. Run and set 4000' of 8 5/8" casing as follows: 1800' of 32 # J-55 ST&C, 1200' OF 24 # J-55 ST&C, 1000' of 32 # J-55 ST&C casing. Cement with 1175 Sx. 35/65 Class "C" POZ + 5# salt/Sx., tail in with 200 Sx. Class "C" + 2% CaCl, circulate cement to surface

8150'

11

11

11

1975 Sx

4. Drill 7 7/8" hole to 8150'. Run and set 8150' of 5½" casing as follows: 1300' of J-55 7-25 -17 # LT&C, 5850' of J-55 15.5# LT&C, 1000' of 17 # LT&C casing. Stage tools at 5800' & 3800'. Cement 1st stage with 700 Sx. Class "H" + 5% Microbond, 2nd stage 575 Sx. Class "C" + 12# Gilsonite/Sx. 3rd stage 600 Sx Class "C" lite tail in with 100 Sx. Class "C" neat. Circulate cement to surface.

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.

24.	BIGNED	for	eT.	Janica	TITLEAgent		DATE01/2	3/97
	(This sp	e for Fede	TAL OF SER	te office use)				
		D			APPBOVA			<u></u>
	Application :	approval does i	not warrant o	r certify that the applicant holds le	gal or equitable title to those	rights in the subject lease which w	culd entitle the applicant to con	nduct operations thereo
		S OF APPROVAL						
		,						

APROVED BY SLIP	Carlah 1	me 43- 19-	17770 DIRESTONDATE	2-16-92
APROVED DE		Instructions On Rev	ene Side	

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictatious or fraudulent statements or representations as to any matter within its jurisdiction.

DISTRICT I P.O. Box 1960, Hobbs, NM 88241-1980

DISTRICT II P.O. Drawer DD. Artesia, NM 88211-0719

DISTRICT III 1000 Rio Brazos Rd., Aztec, NM 87410

DISTRICT IV p.o. box 2088, santa fe, n.m. 87504-2088 State of New Mexico

.. ---

Energy, Minerals and Natural Resources Department

Form C-102 Revised February 10, 1994 Submit to Appropriate District Office State Lease - 4 Copies Fee Lease - 3 Copies

OIL CONSERVATION DIVISION

P.O. Box 2088 Santa Fe, New Mexico 87504-2088

□ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

Pool Code TRIPLE "P" DE	Pool Name TRIPLE "P" DELAWARE		
Property Name	Well Number		
lost tank "33" federal	10		
Operator Name	Elevation		
POGO PRODUCING COMPANY	3455		
	TRIPLE "P" DE Property Name LOST TANK "33" FEDERAL		

Surface Location

UL or lot No.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
А	33	21 S	31 E		660	NORTH	330	EAST	EDDY

Bottom Hole Location If Different From Surface

UL or lot No.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
Dedicated Acres	Joint o	r Infill Co	onsolidation (Code Or	der No.				
40									

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

	· · · · · · · · · · · · · · · · · · ·	***********************	······
		09	OPERATOR CERTIFICATION
	3456.2'3451.9'	- 66	I hereby certify the the information contained herein is true and complete to the
	0		best of my knowledge and belief.
	<u> </u>	330 SEE DETAIL	$\square - \square $
	DETAIL		fort four
			Signature
			Joe T. Janica Printed Name
· · · · · · · · · · · · · · · · · · ·			Agent
			Title 01/23/97
			Date
			SURVEYOR CERTIFICATION
	CO.47		I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervison, and that the same is true and correct to the best of my bekef.
			JAN. 20, 1997 Dete Surgert Signature & Sed (e) Protessional Surveyor
			Sonelas Eurom 1-22-97
			Cortificate No. JOIN WEYES 676 RONALD & EDSON 3239 CRESSON EDSON 1264:

