			· -					<u> </u>	cl	SYM	L)	
1625 N. French Dr., Hobbs, NM 88240 Energy, Minerals and Natural Resources Department Revised March 17, 1991 Instructions on bar											•	
DISTRICT II	rst, Artesia, NN		(NSERVAT	₹ 2088 🔂	R	ECEIVED	6	_	opriate District Office State Lease - 6 Copies Fee Lease - 5 Copies	
DISTRICT IV	v	Re, NM 8750:		2	Santa Fe, NM	1 87304-2088 Cor	% < 1 c	nii 2011	11107	☐ AN	MENDED REPORT	
APPL	ICATIO				RILL, RE-F	ENTER, DI	EER	e praie			DD A ZONE	
		Yates P		e and Addres						ID Numbe 5575	r	
				ourth St					³ AP	Number	7	
4 -		Artesia	, New N	lexico	_		3	<u> 30- 015</u>	- 33	4	20637	
	roperty Code 22552			ls	3 Property Na acque "AQJ						ell No. 4	
				J.		e Location	<u> </u>				<u></u>	
,,, , ,		T. 1.			1	1	$\overline{}$	5 . 6 . 4	E -/31			
UL or lot no.	Section 34	Township 21S	Range 31E	Lot Idn	Feet from the 990'	North/South L North	ine	Feet from the 330'	East/Wei We		County F <u>ddy</u>	
r 	 	° Pro	posed	Bottom	Hole Loca	ation NO	TIE	y ocd s	PUD &	TIM	E	
UL or lot no. Section Township Range Lot Idn Feet from the North Proposed Pool 1 On the Location North North TO WITNESS CEMENTING OF ALL CASING STRINGS									GOF ounty			
		9 Propos	ed Pool 1			AL	L C	ASING S	IIII			
	- T	L. O	1	J-102								
	Type Code	18 , De	Well Type C	Code	13 Cable/	e/Rotary 14 Lease Type Code 15 Ground Level Elevation				1 Level Elevation		
	N		0		R		S 3458'					
16 N	Multiple	: 17	Proposed Do	epth	18 Form				19 Contractor		Spud Date	
	N		8150'		Delav	-	Undesignated ASAP			HOAF		
	- · - · · 			 	ed Casing							
-	Size	Casing		+	weight/feet	Setting Depth			Cement		stimated TOC	
	1/2" 1"	13 3/ 8 5/3			4.5# 32#		850' 4100'		850 sx 2500 sx		Circulate Circulate	
	7/8"	5 1/2		+	# & 17#	4100 TD		As Warranted				
<u> </u>	,,,	<u> </u>	_	10.0	// W 17//	10		7.0 110.	rantoa		Oli Galato	
Describe th	e blowout pre	vention progr	am, if any.	Use addition	onal sheets if nec	essary.		-			proposed new productiv	
Approcasing back to MUD BOPE ENCL	eximately g will be s to the 8 5 PROGRA PROGRA	850' of suset and ce /8" casing <u>\M</u> : 0-850 <u>\AM</u> : A 30	urface ca mented J. Will p D' Native D00# BC	esing wil circulate erforate Mud; 8 OPE will		cement cir ercial, prod ite as need rine; #100'- on the 13 3	culate uction ed for TD C	ed. Appron n casing ware r production out Brine.	ximately vill be rur on.	4100' and c	ions. of intermediate emented to tie-	
²⁸ I hereby certify that the information gives above is true and complete to the best o my knowledge and believ. Signature:												
	ertify that the i	progration giv	verlatione is	true and com	plete to the best o	Approved by:	OIL	CONSER	VATIO	N DI	VISION	
my knowled Signature:	ertify that the i	1/2 (restatione is	true and com	plete to the best o	Approved by:	OIL	CONSER	VATIO	N DI	VISION Kenni	
my knowled Signature: Printed nam	ertify that the i	Cowan	vertabove is	true and com	plete to the best o	Approved by:		CONSER	w to	il S	Resort To 0 0 0000	
my knowled Signature:	ertify that the i	1/2 (Phone:	Ven	plete to the best o	Approved by:	00	0 2 2002	Expiration I	il S	VISION R 0 2 2003	

DISTRICT I 1623 M. French Dr., Hobbs, NM 86340 DISTRICT II 811 South First, Artesia, NM 86310 DISTRICT III

1000 Rio Brazos Rd., Axtec, NM 87410

DISTRICT IV 2040 South Pacheco, Santa Fe, NM 87606

State of New Mexico

Energy, Minerals and Natural Resources Department

Form C-102 Revised March 17, 1999 Instruction on back Submit to Appropriate District Office

> State Lease - 4 Copies Fee Lease - 3 Copies

OIL CONSERVATION DIVISION

P.O. Box 2088

Santa Fe, New Mexico 87504-2088

☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

API Number	Pool Code	Pool Name	
		West Lost Ta	nk
Property Code	Prope	rty Name	Well Number
	JACQUE "AQ	J" STATE	4
OGEID No.	Opera	itor Name	Elevation
025575	Yates Peti	roleum Corporation	3458

Surface Location

UL or lot No.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/Vest line	County
D	34	21S	31E		990'	North	330 '	West	Eddy

Bottom Hole Location If Different From Surface

UL or lot No.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
Dedicated Acres	Joint o	r infill Co	msolidation (Code Or	der No.		·		
40									

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

V-4100	OPERATOR CERTIFICATION I hereby certify the the information contained herein is true and complete to the best of my imposledge and belief:
33a ' Ö	 Signature Cy Cowan Printed Name Regulatory Agent
	Title 03/28/02 Date SURVEYOR CERTIFICATION
	I hereby certify that the well location shown on this plat was platted from field notes of actual surveys made by me or under my supervison, and that the same is true and correct to the best of my belief.
	REFER TO ORIGINAL PLAT Date Surveyed Signature & Seal of Professional Surveyor
	Certificate No. Herschel L. Jones RLS 3640
	GENERAL SURVEYING COMPANY

DISTRICT I P.O. Box 1980, Hobbs, NM 88240 State of New Mexico

Energy, Minerals and Natural Resources Department

Form C-102 Revised February 10, 1994 Instruction on back Submit to Appropriate District Office State Lease - 4 Copies

Fee Lease - 3 Copies

DISTRICT II P.O. Drawer DD, Artesia, NM 88210

DISTRICT III

1000 Rio Brazos Rd., Aztec, NM 87410

OIL CONSERVATION DIVISION

P.O. Box 2088

Santa Fe, New Mexico 87504-2088

☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

API Number	Pool Code	Pool Name
		West Lost Tank
Property Code 22552	Property 1 JACQUE "AQJ" STA	
OGRID No. 025575	Operator 1 YATES PETROLEUM	


Surface Location

ſ	UL or lot No.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
ı	D	34	215	31E		990	NORTH	330	WEST	EDDY

Bottom Hole Location If Different From Surface

UL or lot No.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
Dedicated Acres	Joint o	r Infill Co	nsolidation (Code Or	der No.				
40									


NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION




ites Petroleum Corporat



Typical 3,000 psi Pressure System
Schematic
Annular with Double Ram Preventer Stack



Typical 3,000 psi choke manifold assembly with at least these minimun features



AGREEMENT

This Agreement is entered into effective June 16, 2000 by Mississippi Potash, Inc. ("MPI"), whose address is P.O. Box 101, Carlsbad, New Mexico 88221, Pogo Producing Company ("Pogo"), whose address is P.O. Box 10340, Midland, Texas 79702, and Yates Petroleum Corporation ("Yates"), whose address is 105 South Fourth Street, Artesia, New Mexico 88210.

WHEREAS:

- 1. MPI is the lessee of State of New Mexico Potash Mining Lease M-4510, dated May 2, 1988, which covers, among other lands, the NE¼, N½SE¼, and SE¼SE¼ of Section 34 and All of Section 35, and State of New Mexico Potash Mining Lease MP-29 covering the W½ of said Section 34, all in Township 21 South, Range 31 East, N.M.P.M., Eddy County, New Mexico;
- 2. Pogo is a lessee and the operator of State of New Mexico Oil and Gas Lease V-3604, covering All of Section 35, Township 21 South, Range 31 East, N.M.P.M., Eddy County, New Mexico ("Section 35");
- 3. Yates is a lessee and the operator of State of New Mexico Oil and Gas Leases V-3850 and V-4100, collectively covering all of Section 34 (except the SW¼SE¼), Township 21 South, Range 31 East, N.M.P.M., Eddy County, New Mexico ("Section 34");
- 4. Sections 34 and 35 are within the oil-potash area of southeast New Mexico as defined in New Mexico Oil Conservation Division ("OCD") Order No. R-111-P;
- 5. Pogo has filed with the OCD Applications for Permits to Drill ("APD") sixteen oil wells in Section 35, which MPI has objected to by letters dated in March 1998;
- 6. Pogo has applied to the OCD in Case No. 12406 for approval of four of the APD's described in paragraph 5 above, and that case is scheduled for hearing at 8:15 a.m. on June 19, 2000 at the OCD's offices in Santa Fe, New Mexico; and
- 7. MPI, Pogo, and Yates desire to settle their differences with respect to potash operations and oil development in Sections 34 and 35. MPI shall have the right to a corridor for mining, or drifts or tunnels, through Sections 34 and 35, and Pogo and Yates shall be allowed to drill oil wells in Sections 34 and 35.

NOW, THEREFORE, IT IS AGREED THAT:

A. MPI shall have a 1320 foot wide corridor through Sections 34 and 35, as platted on Exhibit A and described by legal subdivisions on Exhibit B;

- B. Yates shall be allowed to drill oil wells in Section 34 and Pogo shall be allowed to drill oil wells in Section 35 at locations in their discretion so long as the wellbores are not within the corridor described in paragraph A above, and in Exhibits A and B, and Yates and Pogo agree not to file applications for permit to drill oil wells at locations within the corridor;
- C. MPI hereby waives objection to any oil wells located in Sections 34 and 35 on oil and gas leases now owned by Yates or Pogo which comply with paragraph B above. For purposes of this Agreement, "oil well" shall mean a well drilled to a depth no deeper than 200 feet below the base of the Delaware formation. This waiver of objection by MPI shall satisfy any requirements set forth in Order No. R-111-P, and well operators shall not be required to obtain further waivers of objection from MPI with respect to oil wells in Sections 34 and 35, so long as the well locations comply with paragraph B above. In the event that the OCD requires a separate waiver for any specific location that complies with paragraph B above, MPI shall execute any such waiver consistent with the terms of this Agreement;
- D. The prohibition of well locations described in paragraphs A and B above does not apply to well pads, surface facilities, gathering lines, pipelines and other facilities and equipment (except the well) that are on or near the surface;
- E. Upon execution of this Agreement by all parties, Pogo shall dismiss OCD Case No. 12406;
- F. This Agreement is executed by the duly authorized representatives of MPI, Pogo, and Yates, and is binding on their respective successors and assigns.
- G. This Agreement is being executed in three multiple counterparts so each party may retain an original executed Agreement. Each counterpart shall be deemed an original for all purposes. The signatures of the authorized representative of each party may appear on separate signature pages and the signature pages may be reassembled to form a complete original counterpart.

nterpart.
Mississippi Potash, Inc.
Junothy Q. Dausan
Name: Timothy A. Dawson
Title Vice President & Treasurer
Yates Petroleum Corporation
Janly Holling
Name: Randy G. Patterson
Title: Attorney-in=Fact

STATE OF TEXAS	ξ,
COUNTY OF MIDLAND	ξ ξ ξ
, 2000, by	s acknowledged before me on this Z day of Jerry A. Cooper, Senior Vice President of Pogo Producing ration, on behalf of said corporation.
My Commission Expires:	Laney L. Lasley
JANEY J. LASLEY NOTARY PUBLIC STATE OF TEXAS My Commission Expires 5-27-2001	NOTARY PUBLIC IN AND FOR THE STATE OF TEXAS
STATE OF NEW MEXICO COUNTY OF EDDY	ξ ξ ξ
This instrument was	
My Commission Expires: 3/1/02	2

Agreement Page 3

STATE OF NEW MEXICO

STATE OF MISSISSIPPI	, ξ
COUNTY OFYAZOO	ξ ξ
This instrument was July	acknowledged before me on this 25th day of 2000, by Timothy A. Dawson
Vice President & Treasure	
a Mississippi	corporation.
My Commission Expires:	
My Commission Expires July 14, 2001	Olive Olivia hoider
	NOTARY PUBLIC IN AND FOR THE
	STATE OF Mississippi U

CORRIDOR 1980' R31E **←**,099**→** 1980 **−**20

EXHIBIT "A"

EXHIBIT B

Legal Description of Corridor

The following described lands located in Eddy County, New Mexico:

Township 21 South, Range 31 East, N.M.P.M.

Section 34: WKNEKNEK

E%NW%NE% W%SE%NE% E%SW%NE% SE%SE%NE% NE%NW%SE% N%NE%SE%

Section 35: SKSWKNWK

SWYSEYNWY
NYNWYSWY
SEYNWYSWY
WYNEYSWY
EYSWYSWY
WYSEYSWY

For all depths from the surface down to the base of the Salado formation which is located at a subsurface depth of 2461 feet in the CNLD log (compensated neutron litho density log) of the Mary "AIV" State Well No. 5, located 660 feet FNL and 330 feet FEL of Section 36, T21S, R31E, N.M.P.M.