

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

N.M. Oil Cons. Commission
811 S. 1st Street
Altoia, NM 88210-2834

FORM APPROVED
OMB No. 1004-0135
Expires July 31, 1996

157

SUNDRY NOTICES AND REPORTS ON WELL

Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.

SUBMIT IN TRIPLICATE - Other Instructions on reverse side

1. Type of Well
☒ Oil Well ☐ Gas Well ☐ Other

2. Name of Operator
E.G.L. RESOURCES INC

3a. Address
P.O. BOX 10886, MIDLAND, TX 79702

3b. Phone No. (include area code)
915-687-6560

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
2310 FNL & 2310 FEL SEC 14, T20S R28E

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.
23909

8. Well Name and No.
OXY YATES 14 FED #15

9. API Well No.
30-015-30806

10. Field and Pool, or Exploratory Area
RUSSEL YATES


11. County or Parish, State
EDDY CO, NM

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other <u>NEW WELL</u>
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

SEE ATTACHMENT A



14. I hereby certify that the foregoing is true and correct
Name (Printed/Typed)

Title
Op Engineer

Signature

Date
1/12/00

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by

Title

Date

Office

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on reverse)

ATTACHMENT A

Oxy Yates Federal 14 #15

E.GL. RESOURCES INC

Sec. 14, T-20-S, R-28-E

Eddy County, NM



12/29/99TD 510' Rig up United rig #7 Drilling 8 3/4" hole.

12/30/99TD 710' Drill to 710'. POH and LD DP & DC. Ran 18 jts 7" K55 23# Rng 3, Wash & turn to get casing down. Dowell cmt csg w/550 sx class C cmt. (400 sx primary & 150 sx 1") Cement to surf. Jim Amos w/ BLM present for cementing.

1/4/00 TD 873' Run 6 1/8" Smith bit on 16 DC. Test BOP. OK. Drill to 873'. POH w/ tbg, DC & bit. RIH w/ 23 jts 2 3/8" tbg, flange well up.

WELL SITE PLAT

OXY YATES FED 14 #15



<i>E.G.L. RESOURCES INC</i>	
WELL SITE LAYOUT	
OXY YATES FED 14 #15 2310' FNL, 2310' FEL 20S 28E SEC 14	
DATE: 1/11/00	BY: DARREN PRINTZ