Form 3160-5 (June 1990)

### **UNITED STATES** DEPARTMENT OF THE INTERIOR **BUREAU OF LAND MANAGEMENT**

Oil Co.is. N.M. DIV-Dist. 2 1301 W. Grand Avenue Expires: March 31, 1993

FORM APPROVED

Artesia, NM 882 10 ease Designation and Serial No LC 064528 A

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.  Use "APPLICATION FOR PERMIT-" for such proposals  SUBMIT IN TRIPLICATE  1 Type of Well Oil Well Well Other  2 Name of Operator Nearburg Producing Company  3 Address and Telephone No. 3300 N A St., Bldg 2, Suite 120, Midland, TX 79705 915/686-8235  4 Location of Well (Footage, Sec., T., R., M., or Survey Description)  Unit I, 1450 SL & 890 EL, Sec 7-22S-26E		6. If Indian, Allottee or Tribe Name
		7. If Unit or CA, Agreement Designation  8. Well Name and No.  White Tip 7 Federal Com #1  9. API Well No.  30-015-30827  10. Field and Pool, or Exploratory Area Happy Valley; Morrow (Gas)  11. County or Parish, State
TYPE OF SUBMISSION	TYPE OF ACTION	COMENDATA
Subsequent Report  Final Abandonment Notice  3. Describe Proposed or Completed Operations (Clearly state a directionally drilled, give subsurface locations and measured (Update on water disposal)	Abandonment Recompletion Plugging Back Casing Repair Altering Casing Other Water Disposal Application  Ill pertinet details, and give pertinent dates, including estimated date of and true vertical depths for all markders and zones pertinent to this wo	Change of Plans  New Construction  Non-Routine Fracturing  Water Shut-Off  Conversion to Injection  Dispose Water (Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)  f starting any proposed work. If well is ork.)*
Water is produced from the Morrow zone.	APPROVED	
<ul> <li>2.) There is approximately 1 -20 BBLs per mon</li> <li>3.) A current water analysis is attached</li> <li>4.) Water is stored in one (1) 250 steel tank</li> <li>5.) Water is trucked from steel tank</li> </ul>	AUG 2 7 2001  ALEXIS C. SWOBODA PETROLEUM ENGINEER	
6.) Water is transported by (page attached)	APPROVAL SUBJECT TO GENERAL REQUIREMENTS AND SPECIAL STIPULATIONS ATTACHED	OCD ARTESIA
(Update on Site Facility Diagram attached)		Close .
4. I hereby certify that the foregoing is true and correct Signed State office use)	Title Regulatory Analyst	Date 08/20/01
Approved by Conditions of approval, if any:	Title	Date

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

30840 TEVSON

24:8 KA 15 3UA 1005

BECEINED

## Attachment to White Tip 7 Federal #1

Water Disposal

## **I&W Trucking**

PO Box 98 Loca Hills, NM

- Mesquite SWD, Inc. Dor State #1 SWD Sec 27-25S-28E Eddy County, NM
- 2.) Griffin Petroleum Company Willow Lake #1 SWD Sec 22-24S-28S Eddy County, NM

## Lucky Services, Inc.

PO Box 5790 Hobbs, NM

- 1.) Nearburg Producing Company Fanning SWD #1 Sec 4-19S-26E Eddy County, NM
- 2.) Dakota Resources, Inc. Whistle Stop SWD Sec 8-21S-28E Eddy County, NM

# BECEINED

2001 AUS 21 AM 8: 45

BOSMEIT CHICE BOYETO CHICKO MOME

STATE:NM

89 ppm

3,685 ppm

FW01W494

## **BJ SERVICES COMPANY**

#### **WATER ANALYSIS #FW01W494**

#### **ARTEWIA LAB**

#### GENERAL INFORMATION

OPERATOR: NEARBURG PRODUCING CO. DEPTH:

WELL: WHITE TIP 7 FED. COM. #1 DATE SAMPLED: 06/12/00

FIELD: DATE RECEIVED:06/12/00 SUBMITTED BY:JERRY STARK COUNTY:EDDY

WORKED BY : CRAIG BAILEY FORMATION:

PHONE NUMBER:

#### SAMPLE DESCRIPTION

#### PHYSICAL AND CHEMICAL DETERMINATIONS

SPECIFIC GRAVITY: 1.010 @ 73°F PH: 4.41

RESISTIVITY (CALCULATED): 0.125 ohms @ 75°F

TESISITVITI (CALICULATED): V.IXJ OIME W /J F

IRON (FE++): 500 ppm SULFATE:

CALCIUM: 1,158 ppm TOTAL HARDNESS
MAGNESIUM: 192 ppm BICARBONATE:


MAGNESIUM: 192 ppm BICARBONATE: 97 ppm CHLORIDE: 18,293 ppm SODIUM CHLORIDE(Calc) 30,092 ppm

SODIUM+POTASS: 13,838 ppm TOT. DISSOLVED SOLIDS: 36,002 ppm

IODINE: POTASSIUM CHLORIDE:

#### REMARKS


#### STIFF TYPE PLOT (IN MEQ/L)



TMISW CORT FO URBRING EORREO LUEW CR

2001 AUG 21 RM 8: 45

BECEINED



EO-E-O THE SCE WEST OF THE SKENI

2651 406 21 AN 8: 45

**JECEINED**