

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 South First, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
2040 South Pacheco, Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources

Oil Conservation Division
2040 South Pacheco
Santa Fe, NM 87505

Form C-101
Revised March 17, 1999

Submit to appropriate District Office
State Lease - 6 Copies
Fee Lease - 5 Copies

☐ AMENDED REPORT

APPLICATION FOR PERMIT TO DRILL, RE-ENTER, DEEPEN, PLUGBACK, OR ADD A ZONE

Operator Name and Address Nadel and Gussman Permian, L.L.C. 601 N. Marienfeld, Ste 508, Midland, Tx 79701		OGRID Number 155615
Property Code 25402	Property Name Sammy State	API Number 30-025-015-30983
		Well No. 1

Surface Location

UL or lot no. E	Section 15	Township 21-S	Range 25-E	Lot Idn	Feet from the 1650'	North/South line North	Feet from the 660'	East/West line West	County Eddy
--------------------	---------------	------------------	---------------	---------	------------------------	---------------------------	-----------------------	------------------------	----------------

Proposed Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
Wildcat Morrow Catalex Draw (74220)					Proposed Pool 1 96070	Proposed Pool 2 Post 3-3-00			

Work Type Code N	Well Type Code G	Cable/Rotary Rotary	Lease Type Code S	Ground Level Elevation 3414'
Multiple No	Proposed Depth 10,800'	Formation Morrow	Contractor Patterson	Spud Date +/- 03/10/2000

Minimum WOC time 8 hrs. Proposed Casing and Cement Program

Hole Size	Casing Size	Casing weight/foot	Setting Depth	Sacks of Cement	Estimated TOC
24"	20"	48#	40'	10 sx	circ. to surface
17-1/2"	13-3/8"	42#	400'	900 sx	circ. to surface
12-1/4"	8 5/8"	36#	1900'	1000 sx	circ. to surface
7-7/8"	5-1/2"	17# & 20#	10,800'	1000 sx	8000'
Tie back 200' above 8 5/8" casing B6X					

Describe the proposed program. If this application is to DEEPEN or PLUG BACK, give the data on the present productive zone and proposed new productive zone.

Describe the blowout prevention program, if any. Use additional sheets if necessary.

Drill and complete well in Morrow with a projected TD of 10,800'. A BOP schematic is attached. A DV tool may be used if zones above the Morrow are prospective. The Morrow will be completed using thru-tubing or tubing conveyed guns. A 5000 psig tree will be nipped up prior to perforating. NSL: NSP to Catalex Draw; Morrow

does not apply as per Santa Fe Hearing
Examiners Jim W. Gussman B6X

Notify OCD at SPUD & TIME
to witness cementing the
13 3/8" = 8 5/8" casing

I hereby certify that the information given above is true and complete to the best of my knowledge and belief.

Signature:

Printed name: Joe T. Janica

Title:

AGENT

Date: 2-29-00

Phone: 505-391-8503

OIL CONSERVATION DIVISION

Approved by:

Title:

Approval Date: 2-29-00

Expiration Date: 2-29-01

Conditions of Approval: