

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

N.M. Oil Conservation Division  
811 S. 1st Street  
Artesia, NM 88210-2834

FORM APPROVED  
OMB NO. 1004-0155  
Expires: November 30, 2000

**SUNDRY NOTICES AND REPORTS ON WELLS**

Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.

**SUBMIT IN TRIPLICATE - Other instructions on reverse side**

1. Type of Well

☐ Oil Well ☒ Gas Well ☐ Other

2. Name of Operator

Kerr-McGee Oil & Gas Onshore LLC

3a. Address

P.O. Box 809004 Dallas TX 75380-9004

3b. Phone No. (include area code)

972 715-4830

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

680' FNL & 1690' FEL SEC. 20 T 21S R 23E

Serial No.  
LC 067832C

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.

8. Well Name and No.

WEST INDIAN BASIN

UNIT #5

9. API Well No.

30-015-31079

10. Field and Pool, or Exploratory Area

Indian Basin Upper Penn

11. County or Parish, State

Eddy

NM

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

☐ Notice of Intent

☒ Subsequent Report

☐ Final Abandonment Notice

TYPE OF ACTION

☐ Acidize

☐ Alter Casing

☐ Casing Repair

☐ Change Plans

☐ Convert to Injection

☐ Deepen

☐ Fracture Treat

☐ New Construction

☐ Plug and Abandon

☐ Plug Back

☐ Production (Start/Resume)

☐ Reclamation

☐ Recomplete

☐ Temporarily Abandon

☐ Water Disposal

☐ Water Shut-Off


☐ Well Integrity

☒ Other Spud

& Drill to 6440'

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the final site is ready for final inspection.)

The purpose of this Sundry notice is to report that drilling activity commenced for the west Indian Basin Unit #5 on May 7, 2000. A detailed report of this operation is attached.



10/18/2000 A.M. 11:55

14. I hereby certify that the foregoing is true and correct  
Name (Printed/Typed)

Beverly Lakin

Title

Proration Analyst

Date

8-18-2000

**THIS SPACE FOR FEDERAL OR STATE OFFICE USE**

Approved by

Title

Date

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office

**Kerr-McGee Oil and Gas Corporation  
DIMS - Well Operations Log**

**Well Name: WEST INDIAN BASIN UNIT #5 - From: 01-JAN-1989 To: 31-DEC-2000**

Event Description	Activity Date	From Time	To Time	Operation Description
Drilling	07-AUG-2000	06:00	02:00	STAKE & BUILD LOCATION @ 680' FNL & 1690' FEL, SEC 20., T21S, R23E IN EDDY CO., N. M. / SET 40' OF 16" CONDUCTOR PIPE / UNITED DRILLING RIG #7 RIG UP ON 05-07-2000 & REL RIG ON 05-11-2000 / SET 1325' OF 9 5/8" 36#-FT K-55 ST&C CSG / CS 1325' / FC 1278' / BJ CMT'D TO SURFACE PER BLM REQUIREMENTS / MIRU PATTERSON DRILLING CO. RIG #78 ON 08-06-2000 / RKB-GND 19.0' / GL 4000' ASL
		02:00	06:00	NU & TST BOP'S / TST BR TO 250 PSI LOW - 3000 PSI HIGH / PR 250 PSI LOW - 3000 PSI HIGH / HYDRIL 250 LOW - 1500 HIGH / CHOKE MANIFOLD, KILL LINE, & ALL VALVES TO 250 PSI LOW - 3000 PSI HIGH NO ACCIDENTS OR POLLUTION REPORTED
	08-AUG-2000	06:00	08:30	PICKING UP DRILL COLLARS
		08:30	08:45	WL SURVEY @ 250' - 1 3/4 DEG
		08:45	09:15	PICKING UP DRILL COLLARS
		09:15	09:30	WL SURVEY @ 500' - 1 3/4 DEG
		09:30	10:15	FINISH PICKING UP DRILL COLLARS
		10:15	10:30	WL SURVEY @ 777' - 1 3/4 DEG
		10:30	11:00	PICKING UP DRILL PIPE
		11:00	11:15	WL SURVEY @ 1028' - 1 3/4 DEG
		11:15	11:45	FINISH PICKING UP DRILL PIPE / TAG CMT @ 1217' (SLM)
		11:45	12:00	TEST CASING TO 1000 PSI / HELD OK
		12:00	13:45	DRILL OUT CMT, FC, & SHOE JOINT
		13:45	14:15	WL SURVEY @ 1248' - 1 3/4 DEG
		14:15	18:15	DRILLING 8 3/4" HOLE F-1325' T-1423'
		18:15	18:30	DROP TOTCO PRIOR TOH TO CHG BHA
		18:30	23:00	TOH / PICK UP PACKED HOLE ASSEMBLY / TIH
		23:00	03:00	DRILLING F-1423' T-1494'
		03:00	03:30	WAITING ON WATER TO ARRIVE LOCATION
		03:30	06:00	DRILLING F-1494' T-1612' / 50K WOB / 60 RPM / 750 PSI PMP / 38' HR NO ACCIDENTS OR POLLUTION REPORTED
	09-AUG-2000	06:00	07:45	DRILLING 8 3/4" HOLE F-1612' T-1673'
		07:45	08:00	SERVICE RIG
		08:00	14:00	DRILLING F-1673' T-1869'
		14:00	18:00	TFB #2
		18:00	20:00	WASH & REAM 75' TO BTM
		20:00	23:30	DRILLING F-1869' T-1922'
		23:30	23:45	WL SURVEY @ 1880' - 1 1/2 DEG
		23:45	06:00	DRILLING F-1922' T-2155' / 60K WOB / 50 RPM / 1000 PSI PMP / 35' HR NO ACCIDENTS OR POLLUTION REPORTED
	10-AUG-2000	06:00	11:45	DRILL 8 3/4 HOLE F-2155' T-2391
		11:45	12:00	WL SURVEY @ 2349'-1 1/2 DEG
		12:00	12:15	RIG SERVICE
		12:15	02:30	DRILLING 2391'-T-2888'
		02:30	02:45	WL SURVEY @ 2846'-1 1/2 DEG
		02:45	06:00	DRILLING 2888'-2995' 60K WOB / 50 RPM / 1000 PSI PUMP / 36' HR NO ACCIDENTS OR POLLUTION REPORTED.
	11-AUG-2000	06:00	09:15	DRILLING 8 3/4 HOLE 2995'-3105'
		09:15	09:30	RIG SERVICE
		09:30	17:45	DRILLING 3105'-3386'

200 2021 8:11:55

Kerr-McGee Oil and Gas Corporation  
DIMS - Well Operations Log

Well Name: WEST INDIAN BASIN UNIT #5 - From: 01-JAN-1989 To: 31-DEC-2000

Event Description	Activity Date	From Time	To Time	Operation Description
Drilling	11-AUG-2000	17:45	18:15	WL SURVEY @ 3344'-1 1/4 DEG
		18:15	06:00	DRILLING 3386'-3758' / 60K WOB / 50 RPM / 1000 PSI PUMP / 34' HR NO ACCIDENTS OR POLLUTION REPORTED
	12-AUG-2000	06:00	10:30	DRILLING 8 3/4 HOLE 3758'-T-3885'
		10:30	10:45	RIG SERVICE
		10:45	11:00	WL SURVEY @ 3843 1 1/2 DEG
		11:00	15:45	DRILL 3885'-T-4011'
		15:45	16:15	REPAIR COMPOUND OIL PUMP
		16:15	19:30	DRILL 4011'-T-4073'
		19:30	19:45	REPAIR COMPOUND OIL PUMP
		19:45	06:00	DRILL 4073'-T-4325' 60K WOB / 50 RPM / 1000 PSI PUMP / 24' HR NO ACCIDENTS OR POLLUTION REPORTED.
	13-AUG-2000	06:00	08:15	DRILL 4325'-T-4383'
		08:15	08:45	WL SURVEY @ 4341'-1 1/4 DEG
		08:45	20:45	DRILL 4383'-T-4721'
		20:45	21:00	CHECK COMPOUND PUMP
		21:00	01:45	DRILL 4721'-T-4877'
		01:45	02:15	WL SURVEY @ 4835-1 1/4 DEG
		02:15	06:00	DRILL 4877'-T-4990' 60K WOB/50 RPM/ 1000 PSI PUMP/ 30' HR.NO ACCIDENTS OR POLLUTION REPORTED
	14-AUG-2000	06:00	11:00	DRILLING 8 3/4 HOLE 4990'-T-5123'
		11:00	11:15	SERVICE RIG
		11:15	21:45	DRILLING 5123'-T-5372'
		21:45	22:30	WL SURVEY @ 5330'-3-1/4 DEG
		22:30	06:00	DRILLING 5372-T-5474 40K WOB/ 50 RPM/1000 PSI PUMP/13' HR/ NO ACCIDENTS OR POLLUTION REPORTED.
	15-AUG-2000	06:00	07:45	DRILLING 8 3/4 HOLE 5474-T-5497
		07:45	08:15	RIG SERVICE-/WL SURVEY @ 5455-2 1/2 DEG
		08:15	12:45	DRILL 5497'-T-5588'
		12:45	13:15	WL SURVEY @ 5546-2 3/4 DEG
		13:15	19:00	DRILL 5588-T-5743'
		19:00	19:45	WL SURVEY @ 5741'-3 1/4 DEG
		19:45	03:00	DRILL 5743'-T-5899'
		03:00	03:15	WL SURVEY @ 5857-3 3/4 DEG
		03:15	06:00	DRILL 5899'-T-5920' / 40K WOB / 50 RPM / 1200 PSI PUMP / 20' HR. NO ACCIDENTS OR POLLUTION REPORTED
	16-AUG-2000	06:00	09:30	DRILLING 8 3/4 HOLE-F5920'-T-5993'
		09:30	10:15	WL SURVEY @ 5951-4 DEG
		10:15	17:00	DRILLING 5993'-T-6085'
		17:00	17:45	WL SURVEY @ 6075', 4-1/4 DEG
		17:45	06:00	DRILLING 6085'-T-6138' -25K WOB / 50 RPM / 800 PSI / 9.6' HR NO ACCIDENTS OR POLLUTION REPORTED
	17-AUG-2000	06:00	07:15	DRILLING 8 3/4 HOLE 6138-T-6147'
		07:15	08:00	WL SURVEY @ 6136-4 3/4 DEG.
		08:00	13:00	TRIPPING FOR BHA

**Kerr-McGee Oil and Gas Corporation  
DIMS - Well Operations Log**

**Well Name: WEST INDIAN BASIN UNIT #5 - From: 01-JAN-1989 To: 31-DEC-2000**

Event Description	Activity Date	From Time	To Time	Operation Description
Drilling	17-AUG-2000	13:00	13:45	CUT DRILL LINE
		13:45	15:45	TRIPPING
		15:45	17:30	WASH & REAM 5760'-T-6261'
		17:30	00:30	DRILLING 6147'-T-6211'
		00:30	01:15	WL SURVEY @ 6211 4 1/2 DEG.
		01:15	06:00	DRILLING 6211'-T-6261' / 20/25 WOB / 50 RPM / 1000 PUMP / 12' HR NO ACCIDENTS OR POLLUTION REPORTED.
	18-AUG-2000	06:00	07:00	DRILLING 8 3/4 HOLE 6261'-T-6273'
		07:00	07:30	WL SURVEY @ 6273'-4 1/2 DEG
		07:30	09:15	DRILLING 6273'-T-6302'
		09:15	09:45	WL SURVEY @ 6302'-4 1/2 DEG
		09:45	11:15	DRILLING 6302'-T-6331'
		11:15	11:45	WL SURVEY @ 6331'-4 3/4 DEG
		11:45	16:15	DRILLING 6331'-T-6362'
		16:15	17:00	WL SURVEY @ 6350'-4 1/2 DEG
		17:00	22:00	DRILLING 6362'-T-6392'
		22:00	22:45	WL SURVEY @ 6381'-MISS RUN
		22:45	23:00	DRILLING 6392'-T-6399'
		23:00	23:45	WL SURVEY @ 6381'-4 DEG
		23:45	04:15	DRILLING 6392'-T-6423'
		04:15	05:00	WL SURVEY @ 6413'-4 DEG
		05:00	06:00	DRILLING 6423'-6440' / WOB 20-25 / 55 RPM / 1100 PSI PUMP / 9.1' HR / NO ACCIDENTS OR POLLUTION REPORTED

18 AUG 21 11:55